


Table of Contents

Volume 10: Fused Five-Membered Hetarenes with One Hetero- atom

10.13	Product Class 13: Indole and Its Derivatives	2010
	J. A. Joule	
10.13	Product Class 13: Indole and Its Derivatives	
10.13.1	Product Subclass 1: Indoles	1
10.13.1.1	Synthesis by Ring-Closure Reactions	6
10.13.1.1.1	By Annulation to an Arene	6
10.13.1.1.1.1	By Formation of Two N—C Bonds and One C—C Bond	6
10.13.1.1.1.1.1	With Formation of 1—2, 1—7a, and 3—3a Bonds	6
10.13.1.1.1.1.1.1	Method 1: From 1,2-Dihaloarenes	6
10.13.1.1.1.1.1.2	By Formation of Two N—C Bonds	7
10.13.1.1.1.1.1.2.1	With Formation of 1—2 and 1—7a Bonds	7
10.13.1.1.1.1.2.1.1	Method 1: From 2-(2-Haloalkenyl)haloarenes	7
10.13.1.1.1.1.2.1.2	Method 2: From 2-(2-Haloaryl)oxiranes	9
10.13.1.1.1.1.2.1.3	Method 3: From (2-Haloaryl)alkynes	10
10.13.1.1.1.1.3	By Formation of One N—C and One C—C Bond	12
10.13.1.1.1.1.3.1	With Formation of 1—2 and 3—3a Bonds	12
10.13.1.1.1.1.3.1.1	Method 1: From Arylhydrazones; Fischer Synthesis	12
10.13.1.1.1.1.3.1.1.1	Variation 1: From 4-Chlorobutanal and Arylhydrazines; Grandberg Tryptamine Synthesis	29
10.13.1.1.1.1.3.1.1.2	Variation 2: From b-Oxo Esters and Arenediazonium Ions; Japp–Klingemann Synthesis	30
10.13.1.1.1.1.3.1.1.3	Variation 3: From N_b -Aryl Benzophenone Hydrazones and Ketones	35
10.13.1.1.1.1.3.1.1.4	Variation 4: From Alkynes and Arylhydrazines	37
10.13.1.1.1.1.3.1.1.5	Variation 5: From Alkenes via Hydroformylation	39
10.13.1.1.1.1.3.1.2	Method 2: From O-Alkenyl N-Arylhydroxylamines	41
10.13.1.1.1.1.3.1.3	Method 3: From ortho-Substituted Nitroarenes; Bartoli Synthesis	46
10.13.1.1.1.1.3.1.4	Method 4: From Arylamines and Alkylsulfanyl methyl Ketones; Gassman Indole Synthesis	49
10.13.1.1.1.1.3.1.5	Method 5: From Arylamines and Ketones	51
10.13.1.1.1.1.3.1.6	Method 6: From o-Haloarylamin es and Ketones or Aldehydes	51
10.13.1.1.1.1.3.1.7	Method 7: From Arylamines and 1,2-Diols	54
10.13.1.1.1.1.3.1.8	Method 8: From Arylamines and α -Halo Ketones; Bischler Synthesis	55
10.13.1.1.1.1.3.1.9	Method 9: From o-Haloarylamin es and Alkynes	56
10.13.1.1.1.1.3.1.9.1	Variation 1: Larock Synthesis	56

 Updated Section ·  Completely Revised Contributions ·  New Contributions

Science of Synthesis – Page-Proof.UpdateToC – 1/12/2010 – Process Media Consult, GmbH – 1/10

10.13.1.1.1.3.1.9.2	Variation 2:	With Concomitant Introduction of a 3-Substituent	63
10.13.1.1.1.3.1.9.3	Variation 3:	Using a Copper Catalyst	64
10.13.1.1.1.3.1.9.4	Variation 4:	Using Hydroamination	65
10.13.1.1.1.3.1.9.5	Variation 5:	Using Allenes	66
10.13.1.1.1.3.1.10	Method 10:	From <i>N</i> -Acyl- <i>o</i> -bromoarylamin es and α -Halo Ketones	67
10.13.1.1.1.3.1.11	Method 11:	From <i>ortho</i> -Thallated <i>N</i> -Acylarylamin es and 3-Chloroprop-1-ene	68
10.13.1.1.1.3.1.12	Method 12:	From <i>N</i> -Alkyl- <i>N</i> -arylhydroxylamin es and Alkynes Carrying Electron-Withdrawing Groups	69
10.13.1.1.1.3.1.13	Method 13:	From <i>N</i> -Sulfinylarylamin es and Grignard Reagents	70
10.13.1.1.1.3.1.14	Method 14:	From <i>N</i> -Arylarenesulfonamides and Phenyl(propynyl)iodonium Trifluoromethanesulfonate	70
10.13.1.1.1.3.1.15	Method 15:	From Nitroarenes	71
10.13.1.1.1.3.1.16	Method 16:	From <i>N</i> -Propargylanilines	71
10.13.1.1.1.3.1.17	Method 17:	From <i>o</i> -Bromoiodoarenes	72
10.13.1.1.1.3.1.18	Method 18:	From Anilines and Alkynes	72
10.13.1.1.1.3.1.19	Method 19:	From Aniline and Epoxides	73
10.13.1.1.1.3.2	With Formation of 1—2 and 2—3 Bonds	73	
10.13.1.1.1.3.2.1	Method 1:	From <i>o</i> -Alkylarylamin es	73
10.13.1.1.1.3.2.2	Method 2:	From <i>o</i> -Acylarylamin es	78
10.13.1.1.1.3.2.3	Method 3:	From 1-(<i>o</i> -Aminoaryl)alkenes	80
10.13.1.1.1.3.2.4	Method 4:	From <i>o</i> -(Benzoylamino)aryl Nitriles	81
10.13.1.1.1.3.3	With Formation of 1—7a and 3—3a Bonds	81	
10.13.1.1.1.3.3.1	Method 1:	From Benzo-1,4-quinones and Enamines; Nenitzescu Synthesis	81
10.13.1.1.1.3.4	With Formation of 1—7a and 1—2 Bonds	85	
10.13.1.1.1.3.4.1	Method 1:	From 1-(<i>m</i> -Hydroxyaryl)alkenes	85
10.13.1.1.1.3.5	With Formation of 1—7a and 2—3 Bonds	85	
10.13.1.1.1.3.5.1	Method 1:	From <i>o</i> -Bromoaryl Ketones or Aldehydes	85
10.13.1.1.1.4	By Formation of One N—C Bond	86	
10.13.1.1.1.4.1	With Formation of the 1—2 Bond	86	
10.13.1.1.1.4.1.1	Method 1:	From α -(<i>o</i> -Aminoaryl) Ketones, 2-(<i>o</i> -Aminoaryl)aldehydes, or Synthons Thereof	86
10.13.1.1.1.4.1.1.1	Variation 1:	From (<i>o</i> -Aminoaryl)pyruvates [3-(<i>o</i> -Aminoaryl)-2-oxopropo- noates]; Reissert Synthesis	87
10.13.1.1.1.4.1.1.2	Variation 2:	From α -(<i>o</i> -Aminoaryl) Ketones	89
10.13.1.1.1.4.1.1.3	Variation 3:	From 2-(<i>o</i> -Aminoaryl)acetaldehydes	100
10.13.1.1.1.4.1.1.4	Variation 4:	From 2-(<i>o</i> -Aminoaryl)acetaldehyde Acetals or Hemiacetals ..	102
10.13.1.1.1.4.1.1.5	Variation 5:	From 2-(<i>o</i> -Amidoaryl)enol Ethers and 2-(<i>o</i> -Nitroaryl)enol Ethers	106
10.13.1.1.1.4.1.1.6	Variation 6:	From 2-(<i>o</i> -Nitroaryl)enamines; Leimgruber-Batcho Synthesis ..	108
10.13.1.1.1.4.1.1.7	Variation 7:	From 1-Nitro-2-(<i>o</i> -nitroaryl)ethenes	114
10.13.1.1.1.4.1.2	Method 2:	From <i>o</i> -Alkynylarylamin es	116
10.13.1.1.1.4.1.2.1	Variation 1:	Closure Using a Base	116

Updated Section · Completely Revised Contributions · New Contributions

10.13.1.1.1.4.1.2.2	Variation 2:	Closure in Water Alone	121
10.13.1.1.1.4.1.2.3	Variation 3:	Closure Using an Acid, Lewis Acid, or Metal Cation	121
10.13.1.1.1.4.1.2.4	Variation 4:	Closure Using Palladium Catalysis	124
10.13.1.1.1.4.1.2.5	Variation 5:	Closure with Concomitant Introduction of a 3-Substituent	126
10.13.1.1.1.4.1.2.6	Variation 6:	Closure with Concomitant Introduction of a 2-Substituent	132
10.13.1.1.1.4.1.2.7	Variation 7:	Closure with Concomitant Introduction of a 1-Substituent	133
10.13.1.1.1.4.1.3	Method 3:	From <i>o</i> -Alkenylnitroarenes and <i>o</i> -Alkenylaryl Azides	134
10.13.1.1.1.4.1.4	Method 4:	From <i>o</i> -Alkenylarylamines and <i>N</i> -Acyl Derivatives Thereof	140
10.13.1.1.1.4.1.5	Method 5:	From <i>o</i> -Acetamidoaryl Alkynyl Carbinols	143
10.13.1.1.1.4.1.6	Method 6:	From (<i>o</i> -Nitroaryl)acetonitriles	144
10.13.1.1.1.4.1.7	Method 7:	From 1-(2-Aminoaryl)alk-2-yn-1-ols	145
10.13.1.1.1.4.1.8	Method 8:	From <i>o</i> -Acyl- <i>N</i> -tosylanilines	145
10.13.1.1.1.2.1.9	Method 9:	From <i>o</i> -Aminoaryl Allenes	145
10.13.1.1.1.4.1.10	Method 10:	From (<i>o</i> -Aminoaryl)methyl Sulfones	146
10.13.1.1.1.4.1.11	Method 11:	From Anilines and Pyrrolidin-3-one	146
10.13.1.1.1.4.1.12	Method 12:	From <i>o</i> -(Chloroacetyl)arylamines; Sugasawa Synthesis	147
10.13.1.1.1.4.2	With Formation of the 1–7a Bond	148	
10.13.1.1.1.4.2.1	Method 1:	From 2-Arylalkenyl Azides; Hemetsberger–Knittel Synthesis	148
10.13.1.1.1.4.2.2	Method 2:	From 2-(<i>o</i> -Haloaryl)-2-hydroxyethanamines	150
10.13.1.1.1.4.2.3	Method 3:	From 1-(<i>m</i> -Hydroxyaryl)alkan-2-amines	151
10.13.1.1.1.4.2.4	Method 4:	From 2-(2-Chlorophenyl)ethanal <i>N,N</i> -Dimethylhydrazones	153
10.13.1.1.1.4.2.5	Method 5:	From 2-Aryl-1-nitroethenes	154
10.13.1.1.1.4.2.6	Method 6:	From (2-Arylvinyl)amines	154
10.13.1.1.1.5	By Formation of One C–C Bond	155	
10.13.1.1.1.5.1	With Formation of the 2–3 Bond	155	
10.13.1.1.1.5.1.1	Method 1:	From <i>N</i> -(<i>o</i> -Methylaryl)amides; Madelung Synthesis	155
10.13.1.1.1.5.1.1.1	Variation 1:	From <i>N</i> -[<i>o</i> -(Acylmethyl)-, <i>N</i> -[<i>o</i> -(Cyanomethyl)-, <i>N</i> -[<i>o</i> -(Alkoxy-carbonylmethyl)-, or <i>N</i> -[<i>o</i> -(Phenylsulfonylmethyl)aryl]amides	158
10.13.1.1.1.5.1.1.2	Variation 2:	From [(<i>o</i> -Acylaminoaryl)methyl]phosphonium Salts	159
10.13.1.1.1.5.1.1.3	Variation 3:	From [(<i>o</i> -Acylaminoaryl)methyl]silanes	162
10.13.1.1.1.5.1.2	Method 2:	From <i>o</i> -Acylarylamines	163
10.13.1.1.1.5.1.3	Method 3:	From <i>o</i> -Alkylaryl Isocyanides and <i>o</i> -Alkenyl Isocyanides	165
10.13.1.1.1.5.1.4	Method 4:	From <i>o</i> -Alkenylaryl Isocyanides; Fukuyama Synthesis	169
10.13.1.1.1.5.1.5	Method 5:	From <i>N</i> -(<i>o</i> -Acylaryl)amides; Fürstner Synthesis	172
10.13.1.1.1.5.1.6	Method 6:	From <i>o</i> -Aminobenzonitriles	175
10.13.1.1.1.5.1.7	Method 7:	From <i>N</i> -(<i>o</i> -Alkylaryl)imidates and -imines	176
10.13.1.1.1.5.1.8	Method 8:	From Anilides and Thioanilides via Radical Processes	181
10.13.1.1.1.5.1.9	Method 9:	From <i>o</i> -Alkenylaniline Enol Phosphates	181
10.13.1.1.1.5.2	With Formation of the 3–3a Bond	182	
10.13.1.1.1.5.2.1	Method 1:	From 2-(Arylamino)aldehydes, α -(Arylamino) Ketones, or Synthons Thereof	182
10.13.1.1.1.5.2.2	Method 2:	From 3-Arylamino-1-(trialkylsilyl)prop-1-ynes	185
10.13.1.1.1.5.2.3	Method 3:	From (<i>o</i> -Haloaryl amino)alkenes	186
10.13.1.1.1.5.2.4	Method 4:	From Arylaminoalkenes	189
10.13.1.1.1.5.2.5	Method 5:	From <i>N</i> -(<i>o</i> -Haloaryl)prop-2-ynylamines	190

Updated Section · Completely Revised Contributions · New Contributions

10.13.1.1.1.5.2.6	Method 6:	From <i>N</i> -(<i>o</i> -Haloaryl)allylamines	190
10.13.1.1.1.5.2.7	Method 7:	From <i>N</i> -(<i>m</i> -Haloaryl)imines	192
10.13.1.1.1.5.2.8	Method 8:	From 1-Aryl-1,2,3-triazoles	193
10.13.1.1.1.5.2.9	Method 9:	From <i>N</i> -Arylethanolamines	193
10.13.1.1.1.5.2.10	Method 10:	From <i>N</i> -Aryl-2-chloroprop-2-enylamines	195
10.13.1.1.1.5.2.11	Method 11:	From <i>N</i> -(2-Aminoaryl)-2-bromo- <i>N</i> -mesylallylamines	195
10.13.1.1.1.5.2.12	Method 12:	From <i>N</i> -Alkynyl- <i>N</i> -tosyl-2-iodoarylamines	196
10.13.1.1.1.5.2.13	Method 13:	From <i>N</i> -Tosyl(2-iodoaryl)aminoallenes	196
10.13.1.1.2		By Annulation to a Pyrrole	197
10.13.1.1.2.1		By Formation of Three C—C Bonds	197
10.13.1.1.2.1.1		With Formation of 3a—4, 4—5, and 6—7 Bonds	197
10.13.1.1.2.1.1.1	Method 1:	From Pyrrole Chromium Carbene Complexes	197
10.13.1.1.2.2		By Formation of Two C—C Bonds	198
10.13.1.1.2.2.1		With Formation of 3a—4 and 5—6 Bonds	199
10.13.1.1.2.2.1.1	Method 1:	From 2-Alkenylpyrroles	199
10.13.1.1.2.2.2		With Formation of 5—6 and 7—7a Bonds	200
10.13.1.1.2.2.2.1	Method 1:	From 3-Alkenylpyrroles	200
10.13.1.1.2.2.3		With Formation of 3a—4 and 7—7a Bonds	202
10.13.1.1.2.2.3.1	Method 1:	From Pyrroles and 1,4-Diones	202
10.13.1.1.2.2.4		With Formation of 3a—4 and 4—5 Bonds	202
10.13.1.1.2.2.4.1	Method 1:	From 2-(3-Acyloxyprop-1-enyl)pyrroles and Carbon Monoxide	202
10.13.1.1.2.3		By Formation of One C—C Bond	203
10.13.1.1.2.3.1		With Formation of the 3a—4 Bond	203
10.13.1.1.2.3.1.1	Method 1:	From Pyrroles with a C ₄ -Chain at C2	203
10.13.1.1.2.3.2		With Formation of the 7—7a Bond	207
10.13.1.1.2.3.2.1	Method 1:	From Pyrroles with a C ₄ -Chain at C3	207
10.13.1.1.2.3.3		With Formation of the 5—6 Bond	211
10.13.1.1.2.3.3.1	Method 1:	From 2-Acyl-3-(2-haloaryl)pyrroles	211
10.13.1.1.2.3.3.2	Method 2:	From 2-Alk-1-enyl-1-methyl-4-nitro-3-styrylpyrroles or 2-Alk-1-enyl-3-allenylpyrroles	212
10.13.1.2		Synthesis by Ring Transformation	213
10.13.1.2.1	Method 1:	From Other Heterocyclic Systems	213
10.13.1.3		Aromatization	216
10.13.1.3.1	Method 1:	Dehydrogenation of 2,3-Dihydro-1 <i>H</i> -indoles	216
10.13.1.3.2	Method 2:	Dehydrogenation of Benzene Ring Reduced Indoles	221
10.13.1.3.3	Method 3:	Reduction and Other Transformations of 1 <i>H</i> -Indole-2,3-diones (Isatins), 1,2-Dihydro-3 <i>H</i> -indol-3-ones (Indoxyls), 1 <i>H</i> -Indol-1-ols, and 1,3-Dihydro-2 <i>H</i> -indol-2-ones (Oxindoles)	221
10.13.1.4		Synthesis by Substitution	222


2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

10.13.1.4.1	Substitution of <i>N</i> -Hydrogen	222
10.13.1.4.1.1	Method 1: Giving <i>N</i> -Halogen Indoles	223
10.13.1.4.1.2	Method 2: Giving <i>N</i> -Nitrogen Indoles	223
10.13.1.4.1.3	Method 3: Giving <i>N</i> -Phosphorus Indoles	223
10.13.1.4.1.4	Method 4: Giving <i>N</i> -Silicon Indoles	223
10.13.1.4.1.5	Method 5: Giving <i>N</i> -Carbon Indoles	223
10.13.1.4.1.6	Method 6: Giving <i>N</i> -Metal Indoles	231
10.13.1.4.2	Substitution of <i>C</i> -Hydrogen	232
10.13.1.4.2.1	Electrophilic Substitution	232
10.13.1.4.2.1.1	On the Five-Membered Ring	232
10.13.1.4.2.1.1.1	Method 1: Giving <i>C</i> -Deuterium/Tritium Indoles	232
10.13.1.4.2.1.1.2	Method 2: Giving <i>C</i> -Halogen Indoles	233
10.13.1.4.2.1.1.3	Method 3: Giving <i>C</i> -Sulfur Indoles	236
10.13.1.4.2.1.1.4	Method 4: Giving <i>C</i> -Nitrogen Indoles	240
10.13.1.4.2.1.1.5	Method 5: Giving <i>C</i> -Carbon Indoles	243
10.13.1.4.2.1.1.5.1	Variation 1: Introduction of Carboxy and Cyano Groups	243
10.13.1.4.2.1.1.5.2	Variation 2: Introduction of Acyl Groups	244
10.13.1.4.2.1.1.5.3	Variation 3: Introduction of Hydroxylalkyl and Related Groups	251
10.13.1.4.2.1.1.5.4	Variation 4: Introduction of Aminoalkyl Groups	258
10.13.1.4.2.1.1.5.5	Variation 5: Introduction of Sulfanylalkyl Groups	271
10.13.1.4.2.1.1.5.6	Variation 6: Introduction of Alkyl Groups	271
10.13.1.4.2.1.1.6	Method 6: Giving <i>C</i> -Silicon Indoles	293
10.13.1.4.2.1.1.7	Method 7: Giving <i>C</i> -Mercury Indoles	293
10.13.1.4.2.1.1.8	Method 8: Giving <i>C</i> -Thallium Indoles	293
10.13.1.4.2.1.1.9	Method 9: Giving <i>C</i> -Palladium Indoles	293
10.13.1.4.2.1.2	On the Benzene Ring	294
10.13.1.4.2.1.2.1	Method 1: Substitution of Indoles	294
10.13.1.4.2.1.2.2	Method 2: Substitution of 2,3-Dihydro-1 <i>H</i> -indoles (Indolines)	299
10.13.1.4.2.2	Nucleophilic Substitution	304
10.13.1.4.2.2.1	Method 1: Giving <i>C</i> -Oxygen Indoles	304
10.13.1.4.2.2.2	Method 2: Giving <i>C</i> -Nitrogen Indoles	307
10.13.1.4.2.2.3	Method 3: Giving <i>C</i> -Carbon Indoles	307
10.13.1.4.2.3	Radical and Carbene Substitution	311
10.13.1.4.2.3.1	Method 1: Giving <i>C</i> -Carbon Indoles	311
10.13.1.4.2.3.2	Method 2: Giving <i>C</i> -Heteroatom Indoles	315
10.13.1.4.2.4	Transition Metal Catalyzed Substitution	316
10.13.1.4.2.4.1	Method 1: Giving <i>C</i> -Carbon Indoles	316
10.13.1.4.2.4.1.1	Variation 1: Giving 3-Substituted Indoles	316
10.13.1.4.2.4.1.2	Variation 2: Giving 2-Substituted Indoles	320
10.13.1.4.2.4.2	Method 2: Giving <i>C</i> -Silicon Indoles	326
10.13.1.4.2.4.3	Method 3: Giving <i>C</i> -Boron Indoles	327
10.13.1.4.2.5	Metalation	328

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

Science of Synthesis – Page-Proof.UpdateToC – 1/12/2010 – Process Media Consult, GmbH – 5/10

10.13.1.4.2.5.1	Method 1: Giving C-Lithium Indoles	328
10.13.1.4.3	Substitution of N-Metal	335
10.13.1.4.3.1	Giving N-Substituted Products	335
10.13.1.4.3.1.1	Method 1: Giving N-Halogen Indoles	335
10.13.1.4.3.1.2	Method 2: Giving N-Sulfur Indoles	336
10.13.1.4.3.1.3	Method 3: Giving N-Nitrogen Indoles	337
10.13.1.4.3.1.4	Method 4: Giving N-Carbon Indoles	337
10.13.1.4.3.1.4.1	Variation 1: Introduction of Carboxy, Cyano, and Related Groups	337
10.13.1.4.3.1.4.2	Variation 2: Introduction of Acyl Groups	338
10.13.1.4.3.1.4.3	Variation 3: Introduction of Alkenyl Groups	340
10.13.1.4.3.1.4.4	Variation 4: Introduction of Aryl Groups	340
10.13.1.4.3.1.4.5	Variation 5: Introduction of Alkyl Groups	341
10.13.1.4.3.1.5	Method 5: Giving Other N-Metal Indoles	345
10.13.1.4.3.2	Giving C-Substituted Products	346
10.13.1.4.3.2.1	Method 1: Giving C-Halogen Indoles	346
10.13.1.4.3.2.2	Method 2: Giving C-Sulfur Indoles	347
10.13.1.4.3.2.3	Method 3: Giving C-Nitrogen Indoles	347
10.13.1.4.3.2.4	Method 4: Giving C-Carbon Indoles	347
10.13.1.4.4	Substitution of C-Metal	351
10.13.1.4.4.1	Method 1: Giving C-Halogen Indoles	351
10.13.1.4.4.2	Method 2: Giving C-Oxygen Indoles	352
10.13.1.4.4.3	Method 3: Giving C-Sulfur Indoles	352
10.13.1.4.4.4	Method 4: Giving C-Nitrogen Indoles	353
10.13.1.4.4.5	Method 5: Giving C-Phosphorus Indoles	353
10.13.1.4.4.6	Method 6: Giving C-Carbon Indoles	353
10.13.1.4.4.6.1	Variation 1: Reactions with Carbon Electrophiles	353
10.13.1.4.4.6.2	Variation 2: Via Reactions with Boron Electrophiles	354
10.13.1.4.4.6.3	Variation 3: Via Ipso Displacement of Silicon	355
10.13.1.4.4.6.4	Variation 4: Via Organopalladium Intermediates Using Metalated Indoles ..	356
10.13.1.4.4.6.5	Variation 5: Via Organopalladium Intermediates Using Indole Halides and Trifluoromethanesulfonates	367
10.13.1.4.4.6.6	Variation 6: Synthetic Applications of Hapto Metal Complexes of Indoles ..	372
10.13.1.4.4.7	Method 7: Giving Other C-Metal Indoles	374
10.13.1.5	Synthesis by Substituent Modification	374
10.13.1.5.1	Modification of N-Carbon Functionalities	374
10.13.1.5.1.1	Method 1: Giving N-Hydrogen Indoles	374
10.13.1.5.1.2	Method 2: Giving N-Carbon Indoles	375
10.13.1.5.2	Modification of C-Carbon Functionalities	377
10.13.1.5.2.1	Method 1: Giving C-Hydrogen Indoles	377
10.13.1.5.2.2	Method 2: Giving C-Oxygen Indoles	378
10.13.1.5.2.3	Method 3: Giving C-Nitrogen Indoles	378
10.13.1.5.2.4	Method 4: Giving C-Carbon Indoles	378
10.13.1.5.3	Modification of N-Heteroatom Functionality	391

 Updated Section ·  Completely Revised Contributions ·  New Contributions

Science of Synthesis – Page-Proof.UpdateToC – 1/12/2010 – Process Media Consult, GmbH – 6/10

10.13.1.5.3.1	Method 1: Modification of <i>N</i> -Sulfur Functionality	391
10.13.1.5.3.2	Method 2: Modification of <i>N</i> -Silicon Functionality	393
10.13.1.5.4	Modification of <i>C</i> -Heteroatom Functionality	393
10.13.1.5.4.1	Method 1: Of <i>C</i> -Halogen Indoles	393
10.13.1.5.4.2	Method 2: Of <i>C</i> -Oxygen Indoles	394
10.13.1.5.4.3	Method 3: Of <i>C</i> -Sulfur Indoles	395
10.13.1.5.4.4	Method 4: Of <i>C</i> -Nitrogen Indoles	395
10.13.1.5.4.5	Method 5: Of <i>C</i> -Silicon Indoles	395
10.13.1.5.5	Rearrangement of <i>N</i> -Substituents	395
10.13.1.5.5.1	Method 1: Giving <i>C</i> -Halogen Indoles	395
10.13.1.5.5.2	Method 2: Giving <i>C</i> -Carbon Indoles	395
10.13.1.5.6	Rearrangement of <i>C</i> -Substituents	396
10.13.1.5.6.1	Method 1: Giving <i>C</i> -Nitrogen Indoles	396
10.13.1.5.6.2	Method 2: Giving <i>C</i> -Carbon Indoles	396
10.13.2	Product Subclass 2: 1<i>H</i>-Indol-1-ols (1-Hydroxy-1<i>H</i>-indoles)	397
10.13.2.1	Synthesis by Ring-Closure Reactions	400
10.13.2.1.1	By Annulation to an Arene	400
10.13.2.1.1.1	By Formation of One N—C and One C—C Bond	400
10.13.2.1.1.1.1	With Formation of 1—2 and 3—3a Bonds	400
10.13.2.1.1.1.2	Method 1: From Nitrosoarenes and Alkynes	400
10.13.2.1.1.1.2	By Formation of One N—C Bond	400
10.13.2.1.1.2.1	With Formation of the 1—2 Bond	400
10.13.2.1.1.2.1.1	Method 1: From (Arylmethyl)(<i>o</i> -nitroaryl)acetonitriles	400
10.13.2.1.1.2.1.2	Method 2: From 2-(<i>o</i> -Nitroaryl)enamines	401
10.13.2.1.1.2.1.3	Method 3: From 2-(<i>o</i> -Nitroaryl)acetic Acids and Esters	402
10.13.2.1.1.2.1.4	Method 4: From <i>o</i> -Nitrobenzyl Ketones/Aldehydes	403
10.13.2.1.1.2.1.5	Method 5: From Dimethyl 2-Alkyl-2-(<i>o</i> -nitrophenyl)malonates	403
10.13.2.1.1.2.1.6	Method 6: From 3-(2-Bromo-6-nitrophenyl)-2-oxobut-3-enoates	404
10.13.2.1.1.2.2	With Formation of the 1—7a Bond	405
10.13.2.1.1.2.2.1	Method 1: From 1-Aryl-2-nitroalkenes	405
10.13.2.2	Aromatization	406
10.13.2.2.1	Method 1: Oxidation of 2,3-Dihydro-1 <i>H</i> -indoles (Indolines)	406
10.13.2.2.2	Method 2: Reduction of 1-Hydroxy-1,3-dihydro-2 <i>H</i> -indol-2-ones	406
10.13.3	Product Subclass 3: 1,3-Dihydro-2<i>H</i>-indol-2-ones (1<i>H</i>-Indol-2-ols, 2-Hydroxy-1<i>H</i>-indoles, or Oxindoles)	407
10.13.3.1	Synthesis by Ring-Closure Reactions	412
10.13.3.1.1	By Annulation to an Arene	412
10.13.3.1.1.1	By Formation of One N—C and One C—C Bond	412
10.13.3.1.1.1.1	With Formation of 1—2 and 3—3a Bonds	412

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

10.13.3.1.1.1.1.1.1	Method 1: From Arylamines and an α -(Alkylsulfanyl) Ester	412
10.13.3.1.1.1.1.1.1	Variation 1: From Arylamines and (Methylsulfinyl)acetates	412
10.13.3.1.1.1.1.2	Method 2: From Arylhydrazides; Brunner Synthesis	413
10.13.3.1.1.1.1.3	Method 3: From [(Arylamino)sulfanyl]alkynes	414
10.13.3.1.1.1.2	With Formation of 1—2 and 2—3 Bonds	415
10.13.3.1.1.1.2.1	Method 1: From N-Protected o-Alkylanilines	415
10.13.3.1.1.1.2.2	Method 2: From o-Alkynylanilines	416
10.13.3.1.1.2	By Formation of One N—C Bond	416
10.13.3.1.1.2.1	With Formation of the 1—2 Bond	416
10.13.3.1.1.2.1.1	Method 1: From (o-Nitroaryl)acetic Acids and Esters	417
10.13.3.1.1.2.1.2	Method 2: From N,O-Diacylarylhydroxylamines	418
10.13.3.1.1.2.1.3	Method 3: From Nitroarenes	418
10.13.3.1.1.2.1.4	Method 4: From (o-Nitroaryl)pyruvates [3-(o-Nitroaryl)-2-oxopropo-nates]	419
10.13.3.1.1.2.1.5	Method 5: From (o-Nitroaryl)acetonitriles	419
10.13.3.1.1.2.2	With Formation of the 1—7a Bond	421
10.13.3.1.1.2.2.1	Method 1: From (o-Haloaryl)acetamides	421
10.13.3.1.1.2.2.2	Method 2: From N-Methoxyarylacetamides	421
10.13.3.1.1.3	By Formation of One C—C Bond	422
10.13.3.1.1.3.1	With Formation of the 3—3a Bond	422
10.13.3.1.1.3.1.1	Method 1: From N-Arylchloroacetamides and Related Amides	422
10.13.3.1.1.3.1.2	Method 2: From 2-(Alkoxy carbonyl)- or 2-Acyl-N-aryl-2-diazoacetamides	425
10.13.3.1.1.3.1.3	Method 3: From N-Aryltrichloroacetamides	426
10.13.3.1.1.3.1.4	Method 4: From N-(o-Haloaryl)alkanamides	427
10.13.3.1.1.3.1.5	Method 5: From α,b -Unsaturated N-(o-Haloaryl)alkanamides	427
10.13.3.1.1.3.1.6	Method 6: 1,3-Dihydro-2H-indol-2-ones via Copper(II)-Mediated C—H, Aryl—H Coupling	429
10.13.3.2	Synthesis by Substituent Modification	430
10.13.3.2.1	Method 1: Oxidation of Indoles	430
10.13.3.2.2	Method 2: Reduction of 1H-Indole-2,3-diones (Isatins)	433
10.13.3.2.3	Method 3: Reaction of 1H-Indole-2,3-diones (Isatins) with 4-Hydroxy-proline	434
10.13.3.2.4	Method 4: Nucleophilic Displacements of Halogen/Alkoxy Groups from 3-Halo- or 3-Alkoxy-1,3-dihydro-2H-indol-2-ones	434
10.13.3.2.5	Method 5: Cyclization of 2-Chloro-3-(2-aminoethyl)indoles (2-Chloro-tryptamines)	435
10.13.3.2.6	Method 6: From Methyl 1H-Indole-3-carboxylate by Chlorination Then Reaction with an Allylic Alcohol	436
10.13.4	Product Subclass 4: 1,2-Dihydro-3H-indol-3-ones (1H-Indol-3-ols, 3-Hydroxy-1H-indoles, or Indoxyls)	437
10.13.4.1	Synthesis by Ring-Closure Reactions	438
10.13.4.1.1	By Annulation to an Arene	438
10.13.4.1.1.1	By Formation of One N—C and One C—C Bond	438

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

10.13.4.1.1.1.1	With Formation of 1—2 and 3—3a Bonds	438
10.13.4.1.1.1.1.1	Method 1: From Arylamines and Glyoxal Derivatives	438
10.13.4.1.1.1.1.2	Method 2: From Arylamines, Aldehydes/Ketones, and Isocyanides	438
10.13.4.1.1.2	By Formation of One N—C Bond	440
10.13.4.1.1.2.1	With Formation of the 1—2 Bond	440
10.13.4.1.1.2.1.1	Method 1: From 1-(<i>o</i> -Aminoaryl)allyl Silyl Ethers	440
10.13.4.1.1.2.1.2	Method 2: From <i>o</i> -Aminoaryl Halomethyl Ketones; Sugasawa Indoxyl Synthesis	440
10.13.4.1.1.3	By Formation of One C—C Bond	441
10.13.4.1.1.3.1	With Formation of the 2—3 Bond	441
10.13.4.1.1.3.1.1	Method 1: From [(<i>o</i> -Carboxyaryl)amino]acetic Acids and {[<i>o</i> -(Alkoxy carbonyl)aryl]amino}acetic Acid Esters	441
10.13.4.1.1.3.2	With Formation of the 3—3a Bond	443
10.13.4.1.1.3.2.1	Method 1: From <i>N</i> -Arylglycines	443
10.13.4.2	Synthesis by Substituent Modification	443
10.13.4.2.1	Method 1: Oxidation of Indoles	443
10.13.5	Product Subclass 5: 1<i>H</i>-Indole-2,3-diones (Isatins)	447
10.13.5.1	Synthesis by Ring-Closure Reactions	447
10.13.5.1.1	By Annulation to an Arene	447
10.13.5.1.1.1	By Formation of One N—C and One C—C Bond	447
10.13.5.1.1.1.1	With Formation of the 1—2 Bond and the 3—3a Bond	447
10.13.5.1.1.1.1.1	Method 1: From Anilines and Chloral	447

2010 Updated Section • 2010 Completely Revised Contributions • New New Contributions

Science of Synthesis – Page-Proof.UpdateToC – 1/12/2010 – Process Media Consult, GmbH – 9/10

