

## Table of Contents

### Volume 4: Compounds of Group 15 (As, Sb, Bi) and Silicon Com- pounds

|            |  |       |
|------------|--|-------|
| 4.4        | <b>Product Class 4: Silicon Compounds</b>  |       |
| 4.4.43     | <b>Product Subclass 43: Silylium Ions and Stabilized Silylium Ions</b>   | (New) |
|            | T. Müller  |       |
| 4.4.43     | <b>Product Subclass 43: Silylium Ions and Stabilized Silylium Ions</b> .....   | 1     |
|            | Synthesis of Product Subclass 43 .....   | 5     |
| 4.4.43.1   | Method 1: Heterolytic Cleavage of Si—Hal Bonds .....   | 5     |
| 4.4.43.2   | Method 2: Heterolytic Cleavage of Si—H Bonds .....   | 6     |
| 4.4.43.2.1 | Variation 1: By Hydride Transfer in Aromatic Hydrocarbons .....  | 7     |
| 4.4.43.2.2 | Variation 2: By Hydride Transfer in Silanes .....  | 10    |
| 4.4.43.2.3 | Variation 3: By Hydride Transfer in Halogenated Hydrocarbons .....   | 10    |
| 4.4.43.2.4 | Variation 4: By Hydride Transfer with Subsequent Intermolecular Sub-<br>stituent Exchange .....                      | 12    |
| 4.4.43.3   | Method 3: Heterolytic Cleavage of Si—C Bonds .....   | 13    |
| 4.4.43.4   | Method 4: Heterolytic Cleavage of Si—Si Bonds .....  | 14    |
| 4.4.43.5   | Method 5: Oxidation of Disilanes and Silyl Radicals .....  | 15    |
| 4.4.43.6   | Method 6: Addition of Electrophiles to Silylenes .....   | 15    |
|            | Applications of Product Subclass 43 in Organic Synthesis .....   | 16    |
| 4.4.43.7   | Method 7: Addition Reactions .....   | 16    |
| 4.4.43.7.1 | Variation 1: Addition to Lewis Bases with Formation of Onium Ions .....  | 16    |
| 4.4.43.7.2 | Variation 2: Addition to Lewis Bases with Formation of Brønsted Super-<br>acids and Strong Alkylating Reagents ..... | 18    |
| 4.4.43.7.3 | Variation 3: Addition to C—C Unsaturated Compounds .....   | 19    |
| 4.4.43.8   | Method 8: Hydrosilylation Reactions .....  | 21    |
| 4.4.43.9   | Method 9: C—F Bond Activation Reactions .....  | 27    |
| 4.4.43.10  | Method 10: Lewis Acid Catalysis .....  | 36    |
| 4.4.44     | <b>Product Subclass 44: Silyl Radicals</b>   | (New) |
|            | Y. Landais   |       |
| 4.4.44     | <b>Product Subclass 44: Silyl Radicals</b> .....   | 43    |
|            | Synthesis of Product Subclass 44 .....   | 45    |
| 4.4.44.1   | Method 1: Synthesis from Silanes .....   | 45    |
| 4.4.44.1.1 | Variation 1: Hydrogen Abstraction Using Carbon-Centered Radicals .....   | 45    |
| 4.4.44.1.2 | Variation 2: Hydrogen Abstraction through [1,5]-Hydrogen Transfer .....  | 48    |
| 4.4.44.1.3 | Variation 3: Hydrogen Abstraction Using Oxygen-Centered Radicals .....   | 51    |

|             |   |   |     |
|-------------|---|---|-----|
| 4.4.44.1.4  | Variation 4:  | Polarity-Reversal Catalysis   | 54  |
| 4.4.44.2    | Method 2:   | Synthesis from Disilanes  | 56  |
| 4.4.44.2.1  | Variation 1:  | Photolysis of the Silicon—Silicon Bond  | 56  |
| 4.4.44.2.2  | Variation 2:  | Thermal Cleavage of the Silicon—Silicon Bond                                  | 57  |
| 4.4.44.3    | Method 3:   | Synthesis from Silyl Metal Compounds  | 58  |
| 4.4.44.3.1  | Variation 1:  | From Silyllithiums and Silylsodium Reagents                                   | 58  |
| 4.4.44.3.2  | Variation 2:  | From Silylaluminum Reagents   | 60  |
| 4.4.44.3.3  | Variation 3:  | From Silylmercury Reagents  | 60  |
| 4.4.44.4    | Method 4:   | Synthesis from Carbosilanes   | 61  |
| 4.4.44.4.1  | Variation 1:  | From Allylsilanes   | 61  |
| 4.4.44.4.2  | Variation 2:  | From 1-Silylcyclohexa-2,5-dienes  | 63  |
| 4.4.44.4.3  | Variation 3:  | From Benzylsilanes  | 63  |
| 4.4.44.5    | Method 5:   | Synthesis through Cleavage of Silicon—Heteroatom Bonds                        | 64  |
| 4.4.44.5.1  | Variation 1:  | Homolytic Cleavage of the Silicon—Boron Bond                                  | 64  |
| 4.4.44.5.2  | Variation 2:  | Homolytic Cleavage of the Silicon—Phosphorus Bond                             | 65  |
| 4.4.44.5.3  | Variation 3:  | Homolytic Cleavage of the Silicon—Selenium Bond                               | 66  |
| 4.4.44.6    | Method 6:   | Single-Electron Reduction of Silyl Halides                                    | 68  |
| 4.4.44.7    | Method 7:   | Reduction of Silylium Ions  | 69  |
| 4.4.44.8    | Method 8:   | Addition of Radicals to Silylenes   | 69  |
| 4.4.44.9    | Method 9:   | Reduction of Disilenes  | 71  |
| 4.4.44.10   | Method 10:  | Rearrangements  | 72  |
| 4.4.44.10.1 | Variation 1:  | 1,4- and 1,5-Aryl Migration from Silicon to Carbon                            | 72  |
| 4.4.44.10.2 | Variation 2:  | 1,2-Aryl Migration from Silicon to Oxygen                                     | 74  |
| 4.4.44.10.3 | Variation 3:  | 1,2-Silicon Group Migration from Silicon to Carbon                            | 76  |
| 4.4.44.10.4 | Variation 4:  | 1,2- and 1,3-Silicon Group Migration from Silicon to Oxygen                   | 76  |
| 4.4.44.10.5 | Variation 5:  | 1,2- and 1,3-Silicon Group Migration from Silicon to Sulfur                   | 77  |
| 4.4.44.10.6 | Variation 6:  | Intramolecular Homolytic Substitution   | 79  |
|             |   | Applications of Product Subclass 44 in Organic Synthesis                      | 81  |
| 4.4.44.11   | Method 11:  | Silyl Radicals in Reduction Processes   | 81  |
| 4.4.44.12   | Method 12:  | Addition of Silyl Radicals to Unsaturated Systems                             | 83  |
| 4.4.44.13   | Method 13:  | Formation of Carbon—Carbon Bonds  | 84  |
| 4.4.44.14   | Method 14:  | Formation of Carbon—Heteroatom Bonds  | 86  |
| 4.4.44.15   | Method 15:  | Radical Cascades Mediated by Silyl Radicals                                   | 86  |
| 4.4.44.16   | Method 16:  | Rearrangement Processes   | 88  |
| 4.4.45      | <b>Product Subclass 45: Silanecarboxylic Acids and Esters</b> |   | New |
|             | K. Igawa and K. Tomooka                                       |   |     |
| 4.4.45      | <b>Product Subclass 45: Silanecarboxylic Acids and Esters</b> |   | 93  |
|             | Synthesis of Product Subclass 45                              |   | 94  |
| 4.4.45.1    | Method 1:   | Carboxylation of Silyl Anions   | 94  |
| 4.4.45.1.1  | Variation 1:  | Reduction of Chlorosilanes with Lithium Metal and Subsequent Carboxylation    | 95  |
| 4.4.45.1.2  | Variation 2:  | Reduction of Chlorosilanes with Lithium Arenides and Subsequent Carboxylation | 95  |
|             | Applications of Product Subclass 45 in Organic Synthesis      |   | 96  |

|            |              |  |    |
|------------|--------------|--|----|
| 4.4.45.2   | Method 2:    | Decomposition of Silanecarboxylic Acids as a Source of Carbon Monoxide | 96 |
| 4.4.45.3   | Method 3:    | Esterification of Silanecarboxylic Acids                               | 96 |
| 4.4.45.3.1 | Variation 1: | Esterification of Silanecarboxylic Acids with Diazoalkanes             | 97 |
| 4.4.45.3.2 | Variation 2: | Esterification of Silanecarboxylic Acids by Mitsunobu Reaction         | 97 |

## Volume 6: Boron Compounds

|             |   |   |      |
|-------------|---|---|------|
| 6.1         | <b>Product Class 1: Boron Compounds</b> |   |      |
| 6.1.6       | <b>Product Subclass 6: Haloborates</b>  |   | 2013 |
|             | G. A. Molander and F. Beaumard          |   |      |
| 6.1.6       | <b>Product Subclass 6: Haloborates</b>  |   | 101  |
|             | Synthesis of Product Subclass 6         |   | 102  |
| 6.1.6.1     | Aryl- and Hetaryltrifluoroborates       |   | 102  |
| 6.1.6.1.1   | Method 1:                               | Transmetalation   | 102  |
| 6.1.6.1.1.1 | Variation 1:                            | Metalation/Electrophilic Borylation                           | 102  |
| 6.1.6.1.1.2 | Variation 2:                            | Directed Metalation/Electrophilic Borylation                  | 104  |
| 6.1.6.1.2   | Method 2:                               | Miyaura Borylation  | 105  |
| 6.1.6.1.2.1 | Variation 1:                            | Using Dialkoxyboranes   | 105  |
| 6.1.6.1.2.2 | Variation 2:                            | Using Bisboronates  | 106  |
| 6.1.6.1.2.3 | Variation 3:                            | Using Tetrahydroxydiboron                                     | 108  |
| 6.1.6.1.2.4 | Variation 4:                            | Using Tetrakis(dimethylamino)diboron                          | 111  |
| 6.1.6.1.3   | Method 3:                               | C—H Activation/Electrophilic Borylation                       | 113  |
| 6.1.6.2     | Alkenyltrifluoroborates                 |   | 114  |
| 6.1.6.2.1   | Method 1:                               | Metalation/Electrophilic Borylation                           | 114  |
| 6.1.6.2.2   | Method 2:                               | Hydroboration   | 115  |
| 6.1.6.2.2.1 | Variation 1:                            | Using Diorganoboranes   | 115  |
| 6.1.6.2.2.2 | Variation 2:                            | Using Diorganooxyboranes                                      | 115  |
| 6.1.6.2.2.3 | Variation 3:                            | Using Dihaloboranes   | 116  |
| 6.1.6.3     | Alkynyltrifluoroborates                 |   | 117  |
| 6.1.6.3.1   | Method 1:                               | Deprotonation of Terminal Alkynes/Borylation of Alkynylmetals | 117  |
| 6.1.6.3.2   | Method 2:                               | Dehydrohalogenation of Alkenes                                | 118  |
| 6.1.6.3.3   | Method 3:                               | Dehydrohalogenation of Alkanes                                | 119  |
| 6.1.6.4     | Alkyltrifluoroborates                   |   | 119  |
| 6.1.6.4.1   | Method 1:                               | Metalation/Electrophilic Borylation                           | 119  |
| 6.1.6.4.2   | Method 2:                               | Hydroboration   | 122  |
| 6.1.6.4.3   | Method 3:                               | C—H Activation/Borylation                                     | 124  |
| 6.1.6.4.4   | Method 4:                               | 1,4-Addition  | 125  |
| 6.1.6.4.5   | Method 5:                               | C-Alkylation of Enolates                                      | 127  |
| 6.1.6.4.6   | Method 6:                               | $\alpha$ -Halo Transfer of Nitrogen-Based Nucleophiles        | 128  |

|             |  |     |
|-------------|--|-----|
| 6.1.6.4.6.1 | Variation 1: (Carboxamidomethyl)trifluoroborates                       | 128 |
| 6.1.6.4.6.2 | Variation 2: (Sulfonamidomethyl)trifluoroborates                       | 129 |
| 6.1.6.4.6.3 | Variation 3: (Carbamatomethyl)trifluoroborates                         | 130 |
| 6.1.6.4.7   | Method 7: Borylation of Alkyl Halides                                  | 131 |
| 6.1.6.4.8   | Method 8: Borylation of Aldehydes                                      | 132 |
| 6.1.6.5     | Allyltrifluoroborates  | 134 |
| 6.1.6.5.1   | Method 1: Metalation/Electrophilic Borylation                          | 134 |
| 6.1.6.5.2   | Method 2: Palladium-Catalyzed Reactions                                | 135 |
| 6.1.6.5.2.1 | Variation 1: Using Baylis–Hillman Adducts                              | 135 |
| 6.1.6.5.2.2 | Variation 2: Using Allylic Alcohols                                    | 136 |
| 6.1.6.6     | Benzyltrifluoroborates   | 137 |
| 6.1.6.6.1   | Method 1: Transmetalation and Metalation/Electrophilic Borylation      | 137 |
| 6.1.6.7     | Propargyltrifluoroborates  | 138 |
| 6.1.6.7.1   | Method 1: Metalation/Transmetalation                                   | 138 |
| 6.1.6.8     | Acyltrifluoroborates   | 138 |
| 6.1.6.8.1   | Method 1: Transmetalation from Metalated Alkenyl Ethers and Hydrolysis | 138 |
| 6.1.6.8.2   | Method 2: Alkylation of Functionalized Carbanions                      | 139 |
|             | Applications of Product Subclass 6 in Organic Synthesis                | 140 |
| 6.1.6.9     | Modification of Potassium Trifluoroborates                             | 140 |

## Volume 14: Six-Membered Heteroarenes with One Chalcogen

### 14.1 Product Class 1: Pyrylium Salts

#### 14.1.5 Pyrylium Salts

2013

A. T. Balaban and T. S. Balaban

|              |  |     |
|--------------|--|-----|
| 14.1.5       | <b>Pyrylium Salts</b>  | 145 |
| 14.1.5.1     | Synthesis by Ring-Closure Reactions  | 148 |
| 14.1.5.1.1   | By Formation of One O—C and Two C—C Bonds  | 148 |
| 14.1.5.1.1.1 | Method 1: [C <sub>1</sub> + C <sub>3</sub> + C <sub>1</sub> ] Diacylation of Acyclic Propene Derivatives           | 148 |
| 14.1.5.1.1.2 | Method 2: [C <sub>2</sub> + C <sub>1</sub> + C <sub>2</sub> ] Condensation of Methyl(ene) Ketones with Aldehydes   | 150 |
| 14.1.5.1.1.3 | Method 3: Formation of Metalated Pyrylium Salts from Metalated Ortho Esters and Enol Ethers of Methyl(ene) Ketones | 172 |
| 14.1.5.1.2   | By Formation of Two O—C Bonds  | 173 |
| 14.1.5.1.2.1 | Method 1: Formation of Pyrylium Rings from Substituted Cyclopentadienes  | 173 |
| 14.1.5.1.3   | By Formation of One O—C and One C—C Bond   | 175 |

|                |  |  |     |
|----------------|--|--|-----|
| 14.1.5.1.3.1   | Method 1:  | [C <sub>3</sub> + C <sub>2</sub> ] Synthesis from Methyl(ene) Ketones and $\alpha,\beta$ -Unsaturated Ketones Followed by Dehydrocyclization         | 175 |
| 14.1.5.1.3.2   | Method 2:  | From Ketones or Their Synthetic Equivalents and $\beta$ -Chloro $\alpha,\beta$ -Unsaturated Ketones or Aldehydes                                     | 179 |
| 14.1.5.1.3.3   | Method 3:  | Formation of Metalated Pirylium Salts from Alkynes and Propargylic Esters  | 180 |
| 14.1.5.1.3.4   | Method 4:  | Formation of Pirylium Pseudobases by Alkene Cross Metathesis   | 182 |
| 14.1.5.1.4     | [C <sub>4</sub> + C <sub>1</sub> ]:  | Formation of a C <sub>5</sub> Chain from Two Synthons  | 183 |
| 14.1.5.1.4.1   | Method 1:  | From $\alpha,\beta$ - or $\beta,\gamma$ -Unsaturated Ketones and Carboxylic Acid Derivatives   | 183 |
| 14.1.5.1.4.2   | Method 2:  | 2,4,6-Triarylpyrylium Salts from Acetophenone Derivatives by Cleavage of an Aroyl Group from an Initially Formed 1,3-Diarylbut-2-en-1-one Derivative | 184 |
| 14.1.5.1.5     | By Formation of One O—C Bond   |  | 184 |
| 14.1.5.1.5.1   | Formation of Pirylium Rings by Closure of a Preformed Acyclic C <sub>5</sub> Chain |  | 184 |
| 14.1.5.1.5.1.1 | Method 1:  | Formation of Pirylium Salts from Pent-2-ene-1,5-diones (Pirylium Pseudobases) and 1,5-Dioates  | 185 |
| 14.1.5.1.5.1.2 | Method 2:  | Formation of Pirylium Salts by Dehydrocyclization of Penta-2,4-dienals   | 185 |
| 14.1.5.1.5.1.3 | Method 3:  | Formation of Pirylium Salts by Dehydrocyclizations of Pentane-1,5-diones   | 186 |
| 14.1.5.2       | Aromatization  |  | 195 |
| 14.1.5.2.1     | By Hydride Abstraction from a Preformed Pyran System                               |  | 195 |
| 14.1.5.2.1.1   | Method 1:  | Formation of Pirylium Salts by Hydride Abstraction from a 4 <i>H</i> -Pyran  | 195 |
| 14.1.5.2.1.2   | Method 2:  | Formation of Pirylium Salts by Addition to 2,6-Disubstituted Pirylium Cations  | 197 |
| 14.1.5.2.1.3   | Method 3:  | Benzotriazole-Mediated Derivatization of 2,6-Disubstituted Pirylium Salts in the 4-Position by Electrophiles   | 200 |
| 14.1.5.2.1.4   | Method 4:  | Formation of Pirylium Salts by Wittig Reaction between 2,6-Disubstituted Pirylium Cations and Aldehydes  | 202 |
| 14.1.5.3       | Synthesis by Substituent Modification  |  | 204 |
| 14.1.5.3.1     | Method 1:  | Modification of 2- or 4-(Arylvinyl)pyrylium Salts  | 204 |
| 14.1.5.3.2     | Method 2:  | Modification of Pirylium Salts by Metalation of 2- or 4-Methyl Groups  | 210 |
| 14.1.5.3.3     | Method 3:  | Formation of 4- or 2-(Azulen-1-yl)pyrylium Salts   | 210 |
| 14.1.5.3.4     | Method 4:  | Suzuki–Miyaura Reactions   | 211 |

## Volume 18: Four Carbon—Heteroatom Bonds: $X-C\equiv X$ , $X=C=X$ , $X_2C=X$ , $CX_4$

### 18.8 Product Class 8: Acyclic and Cyclic Ureas

#### 18.8.22 Acyclic and Cyclic Ureas

2013

S. Kubik

|                  |  |     |
|------------------|--|-----|
| 18.8.22          | <b>Acyclic and Cyclic Ureas</b> .....  | 217 |
| 18.8.22.1        | Acyclic Unfunctionalized Ureas .....   | 218 |
| 18.8.22.1.1      | Synthesis of Acyclic Unfunctionalized Ureas .....  | 218 |
| 18.8.22.1.1.1    | Method 1: From Isocyanates or Isothiocyanates .....  | 218 |
| 18.8.22.1.1.1.1  | Variation 1: From Isocyanates and Amines .....   | 218 |
| 18.8.22.1.1.1.2  | Variation 2: From Isothiocyanates, Amines, and Hydrogen Peroxide .....                       | 219 |
| 18.8.22.1.1.1.3  | Variation 3: From Isocyanates via Carbodiimides .....  | 220 |
| 18.8.22.1.1.2    | Method 2: From Cyanate Salts .....   | 221 |
| 18.8.22.1.1.3    | Method 3: From Carboxylic Acids .....  | 223 |
| 18.8.22.1.1.3.1  | Variation 1: Without Trapping of the Isocyanate .....  | 223 |
| 18.8.22.1.1.3.2  | Variation 2: With Trapping of the Isocyanate .....   | 224 |
| 18.8.22.1.1.4    | Method 4: From Amides .....  | 226 |
| 18.8.22.1.1.5    | Method 5: From Hydroxamic Acids .....  | 227 |
| 18.8.22.1.1.6    | Method 6: From Phosgene or Bis(trichloromethyl) Carbonate .....                              | 228 |
| 18.8.22.1.1.7    | Method 7: From Chloroformates .....  | 230 |
| 18.8.22.1.1.8    | Method 8: From Carbamoylimidazoles or Carbamoylimidazolium Salts .....                       | 231 |
| 18.8.22.1.1.9    | Method 9: From Carbonates or Dithiocarbonates .....  | 233 |
| 18.8.22.1.1.9.1  | Variation 1: From 1,3-Dioxolan-2-one .....   | 233 |
| 18.8.22.1.1.9.2  | Variation 2: From <i>S,S</i> -Dimethyl Dithiocarbonate .....                                 | 233 |
| 18.8.22.1.1.10   | Method 10: From Carbamates .....   | 235 |
| 18.8.22.1.1.11   | Method 11: From Ureas or Thioureas .....   | 236 |
| 18.8.22.1.1.11.1 | Variation 1: By Alkylation of Ureas .....  | 236 |
| 18.8.22.1.1.11.2 | Variation 2: By Arylation of Ureas .....   | 237 |
| 18.8.22.1.1.11.3 | Variation 3: By Transamidation of Ureas .....  | 240 |
| 18.8.22.1.1.11.4 | Variation 4: By Desulfurization of Thioureas .....   | 241 |
| 18.8.22.1.1.12   | Method 12: From Carbon Monoxide .....  | 241 |
| 18.8.22.1.1.12.1 | Variation 1: With Catalysis by Transition Metals .....                                       | 241 |
| 18.8.22.1.1.12.2 | Variation 2: With Catalysis by Main Group Elements .....                                     | 244 |
| 18.8.22.1.1.13   | Method 13: From Carbon Dioxide .....   | 246 |
| 18.8.22.1.1.14   | Method 14: Miscellaneous Methods .....   | 248 |
| 18.8.22.2        | Imidazolidin-2-ones and Other Unfunctionalized Five-Membered Cyclic Ureas .....              | 249 |
| 18.8.22.2.1      | Synthesis of Imidazolidin-2-ones and Other Unfunctionalized Five-Membered Cyclic Ureas ..... | 250 |
| 18.8.22.2.1.1    | Method 1: From Alkenes .....   | 252 |
| 18.8.22.2.1.2    | Method 2: Miscellaneous Methods .....  | 255 |

|                |   |     |
|----------------|---|-----|
| 18.8.22.3      | Tetrahydropyrimidin-2(1 <i>H</i> )-ones and Other Unfunctionalized Six-Membered Cyclic Ureas .....  | 257 |
| 18.8.22.3.1    | Synthesis of Tetrahydropyrimidin-2(1 <i>H</i> )-ones and Other Unfunctionalized Six-Membered Cyclic Ureas .....   | 257 |
| 18.8.22.3.1.1  | Method 1: From 1,3-Diamines .....   | 257 |
| 18.8.22.3.1.2  | Method 2: From a $\beta$ -Oxo Ester, an Aldehyde, and Urea (Biginelli Reaction) .....   | 257 |
| 18.8.22.3.1.3  | Method 3: Miscellaneous Methods .....   | 261 |
| 18.8.22.4      | 1,3-Diazepan-2-one and Other Unfunctionalized Seven-Membered Cyclic Ureas .....   | 262 |
| 18.8.22.4.1    | Synthesis of 1,3-Diazepan-2-one and Other Unfunctionalized Seven-Membered Cyclic Ureas .....  | 262 |
| 18.8.22.5      | Acyclic <i>N</i> -Acyl-, <i>N,N</i> -Diacyl-, and <i>N,N'</i> -Diacylureas .....  | 264 |
| 18.8.22.5.1    | Synthesis of Acyclic <i>N</i> -Acyl-, <i>N,N</i> -Diacyl-, and <i>N,N'</i> -Diacylureas .....   | 264 |
| 18.8.22.5.1.1  | Method 1: From Acyl Isocyanates .....   | 264 |
| 18.8.22.5.1.2  | Method 2: From Carboxylic Acids .....   | 265 |
| 18.8.22.5.1.3  | Method 3: From Ureas or Thioureas .....   | 266 |
| 18.8.22.6      | Imidazolidine-2,4-diones (Hydantoins) and Other Five-Membered Cyclic <i>N</i> -Acylureas .....  | 268 |
| 18.8.22.6.1    | Synthesis of Imidazolidine-2,4-diones (Hydantoins) and Other Five-Membered Cyclic <i>N</i> -Acylureas .....   | 268 |
| 18.8.22.6.1.1  | Method 1: From $\alpha$ -Amino Amides .....   | 268 |
| 18.8.22.6.1.2  | Method 2: From 1,2-Dicarbonyl Compounds and Urea (Biltz Synthesis) .....  | 269 |
| 18.8.22.6.1.3  | Method 3: From Carbonyl Compounds, Cyanide Salts, and Ammonium Carbonate (Bucherer–Bergs Synthesis) .....   | 271 |
| 18.8.22.6.1.4  | Method 4: From Amino Acids and Cyanate Salts (Read Synthesis) .....   | 272 |
| 18.8.22.6.1.5  | Method 5: From Amino Acid Esters and Isocyanates .....  | 272 |
| 18.8.22.6.1.6  | Method 6: From Amino Acid Amides and Carbamates .....   | 272 |
| 18.8.22.6.1.7  | Method 7: From Other Heterocycles .....   | 273 |
| 18.8.22.6.1.8  | Method 8: Cycloadditions .....  | 277 |
| 18.8.22.6.1.9  | Method 9: Multicomponent Reactions .....  | 277 |
| 18.8.22.6.1.10 | Method 10: Miscellaneous Methods .....  | 281 |
| 18.8.22.7      | Dihydropyrimidine-2,4(1 <i>H</i> ,3 <i>H</i> )-diones, Pyrimidine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-triones (Barbiturates), and Other Six-Membered Cyclic <i>N</i> -Acyl- or <i>N,N'</i> -Diacylureas ..                 | 282 |
| 18.8.22.7.1    | Synthesis of Dihydropyrimidine-2,4(1 <i>H</i> ,3 <i>H</i> )-diones, Pyrimidine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-triones (Barbiturates), and Other Six-Membered Cyclic <i>N</i> -Acyl- or <i>N,N'</i> -Diacylureas ..... | 282 |
| 18.8.22.7.1.1  | Method 1: From Uracil Derivatives .....   | 283 |
| 18.8.22.7.1.2  | Method 2: From $\beta$ -Amino Acids .....   | 283 |
| 18.8.22.7.1.3  | Method 3: Multicomponent Reactions .....  | 284 |
| 18.8.22.7.1.4  | Method 4: From Malonic Acid Monoesters and Carbodiimides .....  | 285 |
| 18.8.22.7.1.5  | Method 5: Miscellaneous Methods .....   | 286 |
| 18.8.22.8      | 1,3-Diazepan-2,4-diones, 1,3-Diazepan-2,4,7-triones, and Other Seven-Membered Cyclic <i>N</i> -Acyl- or <i>N,N'</i> -Diacylureas .....  | 287 |

|                |   |     |
|----------------|---|-----|
| 18.8.22.8.1    | Synthesis of 1,3-Diazepane-2,4-diones, 1,3-Diazepane-2,4,7-triones, and Other Seven-Membered Cyclic <i>N</i> -Acyl- or <i>N,N'</i> -Diacylureas | 288 |
| 18.8.22.8.1.1  | Method 1: From Pyroglutamates   | 288 |
| 18.8.22.9      | Biurets and Triurets  | 289 |
| 18.8.22.9.1    | Synthesis of Biurets and Triurets   | 289 |
| 18.8.22.10     | <i>N</i> -(Iminomethyl)ureas  | 289 |
| 18.8.22.10.1   | Synthesis of <i>N</i> -(Iminomethyl)ureas   | 289 |
| 18.8.22.10.1.1 | Method 1: From Isocyanides and Ureas  | 290 |
| 18.8.22.11     | <i>N</i> -Carbamimidoylureas  | 291 |
| 18.8.22.11.1   | Synthesis of <i>N</i> -Carbamimidoylureas   | 291 |
| 18.8.22.11.1.1 | Method 1: From Guanidines   | 291 |
| 18.8.22.12     | Semicarbazides and Carbonohydrizides  | 293 |
| 18.8.22.12.1   | Synthesis of Semicarbazides and Carbonohydrizides   | 293 |
| 18.8.22.13     | <i>N</i> -Nitroso- and <i>N</i> -Nitroureas   | 294 |
| 18.8.22.13.1   | Synthesis of <i>N</i> -Nitroso- and <i>N</i> -Nitroureas  | 295 |
| 18.8.22.14     | <i>N</i> -Chloroureas   | 296 |
| 18.8.22.14.1   | Synthesis of <i>N</i> -Chloroureas  | 296 |
| 18.8.22.14.1.1 | Method 1: From Hydantoins   | 296 |
| 18.8.22.15     | <i>N</i> -Hydroxyureas  | 297 |
| 18.8.22.15.1   | Synthesis of <i>N</i> -Hydroxyureas   | 297 |
| 18.8.22.16     | <i>N</i> -Alkoxy- <i>N</i> -chloro-, <i>N</i> -Acyloxy- <i>N</i> -alkoxy-, and <i>N,N</i> -Dialkoxyureas  | 298 |
| 18.8.22.16.1   | Synthesis of <i>N</i> -Alkoxy- <i>N</i> -chloro-, <i>N</i> -Acyloxy- <i>N</i> -alkoxy-, and <i>N,N</i> -Dialkoxyureas                           | 298 |
| 18.8.22.17     | <i>N</i> -Sulfonylureas   | 298 |
| 18.8.22.17.1   | Synthesis of <i>N</i> -Sulfonylureas  | 298 |
| 18.8.22.18     | <i>N</i> -Phosphorylureas   | 299 |
| 18.8.22.18.1   | Synthesis of <i>N</i> -Phosphorylureas  | 299 |

## Volume 19: Three Carbon—Heteroatom Bonds: Nitriles, Isocyanides, and Derivatives

|              |   |      |
|--------------|---|------|
| 19.5         | <b>Product Class 5: Nitriles</b>  |      |
| 19.5.14.15   | <b>Synthesis from Nitriles with Retention of the Cyano Group</b>                      | 2013 |
|              | N. Mase   |      |
| 19.5.14.15   | <b>Synthesis from Nitriles with Retention of the Cyano Group</b>                      | 311  |
| 19.5.14.15.1 | Organocatalytic Reactions of Nucleophiles Containing a Cyano Group with Electrophiles | 312  |



|                    |   |     |
|--------------------|---|-----|
| 19.5.14.15.1.1     | Nucleophilic Additions of Cyanide to Double Bonds   | 312 |
| 19.5.14.15.1.1.1   | Method 1: Nucleophilic Additions of Cyanide to Carbonyl and Imino Groups  | 312 |
| 19.5.14.15.1.1.2   | Method 2: Michael Addition of Cyanide to Electron-Deficient Alkenes   | 313 |
| 19.5.14.15.1.1.2.1 | Variation 1: Michael Addition of Cyanide to Enones  | 313 |
| 19.5.14.15.1.1.2.2 | Variation 2: Michael Addition of Cyanide to Nitroalkenes  | 315 |
| 19.5.14.15.1.2     | Addition of Carbon Nucleophiles to Various Electrophiles  | 317 |
| 19.5.14.15.1.2.1   | Method 1: Cyanomethylations   | 317 |
| 19.5.14.15.1.2.1.1 | Variation 1: Cyanomethylation of Aldehydes and Ketones  | 317 |
| 19.5.14.15.1.2.1.2 | Variation 2: Cyanomethylation of Imines   | 319 |
| 19.5.14.15.1.2.2   | Method 2: Knoevenagel Condensations   | 319 |
| 19.5.14.15.1.2.2.1 | Variation 1: Knoevenagel Condensation of an $\alpha$ -Cyano Ester with Aldehydes and Ketones  | 320 |
| 19.5.14.15.1.2.2.2 | Variation 2: Knoevenagel Condensation of $\alpha$ -Cyanoamides with Aldehydes   | 322 |
| 19.5.14.15.1.2.2.3 | Variation 3: Knoevenagel Condensation of Malononitrile with Aldehydes and Ketones   | 322 |
| 19.5.14.15.1.2.2.4 | Variation 4: Knoevenagel Condensation Using a Heterogeneous Organocatalyst  | 323 |
| 19.5.14.15.1.2.3   | Method 3: Mannich Reaction  | 327 |
| 19.5.14.15.1.2.3.1 | Variation 1: Mannich Reactions with Imines  | 327 |
| 19.5.14.15.1.2.3.2 | Variation 2: Mannich Reactions with Imines Generated In Situ  | 329 |
| 19.5.14.15.1.2.3.3 | Variation 3: Vinylogous Mannich Reactions   | 330 |
| 19.5.14.15.1.2.3.4 | Variation 4: One-Pot Mannich/Cyclization/Tautomerization Reactions of Malononitrile with Imines Generated In Situ                     | 332 |
| 19.5.14.15.1.2.4   | Method 4: Amination Reactions   | 334 |
| 19.5.14.15.1.2.4.1 | Variation 1: Amination Reactions of $\alpha$ -Cyano Carbonyl Compounds  | 334 |
| 19.5.14.15.1.2.4.2 | Variation 2: Vinylogous Amination Reactions   | 337 |
| 19.5.14.15.1.2.5   | Method 5: Nitroso-Aldol Reactions   | 338 |
| 19.5.14.15.1.2.6   | Method 6: Michael Reactions between Nucleophiles Containing a Cyano Group and Enals or Enones   | 339 |
| 19.5.14.15.1.2.6.1 | Variation 1: Michael Reactions of $\alpha$ -Cyano Esters with Enals   | 339 |
| 19.5.14.15.1.2.6.2 | Variation 2: Michael/Hemiaminal Reactions of N-Protected $\alpha$ -Cyano Esters with Enals  | 341 |
| 19.5.14.15.1.2.6.3 | Variation 3: Michael Reactions of $\alpha$ -Cyano Esters with Enones  | 342 |
| 19.5.14.15.1.2.6.4 | Variation 4: Michael Reactions of $\alpha$ -Cyano Sulfones with Enones  | 344 |
| 19.5.14.15.1.2.6.5 | Variation 5: Michael Reactions of $\alpha$ -Cyanophosphonates with Enones   | 344 |
| 19.5.14.15.1.2.6.6 | Variation 6: Michael Reactions of Malononitriles with Enones  | 345 |
| 19.5.14.15.1.2.6.7 | Variation 7: Michael/Hemiacetal Reactions of $\alpha$ -Cyano Ketones with Enones  | 348 |
| 19.5.14.15.1.2.6.8 | Variation 8: Michael/Cyclization/Tautomerization Reactions of Malononitrile with Enones   | 350 |
| 19.5.14.15.1.2.7   | Method 7: Michael Reactions between Nucleophiles Containing a Cyano Group and $\alpha,\beta$ -Unsaturated Carboxylic Acid Derivatives | 353 |
| 19.5.14.15.1.2.7.1 | Variation 1: Michael Reactions with $\alpha,\beta$ -Unsaturated Esters  | 353 |
| 19.5.14.15.1.2.7.2 | Variation 2: Michael Reactions with Acyclic Imides  | 355 |
| 19.5.14.15.1.2.7.3 | Variation 3: Michael Reactions with Cyclic Imides   | 357 |

|                    |  |  |     |
|--------------------|--|--|-----|
| 19.5.14.15.1.2.8   | Method 8:  | Michael Reactions between Nucleophiles Containing a Cyano Group and Various Other Electrophiles    | 358 |
| 19.5.14.15.1.2.8.1 | Variation 1:   | Michael Reactions with Alkynyl Electrophiles   | 358 |
| 19.5.14.15.1.2.8.2 | Variation 2:   | Michael Reactions of Malononitrile with Dienones   | 359 |
| 19.5.14.15.1.2.8.3 | Variation 3:   | Michael/Cyclization/Tautomerization Reactions with Dienones  | 360 |
| 19.5.14.15.1.2.8.4 | Variation 4:   | Michael Reactions with a Vinylogous Imine  | 361 |
| 19.5.14.15.1.2.8.5 | Variation 5:   | Michael Reactions of Cyano Compounds with Nitroalkenes   | 362 |
| 19.5.14.15.1.2.8.6 | Variation 6:   | Michael/Cyclization/Tautomerization Reactions of Malononitrile with Nitroalkenes                   | 364 |
| 19.5.14.15.1.2.8.7 | Variation 7:   | Michael Reactions with Vinyl Sulfones  | 366 |
| 19.5.14.15.1.2.8.8 | Variation 8:   | Michael Reactions with Vinyl Selenones   | 368 |
| 19.5.14.15.1.2.9   | Method 9:  | Vinylogous Michael Reactions of Nucleophiles Containing a Cyano Group                              | 369 |
| 19.5.14.15.1.2.9.1 | Variation 1:   | Vinylogous Michael Reactions with Enals  | 369 |
| 19.5.14.15.1.2.9.2 | Variation 2:   | Vinylogous Michael Reactions with Enones   | 371 |
| 19.5.14.15.1.2.9.3 | Variation 3:   | Vinylogous Michael Reactions with Quinones   | 373 |
| 19.5.14.15.1.2.9.4 | Variation 4:   | Vinylogous Michael Reactions with Dienones   | 375 |
| 19.5.14.15.1.2.9.5 | Variation 5:   | Vinylogous Michael Reactions with Imides   | 376 |
| 19.5.14.15.1.2.9.6 | Variation 6:   | Vinylogous Michael Reactions with Nitroalkenes   | 377 |
| 19.5.14.15.1.2.10  | Method 10:   | Michael Reactions of Isocyanide Derivatives with Imides  | 378 |
| 19.5.14.15.1.2.11  | Method 11:   | [3 + 2] Cycloadditions of Cyano Derivatives with Enals   | 379 |
| 19.5.14.15.1.3     | Substitutions of Carbon Nucleophiles by Various Electrophiles                        |  | 381 |
| 19.5.14.15.1.3.1   | Method 1:  | Alkylation   | 381 |
| 19.5.14.15.1.3.2   | Method 2:  | Allylation   | 384 |
| 19.5.14.15.1.3.2.1 | Variation 1:   | Allylation of $\alpha$ -Cyano Esters   | 384 |
| 19.5.14.15.1.3.2.2 | Variation 2:   | Allylation of $\alpha$ -Hydroxy Nitrile Derivatives  | 385 |
| 19.5.14.15.1.3.2.3 | Variation 3:   | Allylation of Aminonitriles  | 386 |
| 19.5.14.15.1.3.2.4 | Variation 4:   | Allylation of Vinylogous Nucleophiles  | 387 |
| 19.5.14.15.1.3.3   | Method 3:  | Vinylic Substitutions  | 389 |
| 19.5.14.15.2       | Organocatalytic Reactions of Nucleophiles with Electrophiles Containing Cyano Groups |  | 391 |
| 19.5.14.15.2.1     | Michael Reactions with Electrophiles Containing Cyano Groups                         |  | 391 |
| 19.5.14.15.2.1.1   | Method 1:  | Michael Reactions of Carbon Nucleophiles   | 392 |
| 19.5.14.15.2.1.1.1 | Variation 1:   | Michael Reactions of Carbonyl Compounds with Monocyano Electrophiles                               | 392 |
| 19.5.14.15.2.1.1.2 | Variation 2:   | Michael Reactions of Carbonyl Compounds with Dicyano Electrophiles                                 | 394 |
| 19.5.14.15.2.1.1.3 | Variation 3:   | Michael/Cyclization Reactions of Nucleophiles Containing a Carbonyl Group with Cyano Electrophiles | 396 |
| 19.5.14.15.2.1.1.4 | Variation 4:   | Michael/Cyclization/Tautomerization Reactions of Carbonyl Compounds with Dicyano Electrophiles     | 400 |
| 19.5.14.15.2.1.1.5 | Variation 5:   | Michael Reactions of Phosphonates with Cyano Electrophiles   | 404 |
| 19.5.14.15.2.1.1.6 | Variation 6:   | Michael Reactions of Nitroalkanes with Cyano Electrophiles   | 405 |
| 19.5.14.15.2.1.2   | Method 2:  | Aza-Michael Reactions  | 407 |
| 19.5.14.15.2.1.3   | Method 3:  | Oxa-Michael Reactions  | 408 |

|                   |   |     |
|-------------------|---|-----|
| 19.5.14.15.2.1.4  | Method 4: Thia-Michael Reactions  | 409 |
| 19.5.14.15.2.2    | Cyclopropanation  | 409 |
| 19.5.14.15.2.2.1  | Method 1: Cyclopropanation of Acrylonitrile Derivatives                       | 409 |
| 19.5.14.15.2.3    | Epoxidation   | 411 |
| 19.5.14.15.2.3.1  | Method 1: Epoxidation of $\alpha$ -Acylacrylonitriles                         | 411 |
| 19.5.14.15.2.4    | Morita–Baylis–Hillman Reactions   | 412 |
| 19.5.14.15.2.4.1  | Method 1: Morita–Baylis–Hillman Reactions with Acrylonitrile                  | 412 |
| 19.5.14.15.2.4.2  | Method 2: Aza-Morita–Baylis–Hillman Reactions                                 | 412 |
| 19.5.14.15.2.5    | Cycloaddition Reactions   | 413 |
| 19.5.14.15.2.5.1  | Method 1: [4 + 2] Cycloadditions with Cyano Dienophiles                       | 413 |
| 19.5.14.15.3      | One-Pot Sequential Reactions  | 416 |
| 19.5.14.15.3.1    | One-Pot Reactions via Knoevenagel Condensations                               | 416 |
| 19.5.14.15.3.1.1  | Method 1: Knoevenagel/Hydrogenation Reactions                                 | 416 |
| 19.5.14.15.3.1.2  | Method 2: Knoevenagel/Hydrogenation/Alkylation Reactions                      | 418 |
| 19.5.14.15.3.1.3  | Method 3: Knoevenagel/Michael Reactions                                       | 419 |
| 19.5.14.15.3.1.4  | Method 4: Knoevenagel/Michael/Cyclization Reactions                           | 421 |
| 19.5.14.15.3.1.5  | Method 5: Knoevenagel/Michael/Cyclization/Tautomerization Reactions           | 423 |
| 19.5.14.15.3.1.6  | Method 6: Knoevenagel/Friedel–Crafts/Cyclization/Tautomerization Reactions    | 427 |
| 19.5.14.15.3.1.7  | Method 7: Knoevenagel/Cycloaddition Reactions                                 | 428 |
| 19.5.14.15.3.1.8  | Method 8: Deacetalization/Knoevenagel Reactions                               | 428 |
| 19.5.14.15.3.1.9  | Method 9: Michael/Cyclization/Tautomerization/Knoevenagel Reactions           | 429 |
| 19.5.14.15.3.1.10 | Method 10: Multicomponent Reactions   | 430 |
| 19.5.14.15.3.2    | One-Pot Reactions via Allylation  | 434 |
| 19.5.14.15.3.2.1  | Method 1: Cyanation/Allylation Reactions of Aldehydes                         | 434 |
| 19.5.14.15.3.2.2  | Method 2: Cyanation/Allylation Reactions of Imines                            | 435 |
| 19.5.14.15.3.3    | One-Pot Michael/Michael/Cyclization Reactions                                 | 437 |
| 19.5.14.15.3.3.1  | Method 1: Michael/Michael/Cyclization Reactions with a Brønsted Base Catalyst | 437 |
| 19.5.14.15.3.3.2  | Method 2: Michael/Michael/Cyclization Reactions with Nucleophilic Catalysis   | 441 |
| 19.5.14.15.3.4    | Michael/Michael Reactions Using Enamine and/or Iminium Catalysis              | 442 |
| 19.5.14.15.3.4.1  | Method 1: Enamine/Iminium Catalysis   | 442 |
| 19.5.14.15.3.4.2  | Method 2: Iminium/Enamine Catalysis   | 443 |
| 19.5.14.15.3.4.3  | Method 3: Iminium/Iminium Catalysis   | 445 |
| 19.5.14.15.3.4.4  | Method 4: Enamine/Iminium/Enamine Catalysis                                   | 446 |
| 19.5.14.15.3.5    | Singly Occupied Molecular Orbital (SOMO) Catalysis                            | 447 |
| 19.5.14.15.3.5.1  | Method 1: Polycyclization of Polyenals  | 447 |
| 19.5.14.15.3.6    | Reaction Sequences Involving Metal Catalysts and Organocatalysts              | 449 |
| 19.5.14.15.3.6.1  | Method 1: Hydroformylation/Knoevenagel Reaction                               | 449 |
| 19.5.14.15.3.6.2  | Method 2: Michael/Cyclization/Isomerization Reaction                          | 451 |

|                  |  |     |
|------------------|--|-----|
| 19.5.14.15.3.6.3 | Method 3: Knoevenagel/Hydrogenation/Cyclization Reaction | 452 |
|                  | <b>Author Index</b>                                      | 459 |
|                  | <b>Abbreviations</b>                                     | 481 |