

Table of Contents

Volume 10: Fused Five-Membered Heteroarenes with One Heteroatom

10.2	Product Class 2: Benzo[c]furan and Its Derivatives	2018
	H. Kwiecień	
<hr/>		
10.2	Product Class 2: Benzo[c]furan and Its Derivatives	1
10.2.1	Product Subclass 1: Benzo[c]furans	1
10.2.1.1	Synthesis by Ring-Closure Reactions	12
10.2.1.1.1	Annulation to an Arene	12
10.2.1.1.1.1	Formation of One O—C and One C—C Bond	12
10.2.1.1.1.1.1	Method 1: From Aromatic Ketimines and Aldehydes by Rhenium Catalysis	12
10.2.1.1.1.1.1.1	Variation 1: From Ketimines and Benzyl Alcohol	14
10.2.1.1.1.1.2	Formation of One O—C Bond	15
10.2.1.1.1.2.1	Method 1: From 2-Alkynylbenzyl Alcohols or Their Derivatives	15
10.2.1.1.1.2.1.1	Variation 1: From 2-Alkynylbenzyl Alcohols Using a Palladium Catalyst ...	15
10.2.1.1.1.2.1.2	Variation 2: From 2-Alkynylbenzyl Alcohols or O-Silylated Derivatives and an Aryl Iodide Using a Palladium Catalyst	17
10.2.1.1.1.2.1.3	Variation 3: From 2-Ethynylbenzyl Alcohols via Carbocyclization with Aryl Iodides and Carbon Monoxide Using a Palladium Catalyst under Basic Conditions	19
10.2.1.1.1.2.2	Method 2: From (2-Alkynylaryl)aldehydes and Ketones and Fischer Carbene Complexes	21
10.2.1.1.1.2.2.1	Variation 1: From (2-Alkynylaryl)aldehydes or 2-Alkynylaryl Ketones and Fischer Carbene Complexes	21
10.2.1.1.1.2.2.2	Variation 2: From 2-Alkynylaldehydes and Chromium–Dicyanocarbene Complexes	24
10.2.1.1.1.2.2.3	Variation 3: From 2-Enynylbenzaldehydes and a Chromium–Carbene Complex	25
10.2.1.1.1.2.2.4	Variation 4: From 2-Ethynyl- <i>N,N</i> -dimethylbenzamide and a Fischer Carbene Complex	26
10.2.1.1.1.2.3	Method 3: From 2-Ethynylbenzoyl–Rhenium Complexes	27
10.2.1.1.1.2.4	Method 4: From 2-Alkynylbenzaldehydes by Palladium-Catalyzed Cycloreduction	29
10.2.1.1.1.2.5	Method 5: From Bis(2-aryloxyphenyl)acetylenes by Photochemical Exocyclic [2 + 2 + 2] Cycloaddition	30
10.2.1.1.1.2.6	Method 6: From 2-Alkenylbenzaldehydes	31

10.2.1.1.1.2.7	Method 7:	From Acetals of 2-(Hydroxymethyl)benzaldehydes	32
10.2.1.1.1.2.8	Method 8:	From 2-Acylbenzyl Alcohols	33
10.2.1.1.1.2.9	Method 9:	From 1,2-Diacylbenzenes	35
10.2.1.1.1.2.9.1	Variation 1:	Reduction with Borohydrides	35
10.2.1.1.1.2.9.2	Variation 2:	Reduction with Dissolving Metals	36
10.2.1.1.1.2.9.3	Variation 3:	From Phthalaldehyde and Trialkyl Phosphites Promoted by Lewis Acids	38
10.2.1.1.1.2.9.4	Variation 4:	From Phthalaldehyde and Triethylsilane with a Scandium Catalyst	40
10.2.1.1.1.2.9.5	Variation 5:	From 2-Aroylbenzaldehydes with Arylmagnesium Reagents	41
10.2.1.1.1.2.9.6	Variation 6:	From 2-Benzoylbenzaldehyde with Arylboronic Acids Using Palladium or Rhodium Catalysts	42
10.2.1.1.1.2.9.7	Variation 7:	From 2-Benzoylbenzaldehydes and Trimethylsilyl Cyanide	44
10.2.1.1.1.2.9.8	Variation 8:	From 2-Acylbenzaldehydes and Potassium Cyanide	45
10.2.1.1.1.2.9.9	Variation 9:	From 2-(Alkynylacyl)benzaldehydes	46
10.2.1.1.1.2.10	Method 10:	From 2-Acylbenzyl Sulfoxides	47
10.2.1.1.1.2.10.1	Variation 1:	From 2-Acylbenzyl Sulfoxides via Pummerer Reaction	47
10.2.1.1.1.2.10.2	Variation 2:	From 2-Carbamoylbenzyl Sulfoxides via Pummerer Reaction	48
10.2.1.1.1.2.11	Method 11:	From Methyl 2-Formylbenzoates	50
10.2.1.1.1.2.12	Method 12:	From Derivatives of 2-(Diazomethyl)benzoic Acid	52
10.2.1.1.1.2.12.1	Variation 1:	From Alkyl 2-(Diazomethyl)benzoates	52
10.2.1.1.1.2.12.2	Variation 2:	From a 2-(Diazomethyl)benzamide	54
10.2.1.1.1.2.12.3	Variation 3:	From 2-(Diazomethyl)benzamides and Intramolecular Diels–Alder Cycloaddition Reactions	54
10.2.1.1.1.2.13	Method 13:	From 2-(Halomethyl)benzamides	56
10.2.1.1.2	Annulation to a Furan Ring		56
10.2.1.1.2.1	Method 1:	From Furan-3,4-dicarbaldehydes via Addition to Conjugated Alkenes	57
10.2.1.1.2.2	Method 2:	From Furan-3,4-dicarbaldehydes via Aldol Condensations	59
10.2.1.1.2.3	Method 3:	From Dimethyl Furan-3,4-dicarboxylate via Claisen Condensation	59
10.2.1.2	Synthesis by Ring Transformation		60
10.2.1.2.1	Method 1:	Retro-Diels–Alder Reactions	60
10.2.1.2.1.1	Variation 1:	Flash-Vacuum Pyrolysis of 1,2,3,4-Tetrahydro-1,4-epoxynaphthalenes	60
10.2.1.2.1.2	Variation 2:	Thermal Decomposition of Pyranone or Cyclopentadienone Adducts with 1,4-Dihydro-1,4-epoxynaphthalene	61
10.2.1.2.1.3	Variation 3:	From Benzyne/Oxazole Cycloadducts	62
10.2.1.2.1.4	Variation 4:	From 1,4-Dihydro-1,4-epoxynaphthalene/3,6-Di-(pyridin-2-yl)-1,2,4,5-tetrazine Adducts	64
10.2.1.2.1.5	Variation 5:	Ring-Selective Generation of Benzo[c]furans from Unsymmetrically Substituted Diepoxyanthracenes	67
10.2.1.2.1.6	Variation 6:	From Benzobisoxadisiloles or Benzotrisoxadisiloles	68

10.2.1.2.2	Method 2:	From 3,4-Dihydro-1 <i>H</i> -benzo[<i>d</i>][1,2]oxazines via Hemiaminals	69
10.2.1.2.3	Method 3:	From Indenone Derivatives	72
10.2.1.2.4	Method 4:	Transformation of a 2 <i>H</i> -Indene Ring	73
10.2.1.3	Aromatization		74
10.2.1.3.1	Method 1:	From 3 <i>a</i> ,7 <i>a</i> -Dihydrobenzo[<i>c</i>]furan-1,3-diones	74
10.2.1.3.2	Method 2:	From 5,6-Dihydrobenzo[<i>c</i>]furan-4,7-diones	75
10.2.1.3.3	Method 3:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones by Deprotonation	76
10.2.1.3.3.1	Variation 1:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones by Deprotonation and Silylation	78
10.2.1.3.4	Method 4:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones by Reduction/Elimination	81
10.2.1.3.5	Method 5:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones and Grignard Reagents	82
10.2.1.3.6	Method 6:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones and Organolithium Reagents	87
10.2.1.3.7	Method 7:	From 1,3-Dihydrobenzo[<i>c</i>]furan-1-ols	88
10.2.1.3.7.1	Variation 1:	Acid-Catalyzed Dehydration of 1,3-Dihydrobenzo[<i>c</i>]furan-1-ols	89
10.2.1.3.7.2	Variation 2:	From a Silylated Hemiacetal with Metal Fluorides	94
10.2.1.3.7.3	Variation 3:	Dehydration by Thermolysis	95
10.2.1.3.8	Method 8:	From 1-Alkoxy-1,3-dihydrobenzo[<i>c</i>]furans	96
10.2.1.3.8.1	Variation 1:	Via Base-Promoted 1,4-Elimination	96
10.2.1.3.8.2	Variation 2:	Via Acid-Catalyzed 1,4-Elimination	100
10.2.1.3.8.3	Variation 3:	Via Palladium-Catalyzed Reaction under Neutral Conditions	104
10.2.1.3.9	Method 9:	From 1,1-Dimethoxy-1,3-dihydrobenzo[<i>c</i>]furan	104
10.2.1.3.10	Method 10:	From 1,3-Dihydrobenzo[<i>c</i>]furan-1-amines	106
10.2.1.3.11	Method 11:	From 1-Alkylidene-1,3-dihydrobenzo[<i>c</i>]furans	107
10.2.1.3.12	Method 12:	By Aromatization of the Benzene Ring	110
10.2.1.3.12.1	Variation 1:	By Dehydrogenation of Partially Hydrogenated Areno[<i>c</i>]furans	110
10.2.1.3.12.2	Variation 2:	From a 5,6-Dibromo-4,5,6,7-tetrahydrobenzo[<i>c</i>]furan by Dehydrobromination	111
10.2.1.3.12.3	Variation 3:	By Dehydration of the Partially Reduced Arene Ring of Hydroxyareno[<i>c</i>]furans	112
10.2.1.3.12.4	Variation 4:	From 6,7-Dihydrobenzo[<i>c</i>]furan-4(5 <i>H</i>)-ones by Dehydrogenation	114
10.2.1.3.12.5	Variation 5:	From Benzo[<i>c</i>]furan-4,7-diones by Reduction	115
10.2.1.3.13	Method 13:	From 4,5-Diaroylcyclohexenes	115
10.2.1.3.14	Method 14:	From 1,2-Diaroylcyclohexadienes	117
10.2.1.4	Synthesis by Substituent Modification		117
10.2.1.4.1	Method 1:	Giving Benzo[<i>c</i>]furans Substituted on the Furan Ring	117
10.2.2	Product Subclass 2: Benzo[<i>c</i>]furan-1(3<i>H</i>)-ones		122
10.2.2.1	Synthesis by Ring-Closure Reactions: Annulation to an Arene		127
10.2.2.1.1	By Formation of One O—C and One C—C Bond		127
10.2.2.1.1.1	With Formation of 1—2 and 1—7 <i>a</i> Bonds		127

10.2.2.1.1.1.1	Method 1:	From Benzyl Alcohols via Lithiation/Carbonylation	127
10.2.2.1.1.1.2	Method 2:	From Benzyl Alcohols via Thallation/Carbonylation	127
10.2.2.1.1.1.3	Method 3:	From 2-Halo- or 2-[(Trifluoromethylsulfonyl)oxy]benzyl Alcohols via Carbonylation	128
10.2.2.1.1.1.3.1	Variation 1:	With Use of a Palladium Catalyst and Carbon Monoxide	128
10.2.2.1.1.1.3.2	Variation 2:	Via Cyanation with Use of Copper Catalysis	130
10.2.2.1.1.1.3.3	Variation 3:	Via Palladium Catalysis Using Paraformaldehyde as Carbonyl Group Source	131
10.2.2.1.1.1.3.4	Variation 4:	Via Palladium-Catalyzed Carbonylation of 2-Halobenzyl Alcohols Using 2-Phenyloxirane as Carbonyl Group Source	132
10.2.2.1.1.1.3.5	Variation 5:	Via Palladium Catalysis Using a Cobalt–Carbonyl Complex	133
10.2.2.1.1.1.3.6	Variation 6:	Via Palladium Catalysis Using Phenyl Formate as Carbonyl Group Source	134
10.2.2.1.1.2		With Formation of 2—3 and 3—3a Bonds	134
10.2.2.1.1.2.1	Method 1:	From Benzoic Acids via Palladium-Catalyzed Alkylation with Alkyl Halides	134
10.2.2.1.1.2.2	Method 2:	From Benzoic Acids (via Ruthenium-Catalyzed C—H Bond Alkenylation)	135
10.2.2.1.1.2.3	Method 3:	From 2-Iodobenzoic Acid and Alkynes	137
10.2.2.1.1.3		With Formation of 1—2 and 3—3a Bonds	138
10.2.2.1.1.3.1	Method 1:	From Palladium-Catalyzed Hydroxymethylation of Arylboronic Acids Using Aqueous Formaldehyde	138
10.2.2.1.1.3.2	Method 2:	From 2-Iodobenzoates via Cobalt-Catalyzed Reaction with Aldehydes	139
10.2.2.1.1.3.3	Method 3:	From 2-Halobenzoic Acid Derivatives Using [Diisopropoxy(methyl)silyl]methyl Grignard Reagent as Hydroxymethylating Agent	141
10.2.2.1.2		By Formation of One O—C Bond	142
10.2.2.1.2.1		With Formation of the 1—2 Bond	142
10.2.2.1.2.1.1	Method 1:	From (2-Vinylphenyl)methanol	142
10.2.2.1.2.1.2	Method 2:	By Oxidation of 1,2-Bis(hydroxymethyl)benzenes	142
10.2.2.1.2.1.2.1	Variation 1:	Using Tungstic Acid as Catalyst	143
10.2.2.1.2.1.2.2	Variation 2:	Using an Iridium Complex as Catalyst	143
10.2.2.1.2.1.2.3	Variation 3:	Using Pyridinium Chlorochromate as Catalyst	144
10.2.2.1.2.1.2.4	Variation 4:	Via Copper/Nitroxyl Catalysis	145
10.2.2.1.2.1.2.5	Variation 5:	Using 2-Iodo-3,4,5,6-tetramethylbenzoic Acid and Oxone	146
10.2.2.1.2.1.2.6	Variation 6:	Iron-Catalyzed Aerobic Oxidation Using Molecular Oxygen or Air	148
10.2.2.1.2.1.3	Method 3:	From Arene-1,2-dicarbaldehydes or 2-Acylbenzaldehydes	149
10.2.2.1.2.1.3.1	Variation 1:	By Disproportionation Using a Ruthenium Hydride Complex	149
10.2.2.1.2.1.3.2	Variation 2:	By Disproportionation with 3-(2-Oxoalkylation) Using a Ruthenium Hydride Complex	151
10.2.2.1.2.1.3.3	Variation 3:	By Disproportionation Using a Rhodium Complex	152

10.2.2.1.2.1.3.4	Variation 4:	By Rhodium/Copper Catalyzed Oxidative Cyclization with 3-Alkoxylation	154
10.2.2.1.2.1.3.5	Variation 5:	By Rhodium/Copper Catalyzed Oxidative Cyclization with 3-(1,3-Dioxoalkylation)	155
10.2.2.1.2.1.3.6	Variation 6:	By Palladium- or Rhodium-Catalyzed Reaction with Organoboronic Acids with 3-Arylation	156
10.2.2.1.2.1.3.7	Variation 7:	By Cobalt-Catalyzed Reaction with Arylboronic Acids with 3-Arylation	158
10.2.2.1.2.1.3.8	Variation 8:	By Disproportionation Using Sodium Cyanide or UV Irradiation	159
10.2.2.1.2.1.4	Method 4:	From 2-Formyl- or 2-Aroylbenzoic Acids	162
10.2.2.1.2.1.4.1	Variation 1:	By Reaction with Acetophenones under Solid Acid Catalysis and Microwave Irradiation	162
10.2.2.1.2.1.4.2	Variation 2:	By Reaction with 1,3-Dicarbonyl Compounds under Solid Acid Catalysis and Heating	166
10.2.2.1.2.1.4.3	Variation 3:	With Introduction of a Heterocycle at the C3 Position	167
10.2.2.1.2.1.5	Method 5:	From Alkyl 2-Formylbenzoates by Palladium-Catalyzed Reaction with Organoboronic Acids	168
10.2.2.1.2.1.6	Method 6:	From Alkyl 2-Formylbenzoates by Palladium-Catalyzed Asymmetric Reaction with Organoboronic Acids	170
10.2.2.1.2.1.7	Method 7:	By Partial Reduction of Esters of Phthalic Acids (Alkyl Phthalates)	172
10.2.2.1.2.1.8	Method 8:	From 2-Formylbenzonitriles by Reaction with a Nucleophile	173
10.2.2.1.2.2	With Formation of the 2—3 Bond		176
10.2.2.1.2.2.1	Method 1:	From 2-Alkylbenzoic Acids by Intramolecular Aryloxylation of C(sp ³)—H Bonds	176
10.2.2.1.2.2.1.1	Variation 1:	By Platinum Catalysis	176
10.2.2.1.2.2.1.2	Variation 2:	By Selenium-Catalysis	177
10.2.2.1.2.2.1.3	Variation 3:	Using Organohypervalent Iodine(III)/Molecular Iodine Reagents with Irradiation	179
10.2.2.1.2.2.1.4	Variation 4:	Using Hypervalent Iodine(III)/Potassium Bromide Reagents	182
10.2.2.1.2.2.1.5	Variation 5:	Using Sodium Bromate and Sodium Hydrogen Sulfite	184
10.2.2.1.2.2.2	Method 2:	From Functionalized Alkyl 2-Alkylbenzoates	184
10.2.2.1.2.2.2.1	Variation 1:	By Trifluoroacetic Acid Mediated Lactonization	185
10.2.2.1.2.2.2.2	Variation 2:	By Cyclization of 2-(Halomethyl)benzoates	186
10.2.2.1.2.2.3	Method 3:	From 2-Alkenylbenzoic Acids	187
10.2.2.1.2.2.3.1	Variation 1:	By Lactonization with Chlorination	187
10.2.2.1.2.2.3.2	Variation 2:	By Asymmetric Lactonization with Chlorination	188
10.2.2.1.2.2.3.3	Variation 3:	By Lactonization with Thiocyanation	189
10.2.2.1.2.2.3.4	Variation 4:	By Asymmetric Lactonization with Fluorination through Anion Phase Transfer	190
10.2.2.1.2.2.3.5	Variation 5:	By Lactonization with Fluorination Using a Bifunctional Hydroxy–Carboxylate Catalyst	192

10.2.2.1.2.2.4	Method 4:	From 2-Alkenylbenzamides by Diastereoselective Iodocyclization	194
10.2.2.1.2.2.5	Method 5:	From 2-Alkynylbenzoic Acids by Base-Catalyzed Cyclization ..	195
10.2.2.1.2.2.6	Method 6:	From 2-Alkynylbenzoic Acids and Aryl Halides by Palladium-Catalyzed Cyclization in the Presence of an Inorganic Base ...	198
10.2.2.1.2.2.7	Method 7:	From Alkyl 2-Alkynylbenzoates	199
10.2.2.1.2.2.7.1	Variation 1:	By Lactonization and Iodination	199
10.2.2.1.2.2.7.2	Variation 2:	By Palladium-Catalyzed Cyclization	199
10.2.2.1.2.2.7.3	Variation 3:	By Copper(II) Chloride Mediated Cyclization of <i>N</i> -Alkoxy-2-alkynylbenzamides with Halogenation	201
10.2.2.1.3		By Formation of One C—C Bond	202
10.2.2.1.3.1		With Formation of the 3—3a Bond	202
10.2.2.1.3.1.1	Method 1:	From Vinyl 2-Bromobenzoates	202
10.2.2.2		Synthesis by Ring Transformation	203
10.2.2.2.1	Method 1:	From 3-(<i>tert</i> -Butoxycarbonyl)-1 <i>H</i> -benzo[<i>d</i>][1,2]oxazine-1,4(3 <i>H</i>)-dione	203
10.2.2.2.2	Method 2:	From Naphthalene by Ozonolysis	205
10.2.2.2.3	Method 3:	From Indane Derivatives in Subcritical Media	206
10.2.2.2.4	Method 4:	From 1,3-Dihydrobenzo[<i>c</i>]furan via Oxidation	207
10.2.2.2.5	Method 5:	From Benzo[<i>c</i>]furan-1(3 <i>H</i>)-imines by Hydrolysis	209
10.2.2.3		Synthesis by Substituent Modification	210
10.2.2.3.1	Method 1:	Synthesis and Reactions of C-Halogen Benzo[<i>c</i>]furan-1(3 <i>H</i>)-ones	210

Volume 15: Six-Membered Hetarenes with One Nitrogen or Phosphorus Atom

15.6	Product Class 6: Isoquinolinones	
15.6.3	Isoquinolinones	2018
	V. A. Glushkov and Yu. V. Shklyaeu	
15.6.3	Isoquinolinones	221
15.6.3.1	Isoquinolin-1(2 <i>H</i>)-ones	222
15.6.3.1.1	Synthesis by Ring-Closure Reactions	222
15.6.3.1.1.1	By Formation of Three Bonds	222
15.6.3.1.1.1.1	Method 1: Palladium-Catalyzed Amination/Carbonylation/Cyclization Reaction of 1-Bromo-2-(2-bromovinyl)benzenes	223
15.6.3.1.1.1.2	Method 2: Carbonylation/Decarboxylation of Diethyl 2-(2-Iodoaryl)malonates with Imines or Imidoyl Chlorides ...	224

15.6.3.1.1.1.3	Method 3:	Copper-Catalyzed Three-Component Coupling of 2-Halobenzoic Acids, Alkynylcarboxylic Acids, and Ammonium Acetate	226
15.6.3.1.1.1.4	Method 4:	Three-Component Palladium-Catalyzed Condensation of 2-Iodobenzoates, Substituted Allenes, and Ammonium Tartrate	226
15.6.3.1.1.2	By Formation of One N—C and One C—C Bond		227
15.6.3.1.1.2.1	Method 1:	Catalytic Carbonylation of N-Unprotected and N-Monosubstituted 2-Arylethylamines	228
15.6.3.1.1.2.2	Method 2:	From 2-(Acylamino)-2-(2-bromophenyl)acetamides and <i>tert</i> -Butyl Isocyanide	229
15.6.3.1.1.2.3	Method 3:	Reaction of α -Substituted 2-Lithio- β -methoxystyrenes with Isocyanates with Subsequent Cyclization	230
15.6.3.1.1.2.4	Method 4:	From <i>N,N</i> -Diethyl-2-methylbenzamides and Arenecarbonitriles or Hydrazones	232
15.6.3.1.1.2.5	Method 5:	From 2-(Nitromethyl)benzaldehydes and Imines	234
15.6.3.1.1.2.6	Method 6:	From (2-Carboxybenzyl)triphenylphosphonium Bromide by a Sequential Ugi/Wittig Process	236
15.6.3.1.1.2.7	Method 7:	From β -Enamino Esters and 2-Fluorobenzoyl Chlorides	237
15.6.3.1.1.2.8	Method 8:	From 2-Methylbenzamides and Dimethylformamide Dimethyl Acetal	238
15.6.3.1.1.2.9	Method 9:	Iodine(III)-Promoted Dehydrogenative Annulation of Benzamide Derivatives with Alkynes	239
15.6.3.1.1.2.10	Method 10:	Photostimulated Reaction of 2-Iodobenzamide with Enolates	240
15.6.3.1.1.2.11	Method 11:	Cobalt-Catalyzed Quinolinamine-Directed C(sp ²)—H Activation with Alkenes	241
15.6.3.1.1.2.12	Method 12:	Nickel-Catalyzed Annulation of Benzamides with Alkynes	242
15.6.3.1.1.2.13	Method 13:	Nickel-Catalyzed Denitrogenative Insertion of Alkenes and Alkynes into 1,2,3-Benzotriazin-4(3 <i>H</i>)-ones	244
15.6.3.1.1.2.14	Method 14:	Copper-Mediated Coupling of Benzamides and 2-Halobenzamides	246
15.6.3.1.1.2.14.1	Variation 1:	Coupling of Alkynes with 2-Halobenzamides	246
15.6.3.1.1.2.14.2	Variation 2:	Coupling of Enolates with 2-Halobenzamides	247
15.6.3.1.1.2.14.3	Variation 3:	Coupling of <i>N</i> -(Quinolin-8-yl)benzamides and Cyanoacetates with C—H Activation	248
15.6.3.1.1.2.15	Method 15:	Ruthenium(II)-Catalyzed Oxidative C—H Activation	249
15.6.3.1.1.2.15.1	Variation 1:	Reaction of Benzamides with Alkynes	249
15.6.3.1.1.2.15.2	Variation 2:	Reaction of Hydroxamic Acids and <i>N</i> -Methoxyamides with Alkynes	250
15.6.3.1.1.2.16	Method 16:	Rhodium(III)-Catalyzed Cyclization of Alkenes, Alkynes, and Analogues via C—H Activation	251
15.6.3.1.1.2.16.1	Variation 1:	Annulation with Internal and Terminal Alkynes and 1,3-Diynes	251
15.6.3.1.1.2.16.2	Variation 2:	Annulation of α -Mesyloxy-, α -Tosyloxy-, and α -Haloketones	253
15.6.3.1.1.2.16.3	Variation 3:	Annulation of Diazo Compounds	254

15.6.3.1.1.2.16.4	Variation 4:	Annulation with Alkenes	256
15.6.3.1.1.2.16.5	Variation 5:	Annulation with Ethynyl <i>N</i> -Methyliminodiacetic Acid (MIDA) Boronates or Trifluoro(vinyl)borates	259
15.6.3.1.1.2.17	Method 17:	Palladium-Catalyzed C—H Activation and Intermolecular Annulation	261
15.6.3.1.1.3	By Formation of One N—C Bond		263
15.6.3.1.1.3.1	Method 1:	From 2-(Cyanomethyl)benzoic Acid	263
15.6.3.1.1.3.2	Method 2:	From Methyl 2-Formylbenzoate and Hippuric Acid	264
15.6.3.1.1.3.3	Method 3:	From 2-Alkynylbenzamides	265
15.6.3.1.1.3.4	Method 4:	Silver(I)-Catalyzed Cyclization of 2-(Alk-1-ynyl)benzaldimines	266
15.6.3.1.1.3.5	Method 5:	From 2-(2-Azidoethyl)benzamides by Staudinger-Type Reaction	267
15.6.3.1.1.3.6	Method 6:	From a 2-(Oxiran-2-ylmethyl)benzonitrile	267
15.6.3.1.1.4	By Formation of One C—C Bond		268
15.6.3.1.1.4.1	Method 1:	From 2-Arylethanamine Carbamates	268
15.6.3.1.1.4.2	Method 2:	By Cyclization of 2-Arylethyl Isocyanates	269
15.6.3.1.1.4.3	Method 3:	From <i>N</i> -(4-Nitrophenyl)- <i>N'</i> -(2-phenylethyl)ureas	270
15.6.3.1.1.4.4	Method 4:	Cyclization of <i>N</i> -Substituted 2-Aroylbenzamides	271
15.6.3.1.1.4.5	Method 5:	1,8-Diazabicyclo[5.4.0]undec-7-ene-Promoted Cyclization of 2-(3-Hydroxy-1-alkynyl)benzamides	272
15.6.3.1.1.4.6	Method 6:	Intramolecular Heck Cyclization of <i>N</i> -Allyl-2-iodobenzamides	273
15.6.3.1.1.4.7	Method 7:	Palladium-Catalyzed Cyclization of <i>N</i> -(2-Furylmethyl)-2-iodobenzamides	274
15.6.3.1.1.4.8	Method 8:	Palladium-Catalyzed Cyclization of 2-Bromo- <i>N</i> -cyclopropylbenzamides	275
15.6.3.1.1.4.9	Method 9:	Metathesis of <i>trans</i> -3,4-Diallyl-3,4-dihydropyridin-2(1 <i>H</i>)-ones	276
15.6.3.1.2	Aromatization		276
15.6.3.1.2.1	Method 1:	Intramolecular Diels–Alder Reaction of <i>N</i> -(2-Furylethyl)propynamides	276
15.6.3.1.3	Synthesis by Ring Transformation		277
15.6.3.1.3.1	Method 1:	Tandem Diels–Alder/Acylation Sequence of Dienamines with Maleic Anhydride	277
15.6.3.1.3.2	Method 2:	From Isoquinolinium Salts, 3,4-Dihydroisoquinolines, and 1,2,3,4-Tetrahydroisoquinolines by Oxidation	278
15.6.3.1.3.3	Method 3:	From Homophthalic Anhydrides	278
15.6.3.1.3.4	Method 4:	From 1 <i>H</i> -2-Benzopyran-1-ones and Amines	279
15.6.3.1.3.5	Method 5:	From Benzo[<i>c</i>]furans	280
15.6.3.1.3.6	Method 6:	From 2,3-Dihydro-1 <i>H</i> -inden-1-ones by Schmidt Reaction or Beckmann Rearrangement	281
15.6.3.1.3.7	Method 7:	Synthesis of Dihydroisoquinolin-1(2 <i>H</i>)-ones by Reduction of Isoquinolin-1(2 <i>H</i>)-ones	282
15.6.3.1.4	Synthesis by Substituent Modification		283

15.6.3.1.4.1	Substitution of Hydrogen	283
15.6.3.1.4.1.1	Method 1: Nitration of Isoquinolin-1(2 <i>H</i>)-ones	283
15.6.3.1.4.2	Substitution of Halogens	284
15.6.3.1.4.2.1	Method 1: Cross-Coupling Reactions	284
15.6.3.1.4.3	Substitution of Oxygen or Nitrogen	285
15.6.3.1.4.4	Substitution of Carbon	286
15.6.3.1.4.5	Modification of Substituents	287
15.6.3.2	Isoquinolin-3-ones and Isoquinolin-3-ols	287
15.6.3.2.1	Synthesis by Ring-Closure Reactions	287
15.6.3.2.1.1	By Formation of Three Bonds	287
15.6.3.2.1.1.1	Method 1: Palladium-Catalyzed Aromatic Alkylation/Vinylation with Addition Reactions	287
15.6.3.2.1.2	By Formation of One N—C and One C—C Bond	288
15.6.3.2.1.2.1	Method 1: Ugi Condensation of Monomasked Phthalaldehydes with Amines, Carboxylic Acids, and Isocyanides	289
15.6.3.2.1.2.2	Method 2: Rhodium-Catalyzed Reaction of <i>N</i> -Methylbenzylamines with Diazomalonate	289
15.6.3.2.1.3	By Formation of One N—C Bond	290
15.6.3.2.1.3.1	Method 1: From 2-(2-Cyanoaryl)acetic Acids	290
15.6.3.2.1.3.2	Method 2: From Ethyl 2-(2-[[<i>tert</i> -Butylsulfinyl]imino]methyl]phenyl)acetates	291
15.6.3.2.1.4	By Formation of One C—C Bond	292
15.6.3.2.1.4.1	Method 1: Friedel–Crafts Cyclization of <i>N</i> -Benzyl- α -bromoamides	292
15.6.3.2.1.4.2	Method 2: From <i>N</i> -Benzyl-2-(4-hydroxyaryl)acetamides	293
15.6.3.2.1.4.3	Method 3: From <i>N</i> -Alkynyl- <i>N</i> -benzylamines via C—H Activation and Oxidation	293
15.6.3.2.1.4.4	Method 4: From <i>N</i> -(2-Iodobenzylamides) of Propynoic Acids	294
15.6.3.2.2	Synthesis by Substituent Modification	295
15.6.3.2.2.1	Substitution of Hydrogen	295

Volume 18:
Four Carbon—Heteroatom Bonds: $X-C\equiv X$, $X=C=X$, $X_2C=X$, CX_4

18.10	Product Class 10: Thiocarbonic Acids and Derivatives	
18.10.15	Thiocarbonic Acids and Derivatives	2018
	R. A. Aitken	
18.10.15	Thiocarbonic Acids and Derivatives	303
18.10.15.1	Halothioformate <i>O</i> -Esters	303

18.10.15.1.1	Synthesis of Halothioformate <i>O</i> -Esters	303
18.10.15.1.1.1	Method 1: From Tetraethylammonium <i>O</i> -Alkyldithiocarbonates and a Vilsmeier Reagent	303
18.10.15.1.2	Applications of Halothioformate <i>O</i> -Esters in Organic Synthesis	304
18.10.15.1.2.1	Method 1: Synthesis of Chlorodifluoromethyl Ethers	304
18.10.15.2	Halothiocarbonylsulfonyl Halides and Halodithioformate <i>S</i> -Ester <i>S'</i> -Oxides [Chloro(alkylsulfonyl)sulfines]	306
18.10.15.2.1	Synthesis of Halothiocarbonylsulfonyl Halides and Halodithioformate <i>S</i> -Ester <i>S'</i> -Oxides [Chloro(alkylsulfonyl)sulfines]	306
18.10.15.2.1.1	Method 1: From Carbon Disulfide and Dihalogens	306
18.10.15.2.1.2	Method 2: Oxidation of Chlorodithioformates with 3-Chloroperoxybenzoic Acid	307
18.10.15.3	Thiocarbamoyl Halides	307
18.10.15.3.1	Synthesis of Thiocarbamoyl Halides	308
18.10.15.3.1.1	Method 1: From Tetramethylammonium Trifluoromethanethiolate and Secondary Amines	308
18.10.15.3.1.2	Method 2: From Thiophosgene and a Bicyclic Aziridine	308
18.10.15.3.2	Applications of Thiocarbamoyl Halides in Organic Synthesis	309
18.10.15.3.2.1	Method 1: [Bis(polyfluoroalkyl)amino]thiocarbamoyl as a Protecting Group for Alcohols	309
18.10.15.4	Thiocarbonate <i>O,O</i> -Diesters	310
18.10.15.4.1	Synthesis of Thiocarbonate <i>O,O</i> -Diesters	310
18.10.15.4.1.1	Method 1: From Thiophosgene and Two Different Phenols	310
18.10.15.4.1.2	Method 2: From 1,1'-Thiocarbonyldi(benzotriazole) and Two Different Alcohols or Phenols	311
18.10.15.4.2	Applications of Thiocarbonate <i>O,O</i> -Diesters in Organic Synthesis	311
18.10.15.4.2.1	Method 1: Selective Functionalization of Polyols Using <i>O</i> -Phenyl Chlorothioformate	311
18.10.15.4.2.2	Method 2: Synthesis of 1,1-Difluoroacetals	312
18.10.15.5	Dithiocarbonate <i>O,S</i> -Diesters	314
18.10.15.5.1	Synthesis of Dithiocarbonate <i>O,S</i> -Diesters	314
18.10.15.5.1.1	Method 1: From Carbon Disulfide, an Alcohol, and an Electrophilic Reagent	314
18.10.15.5.1.2	Method 2: From Epoxides and Carbon Disulfide	317
18.10.15.5.1.3	Method 3: From Thiophosgene or 1,1'-Thiocarbonyldi(benzotriazole), a Phenol, and a Thiol	318
18.10.15.5.2	Applications of Dithiocarbonate <i>O,S</i> -Diesters in Organic Synthesis	319
18.10.15.5.2.1	Method 1: Synthesis of a (Trifluoromethyl)sulfonyl Transfer Reagent	319
18.10.15.5.2.2	Method 2: Synthesis of Radical-Transfer Agents and Their Addition to Alkenes	320
18.10.15.5.2.3	Method 3: Addition to <i>N</i> -Acylium Salts	321

18.10.15.6	Thioselenocarbonate <i>O</i> , <i>Se</i> -Diesters	322
18.10.15.6.1	Synthesis of Thioselenocarbonate <i>O</i> , <i>Se</i> -Diesters	322
18.10.15.6.1.1	Method 1: From Chlorothioformate <i>O</i> -Esters	322
18.10.15.6.1.2	Method 2: From Chlorothioselenoformate <i>Se</i> -Esters	324
18.10.15.7	Thiocarbamate <i>O</i> -Esters	324
18.10.15.7.1	Synthesis of Thiocarbamate <i>O</i> -Esters	324
18.10.15.7.1.1	Method 1: From 1,1'-Thiocarbonyldi(benzotriazole), an Amine, and a Phenol or an Alcohol	324
18.10.15.7.1.2	Method 2: From a Chlorothioformate <i>O</i> -Ester and a Sulfoximine	325
18.10.15.7.1.3	Method 3: From Tetramethylthiuram Disulfide, Sodium Hydride, and a Phenol	326
18.10.15.7.2	Applications of Thiocarbamate <i>O</i> -Esters in Organic Synthesis	327
18.10.15.7.2.1	Method 1: Conversion of Primary Amines into Isothiocyanates	327
18.10.15.7.2.2	Method 2: Dealkylation of Tertiary Amines	328
18.10.15.8	Phosphorus-Substituted Thioformates	329
18.10.15.8.1	Synthesis of Phosphorus-Substituted Thioformates	329
18.10.15.8.1.1	Method 1: From Carbon Oxysulfide and an Aluminum Phosphide	329
18.10.15.9	Trithiocarbonates	329
18.10.15.9.1	Synthesis of Trithiocarbonates	329
18.10.15.9.1.1	Method 1: <i>S</i> -Oxidation of Trithiocarbonates with 3-Chloroperoxybenzoic Acid	329
18.10.15.9.1.2	Method 2: From a Chlorodithioformate <i>S</i> -Oxide and a Metal Arenesulfinate	330
18.10.15.9.2	Applications of Trithiocarbonates in Organic Synthesis	331
18.10.15.9.2.1	Method 1: Synthesis of 2-Cyanopropan-2-yl Carbonotrithioates for Reversible Addition–Fragmentation Chain-Transfer Polymerization	331
18.10.15.10	Dithioselenocarbonates and Dithiotellurocarbonates	331
18.10.15.10.1	Synthesis of Dithioselenocarbonates and Dithiotellurocarbonates	331
18.10.15.10.1.1	Method 1: From a Selenol or Selenide, Carbon Disulfide, and an Alkyl Halide	331
18.10.15.10.1.2	Method 2: From a Selenol or Metal Selenide and a Chlorodithioformate	332
18.10.15.10.1.3	Method 3: From a Thiol and an <i>Se</i> -Alkyl Chlorothioselenoformate	333
18.10.15.10.1.4	Method 4: Insertion of Carbon Disulfide into M– <i>Se</i> or M– <i>Te</i> Bonds	334
18.10.15.11	Dithiocarbamates	334
18.10.15.11.1	Synthesis of Dithiocarbamates	335
18.10.15.11.1.1	Method 1: From a Thiocarbamoyl Chloride and a Thiol	335
18.10.15.11.1.2	Method 2: From an Isothiocyanate and a Thiol	335
18.10.15.11.1.3	Method 3: From a Bicyclic Aziridine and a Chlorodithioformate	335
18.10.15.11.1.4	Method 4: From 1,1'-Thiocarbonyldi(benzotriazole), a Primary Amine, and a Thiol	336

18.10.15.11.1.5	Method 5:	From an Aminophosphoniodithioformate and Diethylzinc	336
18.10.15.11.1.6	Method 6:	Dimerization of an Amino Acid Derived Isothiocyanate	337
18.10.15.11.1.7	Method 7:	From an Amine, Carbon Disulfide, and a Methyl Alkynoate	337
18.10.15.11.2	Applications of Dithiocarbamates in Organic Synthesis		338
18.10.15.11.2.1	Method 1:	Synthesis of <i>N</i> -(Trifluoromethyl)amides	338
18.10.15.11.2.2	Method 2:	Synthesis of an <i>S</i> -(2-Cyanopropan-2-yl) Dithiocarbamate for Reversible Addition–Fragmentation Chain-Transfer Polymerization	339
18.10.15.12	Phosphorus-Substituted Dithioformates		340
18.10.15.12.1	Synthesis of Phosphorus-Substituted Dithioformates		340
18.10.15.12.1.1	Method 1:	From Dialkyl Phosphites, Carbon Disulfide, and an Alkyl Halide	340
18.10.15.12.1.2	Method 2:	From a (Phenylsulfonylmethyl)phosphonate and Sulfur	341
18.10.15.12.1.3	Method 3:	From a 1-Phospha-3-germaallene and Carbon Disulfide	342
18.10.15.12.2	Applications of Phosphorus-Substituted Dithioformates in Organic Synthesis		342
18.10.15.12.2.1	Method 1:	<i>S</i> -(1-Phenylethyl) Phosphoryl- and Thiophosphoryldithioformates as Catalysts for Reversible Addition–Fragmentation Chain-Transfer Polymerization	342
18.10.15.13	Thiodiselenocarbonate <i>Se,Se</i> -Diesters		343
18.10.15.13.1	Synthesis of Thiodiselenocarbonate <i>Se,Se</i> -Diesters		343
18.10.15.13.1.1	Method 1:	From a Metal Selenolate and Thiophosgene or Thiocarbonyldiimidazole	343
18.10.15.13.2	Applications of Thiodiselenocarbonate <i>Se,Se</i> -Diesters in Organic Synthesis		345
18.10.15.13.2.1	Method 1:	Synthesis of Reversible Addition–Fragmentation Chain-Transfer Polymerization Agents	345
18.10.15.13.2.2	Method 2:	1,3-Diselenole-2-thione	346
18.10.15.14	Thioselenocarbamate <i>Se</i> -Esters and Thiotellurocarbamate <i>Te</i> -Esters		347
18.10.15.14.1	Synthesis of Thioselenocarbamate <i>Se</i> -Esters and Thiotellurocarbamate <i>Te</i> -Esters		347
18.10.15.14.1.1	Method 1:	From an Isothiocyanate and a Selenol	347
18.10.15.14.1.2	Method 2:	From a Thiocarbamoyl Chloride and a Selenol or Metal Selenide	348
18.10.15.14.1.3	Method 3:	From a Secondary Amine and Carbon Sulfide Selenide	349
18.10.15.14.1.4	Method 4:	From a (2-Aminophenyl)tellurolate and Carbon Disulfide	350
18.10.15.15	Thioureas and Thiosemicarbazides		351
18.10.15.15.1	Synthesis of Thioureas and Thiosemicarbazides		351
18.10.15.15.1.1	Method 1:	From a Thiocarbamoyl Chloride and a Sulfoximine	351
18.10.15.15.1.2	Method 2:	From 1,1'-Thiocarbonyldi(benzotriazole) and Two Different Amines	351
18.10.15.15.1.3	Method 3:	From Tetramethylammonium Trifluoromethanethiolate and a Diamine	353
18.10.15.15.2	Applications of Thioureas and Thiosemicarbazides in Organic Synthesis		354

18.10.15.15.2.1	Method 1: Synthesis of Chiral Fluorous Organocatalysts	354
18.10.15.15.2.2	Method 2: Synthesis of Medicinal 2-Thioxoimidazolidin-4-ones	355
18.10.15.16	Phosphorus-Substituted Carbothioamides	355
18.10.15.16.1	Synthesis of Phosphorus-Substituted Carbothioamides	355
18.10.15.16.1.1	Method 1: From Isothiocyanates and PH Nucleophiles	355
18.10.15.16.1.2	Method 2: From Isothiocyanates and Tertiary Phosphorus Nucleophiles	357
18.10.15.16.1.3	Method 3: From a (Chloromethyl)phosphine Oxide, an Amine, and Sulfur	358
18.10.15.16.2	Applications of Phosphorus-Substituted Carbothioamides in Organic Synthesis	359
18.10.15.16.2.1	Method 1: Synthesis of Nucleoside-Based Enzyme Inhibitors	359
18.10.15.17	Thiocarbonyldiphosphorus Compounds	360
18.10.15.17.1	Synthesis of Thiocarbonyldiphosphorus Compounds	360
18.10.15.17.1.1	Method 1: From Methylenebis(phosphine sulfides), a Base, and Sulfur	360
18.10.15.17.1.2	Method 2: Disproportionation of Methylenebis(phosphine sulfides)	361
18.10.15.17.1.3	Method 3: Oxidative Cleavage of a Bis[bis(diphenylphosphino)methanide] Disulfide Complex	362

Volume 30: Acetals: O/N, S/S, S/N, and N/N and Higher Heteroatom Analogues

30.3

Product Class 3: S,S-Acetals

30.3.4.3

1,3-Dithianes

2018

Y. Saikawa and M. Nakata

30.3.4.3	1,3-Dithianes	367
30.3.4.3.1	Synthesis of 1,3-Dithianes	367
30.3.4.3.1.1	Method 1: Thioacetalization of Carbonyl Compounds Using Lewis Acids	367
30.3.4.3.1.2	Method 2: Thioacetalization of Carbonyl Compounds Using Solid-Supported Catalysts	367
30.3.4.3.1.3	Method 3: Thioacetalization of Carbonyl Compounds Using Other Catalysts or Reagents	368
30.3.4.3.1.4	Method 4: Thioacetalization with Polymer-Supported Propane-1,3-dithiol	369
30.3.4.3.1.5	Method 5: Conjugate Addition of Propane-1,3-dithiol to Alk-1-ynyl Ketones and Esters	369
30.3.4.3.1.6	Method 6: Metalation or Transmetalation of 1,3-Dithianes	370
30.3.4.3.1.7	Method 7: Addition of 2-Lithio-1,3-dithiane Derivatives to Epoxides or Aziridines	372
30.3.4.3.1.8	Method 8: Addition of 2-Metallo-1,3-dithiane Derivatives to C=N Compounds	374
30.3.4.3.1.9	Method 9: 1,4-Addition Reactions of 2-Metallo-1,3-dithiane Derivatives to α,β -Unsaturated Carbonyl Compounds	375

2018

Updated Section

2018

Completely Revised Contributions

New

New Contributions

30.3.4.3.1.10	Method 10:	Asymmetric 1,4-Addition Reactions of 1,3-Dithiane Derivatives to α,β -Unsaturated Compounds	377
30.3.4.3.1.11	Method 11:	Reactions of 2-Silyl-1,3-dithiane Derivatives with Aldehydes and Ketones	378
30.3.4.3.1.12	Method 12:	Reactions of 2-Alkylidene-1,3-dithiane Derivatives	379
30.3.4.3.1.13	Method 13:	Synthesis and Reactions of 1,3-Dithiane 2-Carbocations	379
30.3.4.3.1.14	Method 14:	Synthesis and Reactions of 1,3-Dithiane 2-Carbon Radicals	381
30.3.4.3.1.15	Method 15:	Other Methods	383
30.3.4.3.2	Applications of 1,3-Dithianes in Organic Syntheses		386
30.3.4.3.2.1	Method 1:	Ring-Expansion Reactions	386
30.3.5.3	1,3-Dithiepanes		2018
	Y. Saikawa and M. Nakata		
30.3.5.3	1,3-Dithiepanes		389
30.3.5.3.1	Method 1:	Thioacetalization of Carbonyl Compounds Using Lewis Acids	389
30.3.5.3.2	Method 2:	Miscellaneous Syntheses	389
30.4	Product Class 4: S,N-Acetals (α-Amino Sulfur Derivatives)		
30.4.3	S,N-Acetals (α-Amino Sulfur Derivatives)		2018
	Y. Mutoh		
30.4.3	S,N-Acetals (α-Amino Sulfur Derivatives)		393
30.4.3.1	Method 1:	Alkynylation of Thioiminium Salts Derived from Thioamides	393
30.4.3.2	Method 2:	Alkylation of Lithium Thiolates from Thioformamides	394
30.4.3.3	Method 3:	Addition of Thiols to <i>N</i> -Acyl Imines by Asymmetric Organocatalysis	396
30.4.3.4	Method 4:	Addition of Thiols to Ketimines by Asymmetric Organocatalysis	397
30.4.3.5	Method 5:	Addition Cyclization Using 1,4-Dithiane-2,5-diol (Formal [3 + 2] Annulation)	400
30.4.3.6	Method 6:	Electrophilic Sulfanylation	402
30.4.3.7	Method 7:	Electrophilic Amination	403
30.6	Product Class 6: N,N-Acetals		
30.6.3	N,N-Acetals (Aminals)		2018
	Y. Mutoh		
30.6.3	N,N-Acetals (Aminals)		407
30.6.3.1	Method 1:	Tandem Aza-Ene-Type Reaction–Cyclization Cascade	407
30.6.3.2	Method 2:	Alkylation of Aminal Radicals Derived from Amidines and Amidinium Salts under Reductive Conditions	408

