

Science of Synthesis Knowledge Updates 2020/1

	Preface	V
	Abstracts	VII
	Table of Contents	XV
4.4.40.72	Allylsilanes (Update 2020) K. Okamoto and K. Ohe	1
14.2.5	Benzopyrylium Salts (Update 2020) F. Wu and S. Zhu	159
16.17.7	Purines (Update 2020) Y. Liang ^{ib} , Z. Wen ^{ib} , M. Cabrera ^{ib} , A. H. Howlader ^{ib} , and S. F. Wnuk ^{ib}	195
21.1.7	Synthesis of Amides from Acylboron Compounds A. Osuna Gálvez and J. W. Bode	375
40.1.1.3.3.6	Synthesis of Amines by Pericyclic Reactions Involving C=N Units (Update 2020) W. Maison	397
48.1.6.4	Alkane Metathesis G. Liu and Z. Huang	425
	Author Index	433
	Abbreviations	455

Table of Contents

Volume 4: Compounds of Group 15 (As, Sb, Bi) and Silicon Compounds

4.4 Product Class 4: Silicon Compounds

4.4.40.72	Allylsilanes 2020	
	K. Okamoto and K. Ohe	
<hr/>		
4.4.40.72	Allylsilanes	1
4.4.40.72.1	Synthesis of Allylsilanes	3
4.4.40.72.1.1	Method 1: Silylation Reactions of Allylic Substrates	3
4.4.40.72.1.1.1	Variation 1: Coupling of Allyl Ethers with Chlorosilanes Promoted by Vinyl and Phenyl Grignard Reagents	3
4.4.40.72.1.1.2	Variation 2: Palladium-Catalyzed Allylic Silylation with Disilanes	4
4.4.40.72.1.1.3	Variation 3: Copper-Catalyzed Allylic Silylation with Disilylzinc Reagents ..	9
4.4.40.72.1.1.4	Variation 4: Copper-Catalyzed Allylic Silylation with Silylboranes or Disilanes	10
4.4.40.72.1.1.5	Variation 5: Copper- or Silver-Catalyzed Silylation of Allylic Ethers with Silacyclopropanes as Silylene Source	15
4.4.40.72.1.1.6	Variation 6: Lithiation of Thioethers and Subsequent Silylation	16
4.4.40.72.1.2	Method 2: Silylation of 1,3-Dienes	17
4.4.40.72.1.2.1	Variation 1: Silylcupration of 1,3-Dienes	18
4.4.40.72.1.2.2	Variation 2: Palladium-Catalyzed Asymmetric Hydrosilylation of Cyclic and Acyclic 1,3-Dienes	19
4.4.40.72.1.2.3	Variation 3: Nickel-Catalyzed Carbosilylation of 1,3-Dienes with Chlorosilanes and Grignard Reagents	20
4.4.40.72.1.2.4	Variation 4: Nickel-Catalyzed Hydrosilylation of 1,3-Dienes	21
4.4.40.72.1.2.5	Variation 5: Nickel-Catalyzed Silylative Coupling of 1,3-Dienes with Aldehydes	22
4.4.40.72.1.2.6	Variation 6: Copper-Catalyzed Silylation of Dienones and Dienoates	23
4.4.40.72.1.2.7	Variation 7: Palladium-Catalyzed Silylation of Dienes Bearing Chloroformamide Moieties	25
4.4.40.72.1.3	Method 3: Silylation of 1,2-Dienes (Allenenes)	26
4.4.40.72.1.3.1	Variation 1: Silylcupration of Allenenes	26
4.4.40.72.1.3.2	Variation 2: Palladium-Catalyzed Silylative Coupling of Allenenes with Acid Chlorides	29
4.4.40.72.1.3.3	Variation 3: Silaboration of Allenenes	30
4.4.40.72.1.3.4	Variation 4: Silacarboxylation of Allenenes with Silylboranes	31
4.4.40.72.1.3.5	Variation 5: Catalytic Hydrosilylation of Allenenes	33

4.4.40.72.1.4	Method 4:	Dehydrogenative Silylation of Alkenes	36
4.4.40.72.1.4.1	Variation 1:	Titanium-Catalyzed Silylzincation of Alkenes To Give Allylsilanes	36
4.4.40.72.1.4.2	Variation 2:	Palladium-Catalyzed Dehydrogenative Silylation of Alkenes ..	37
4.4.40.72.1.4.3	Variation 3:	Cobalt-Catalyzed Dehydrogenative Silylation of Alkenes	38
4.4.40.72.1.4.4	Variation 4:	Silyl-Heck Reactions To Prepare Allylsilanes	40
4.4.40.72.1.4.5	Variation 5:	Hydrosilylative Coupling with Cyclopropenes	41
4.4.40.72.1.4.6	Variation 6:	Conjugate Silylation of Unsaturated Imines	42
4.4.40.72.1.5	Method 5:	Alkenylation of (Silylalkyl)metal Reagents	43
4.4.40.72.1.5.1	Variation 1:	Alkenylation by Transition-Metal-Catalyzed Cross Coupling ..	43
4.4.40.72.1.5.2	Variation 2:	Nickel-Catalyzed Coupling of Alkenyl Ethers with (Silylmethyl)lithium Reagents	45
4.4.40.72.1.5.3	Variation 3:	Nickel-Catalyzed Reductive Cross Coupling Using Alkenyl Halides and (1-Chloroalkyl)trimethylsilanes	47
4.4.40.72.1.5.4	Variation 4:	Zweifel Alkenation Using Alkenylboronates and [(Trimethylsilyl)methyl]lithium	49
4.4.40.72.1.5.5	Variation 5:	Reductive Coupling of α -Lithiated Terminal Epoxides with [(Trimethylsilyl)methyl]lithium	51
4.4.40.72.1.5.6	Variation 6:	Magnesium Iodide Mediated Julia Homoallylic Transposition of β -Cyclopropyl β -Hydroxysilanes	52
4.4.40.72.1.5.7	Variation 7:	Peterson Alkenation Using Esters and [(Trimethylsilyl)methyl]magnesium Reagents	53
4.4.40.72.1.5.8	Variation 8:	Boron-Wittig Reaction Using (1,1-Diborylethyl)lithium Reagents	55
4.4.40.72.1.6	Method 6:	Transformation of Functionalized Vinylsilanes	56
4.4.40.72.1.6.1	Variation 1:	Palladium-Catalyzed Allylic Arylation Leading to Chiral Allylsilanes	56
4.4.40.72.1.6.2	Variation 2:	Copper-Catalyzed Asymmetric Alkylation of Silyl-Substituted Allylic Substrates	57
4.4.40.72.1.6.3	Variation 3:	Rhodium-Catalyzed Asymmetric Alkenylation of β -Silyl Enones Leading to Allylsilanes	60
4.4.40.72.1.6.4	Variation 4:	Ruthenium-Catalyzed Cross Dimerization of α,β -Enones with Vinylsilanes	62
4.4.40.72.1.6.5	Variation 5:	Reaction of γ -Silyl Allylboranes with Carbonyl Compounds ..	63
4.4.40.72.1.6.6	Variation 6:	Palladium-Catalyzed Isomerization of β -Boryl Alkenylsilanes ..	66
4.4.40.72.1.6.7	Variation 7:	Transformation of Dienylsilanes	67
4.4.40.72.1.7	Method 7:	Ring Opening of Silacyclobutanes	73
4.4.40.72.1.8	Method 8:	Rearrangement	74
4.4.40.72.1.8.1	Variation 1:	Silyl-Group Rearrangement	75
4.4.40.72.1.8.2	Variation 2:	Claisen Rearrangement	77
4.4.40.72.1.9	Method 9:	Functionalization of Allylsilanes	81
4.4.40.72.1.9.1	Variation 1:	Iridium-Catalyzed C(sp ²)—H Borylation of Allylsilanes	81
4.4.40.72.1.9.2	Variation 2:	Cobalt-Catalyzed 1,4-Hydrovinylation of 1,3-Dienes with Allylsilanes	82

4.4.40.72.1.9.3	Variation 3:	Direct Lithiation of Allylsilanes Followed by Silylation	83
4.4.40.72.1.9.4	Variation 4:	Lewis Acid Mediated Ene-Type Reaction of Functionalized Allylsilanes	84
4.4.40.72.1.9.5	Variation 5:	Alkene Cross-Metathesis Using Terminal Allylsilanes and Grubbs' Catalyst	86
4.4.40.72.1.10	Method 10:	Transformation of Propargylsilanes	88
4.4.40.72.2		Applications of Allylsilanes	89
4.4.40.72.2.1	Method 1:	Allylation of C=O and C=N Compounds	89
4.4.40.72.2.1.1	Variation 1:	Allylation of Carbonyl Compounds and Imines	89
4.4.40.72.2.1.2	Variation 2:	Conjugate Allylation of α,β -Unsaturated Carbonyl Compounds	98
4.4.40.72.2.1.3	Variation 3:	Tandem Reactions Involving Allylation of Carbonyl Compounds	100
4.4.40.72.2.1.4	Variation 4:	Nazarov Reaction with Allylsilanes	105
4.4.40.72.2.2	Method 2:	Metal-Catalyzed Allyl Couplings with Alkyl, Aryl, Alkynyl, and Allyl Compounds Using Allylsilanes	106
4.4.40.72.2.2.1	Variation 1:	Substitution Reactions of Benzylic, Allylic, and Propargylic Ethers or Esters with Allylsilanes	106
4.4.40.72.2.2.2	Variation 2:	Substitution Reactions of Benzylic, Allylic, and Propargylic Alcohols with Allylsilanes	109
4.4.40.72.2.2.3	Variation 3:	Substitution Reactions of Acetal or Ketal Moieties	113
4.4.40.72.2.2.4	Variation 4:	Palladium-Catalyzed Hiyama-Type Cross Coupling of Allylsilanes with Aryl Bromides	119
4.4.40.72.2.2.5	Variation 5:	Gallium-Catalyzed Alkynylation of Allylsilanes with Alkynyl Chlorides	120
4.4.40.72.2.2.6	Variation 6:	Copper-Catalyzed Trifluoromethylation of Allylsilanes	121
4.4.40.72.2.3	Method 3:	[3 + 2] Cycloaddition with Carbonyl Compounds	123
4.4.40.72.2.3.1	Variation 1:	Scandium(III) Trifluoromethanesulfonate Catalyzed [3 + 2] Cycloaddition of Allylsilanes to β -Silyl Enones Giving 1,3-Disilacyclopentanes	123
4.4.40.72.2.3.2	Variation 2:	Scandium-Catalyzed Enantioselective [3 + 2] Cycloaddition of Allylsilanes Giving Spirooxindoles	124
4.4.40.72.2.4	Method 4:	[4 + 2] and [2 + 2] Cycloaddition Involving Allylsilanes	127
4.4.40.72.2.4.1	Variation 1:	Copper-Catalyzed Enantioselective [4 + 2] Cycloaddition of Allylsilanes with Enones	127
4.4.40.72.2.4.2	Variation 2:	Lewis Acid Mediated Formal [4 + 2] Cycloaddition of Allylsilanes Leading to Tetrahydropyrans	128
4.4.40.72.2.4.3	Variation 3:	Tin(IV) Chloride Mediated Ring-Opening Cycloaddition of Allylsilanes with Cyclobutanones	129
4.4.40.72.2.4.4	Variation 4:	Copper(II)-Catalyzed [4 + 2] Cycloaddition of Allylsilanes with Iminooxindoles	130
4.4.40.72.2.4.5	Variation 5:	Thermal [4 + 2] Cycloaddition with Allenes	133
4.4.40.72.2.4.6	Variation 6:	Catalytic [2 + 2] Cycloaddition of Allylsilanes with Unsaturated Carbonyl Compounds	133

4.4.40.72.2.5	Method 5:	Cycloaddition with Allylsilanes as Trimethylenemethane Precursors	135
4.4.40.72.2.5.1	Variation 1:	Palladium-Catalyzed [3 + 3] Cycloaddition of Allylsilanes with 1,3-Dipoles	135
4.4.40.72.2.5.2	Variation 2:	Palladium-Catalyzed Asymmetric [3 + 2] Cycloaddition of Allylsilanes with α,β -Unsaturated Esters	137
4.4.40.72.2.6	Method 6:	Transition-Metal-Catalyzed Enyne Cyclizations Involving Allylsilanes	139
4.4.40.72.2.7	Method 7:	Reactions of Allylsilanes with Heteroatom-Containing Reagents	142
4.4.40.72.2.8	Method 8:	Miscellaneous Methods	148

Volume 14: Six-Membered Heteroarenes with One Chalcogen

14.2 Product Class 2: Benzopyrylium Salts

14.2.5	Benzopyrylium Salts	2020
	F. Wu and S. Zhu	
14.2.5	Benzopyrylium Salts	159
14.2.5.1	1-Benzopyrylium Salts (Including Flavylum Salts)	159
14.2.5.1.1	Synthesis by Ring-Closure Reactions	160
14.2.5.1.1.1	By Formation of One O—C and One C—C Bond	160
14.2.5.1.1.1.1	Method 1: Reaction of a Phenol with a 1,3-Diketone	160
14.2.5.1.1.1.2	Method 2: Reaction of a Phenol with an Ethynyl Ketone	161
14.2.5.1.1.1.3	Method 3: Reaction of a Phenol with a Vinyl Ketone	163
14.2.5.1.1.1.4	Method 4: Reaction of 2-Hydroxybenzaldehydes (Salicylaldehydes) with Acetophenones	164
14.2.5.1.1.1.5	Method 5: Reaction of 2-Hydroxybenzaldehydes (Salicylaldehydes) with a 2-Arylvinylyl Methyl Ketone	167
14.2.5.1.1.1.6	Method 6: Reaction of 2-Hydroxybenzaldehydes (Salicylaldehydes) with Aliphatic or Alicyclic α,α' -Bis(methylene) Ketones	168
14.2.5.1.1.1.7	Method 7: Reaction of 2-Acylphenols with α -Methylene Ketones	169
14.2.5.1.1.1.8	Method 8: Reaction of a 2-Acylphenol with a One-Carbon Component	171
14.2.5.1.1.2	By Formation of One O—C Bond	172
14.2.5.1.1.2.1	Method 1: Ring Closure of 3-(2-Hydroxyaryl)prop-2-en-1-ones	172
14.2.5.1.2	Synthesis by Aromatization	173
14.2.5.1.2.1	Method 1: Aromatization by O-Alkylation	173
14.2.5.1.2.2	Method 2: Aromatization by Protonation of 2-Alkylidene-2H-1-benzopyrans	174
14.2.5.1.2.3	Method 3: Dehydrogenation with Oxidizing Agents	177

14.2.5.1.3	Synthesis by Substituent Modification	178
14.2.5.1.3.1	Method 1: Indirect Electrophilic Substitution of 1-Benzopyrylium Salts	178
14.2.5.1.3.2	Method 2: Alkenylation via Activated Methyl Condensation with an Aldehyde	179
14.2.5.2	2-Benzopyrylium Salts	182
14.2.5.2.1	Synthesis by Ring-Closure Reactions	183
14.2.5.2.1.1	Method 1: Ring Closure of 2-Alkynylbenzaldehydes or 2'-Alkynylacetophenones	183
14.2.5.3	Dibenzo[<i>b,e</i>]pyrylium Salts (Xanthylium Salts)	186
14.2.5.3.1	Synthesis by Ring-Closure Reactions	186
14.2.5.3.1.1	By Formation of One O—C Bond and Two C—C Bonds	186
14.2.5.3.1.1.1	Method 1: Use of a Reagent Providing C9 of the Dibenzo[<i>b,e</i>]pyrylium Salt	186
14.2.5.3.1.1.1.1	Variation 1: Reaction of a Phenol with an Orthoformate	186
14.2.5.3.1.1.1.2	Variation 2: Reaction of a Phenol with an Acid Anhydride	187
14.2.5.3.1.2	By Formation of One O—C and One C—C Bond	188
14.2.5.3.1.2.1	Method 1: Reaction of a Phenol with a 2-Acylphenol	188
14.2.5.3.1.3	By Formation of Two C—C Bonds	189
14.2.5.3.1.3.1	Method 1: Ring-Closure Reaction of a Diaryl Ether with a Benzoyl Chloride	189
14.2.5.3.1.3.2	Method 2: Ring-Closure Reaction of a Diaryl Ether with an Ester	190
14.2.5.3.2	Synthesis by Aromatization	191
14.2.5.3.2.1	Method 1: Aromatization by Dehydrogenation of 10 <i>H</i> -Dibenzo[<i>b,e</i>]pyrans	191

Volume 16: Six-Membered Heteroarenes with Two Identical Heteroatoms

16.17 Product Class 17: Purines

16.17.7	Purines	2020
	Y. Liang, Z. Wen, M. Cabrera, A. H. Howlader, and S. F. Wnuk	
16.17.7	Purines	195
16.17.7.1	Synthesis by Ring-Closure Reactions	200
16.17.7.1.1	From Pyrimidine-4,5-diamines	200
16.17.7.1.1.1	Method 1: Cyclization with Alkoxides and <i>N,N</i> -Dimethylamides	200
16.17.7.1.1.2	Method 2: Cyclization with Sodium Ethyl Xanthate	201
16.17.7.1.1.3	Method 3: Cyclization with Carbon Disulfide	202

16.17.7.1.2	From Other 4,5-Disubstituted Pyrimidines	202
16.17.7.1.2.1	Method 1: Synthesis from 5-Bromo-6-methoxyuracil	202
16.17.7.1.2.2	Method 2: Synthesis from 5-Nitropyrimidin-6-amines	204
16.17.7.1.2.2.1	Variation 1: Cyclization with an Ortho Ester Following Reduction	204
16.17.7.1.2.2.2	Variation 2: Cyclization with Sodium Alkoxides	204
16.17.7.1.2.3	Method 3: Synthesis from 4-Bromo- <i>N</i> -{4-chloro-6-[(2-phenylethyl)amino]pyrimidin-5-yl}butanamide	205
16.17.7.1.2.4	Method 4: Synthesis from 4-Amino-5-(glycosyldenamino)uracils	206
16.17.7.1.2.5	Method 5: Synthesis from (Dichloropyrimidin-5-yl)carbamate	207
16.17.7.1.2.6	Method 6: Synthesis from <i>N</i> ⁴ , <i>N</i> ⁴ -Dialkyl-5-nitrosopyrimidine-2,4,6-triamines	208
16.17.7.1.3	From 4- or 5-Substituted Pyrimidines	208
16.17.7.1.3.1	Method 1: Synthesis from 6-Chlorouracil	208
16.17.7.1.3.2	Method 2: Synthesis from 5-(Pyridin-2-ylamino)uracil	210
16.17.7.1.4	From Imidazole Precursors	211
16.17.7.1.4.1	Method 1: Synthesis from 5-Amino-1 <i>H</i> -imidazole-4-carbimidoyl Cyanides	211
16.17.7.1.4.2	Method 2: Synthesis from Imidazol-5-amines	212
16.17.7.2	Synthesis from Other Purines by Direct Activation of C—H Bonds	212
16.17.7.2.1	Functionalization of the C6—H Bond	212
16.17.7.2.1.1	Method 1: Alkylation	212
16.17.7.2.1.1.1	Variation 1: With Cycloalkanes	212
16.17.7.2.1.1.2	Variation 2: With Alkyl Iodides	213
16.17.7.2.1.1.3	Variation 3: With Alkanoic Acids	214
16.17.7.2.1.1.4	Variation 4: With Alkylboronic Acids	216
16.17.7.2.1.1.5	Variation 5: With <i>tert</i> -Alkyl Oxalate Salts	216
16.17.7.2.1.2	Method 2: Acylation	217
16.17.7.2.1.3	Method 3: Arylation	218
16.17.7.2.2	Functionalization of the C8—H Bond	219
16.17.7.2.2.1	Method 1: Alkylation	219
16.17.7.2.2.1.1	Variation 1: With Cycloalkanes	219
16.17.7.2.2.1.2	Variation 2: With Alkenes	220
16.17.7.2.2.1.3	Variation 3: With Allenes	221
16.17.7.2.2.1.4	Variation 4: With Grignard Reagents	222
16.17.7.2.2.2	Method 2: Alkenylation	223
16.17.7.2.2.2.1	Variation 1: With Allenes	223
16.17.7.2.2.2.2	Variation 2: With (<i>E</i>)-1-Bromo-2-phenylethene	224
16.17.7.2.2.3	Method 3: Arylation	224
16.17.7.2.2.3.1	Variation 1: With Aryl Halides and Cesium Carbonate	224
16.17.7.2.2.3.2	Variation 2: With Aryl Halides and Piperidine	229

16.17.7.2.2.3.3	Variation 3:	With Aryl Iodides and Cesium Carbonate with Piperidine	230
16.17.7.2.2.3.4	Variation 4:	With Aryl Iodides and Lithium <i>tert</i> -Butoxide	233
16.17.7.2.2.3.5	Variation 5:	With Hetarenes	234
16.17.7.2.2.3.6	Variation 6:	With Arylboronic Acids	235
16.17.7.2.2.3.7	Variation 7:	With Grignard Reagents	235
16.17.7.2.3	Synthesis of <i>e</i> -Fused Purine Derivatives via C8-Arylation		236
16.17.7.2.3.1	Method 1:	Intermolecular Cyclization	236
16.17.7.2.3.1.1	Variation 1:	With Aryl Halides	236
16.17.7.2.3.1.2	Variation 2:	With Arylboronic Acids	237
16.17.7.2.3.1.3	Variation 3:	With Internal Alkynes	238
16.17.7.2.3.2	Method 2:	Intramolecular Cyclization	239
16.17.7.2.3.2.1	Variation 1:	By Palladium-Catalyzed Cyclization in the Presence of Base	239
16.17.7.2.3.2.2	Variation 2:	By Palladium-Catalyzed Cyclization in the Presence of Acid	240
16.17.7.2.3.2.3	Variation 3:	By Copper-Catalyzed Cyclization in the Presence of Base	241
16.17.7.2.3.2.4	Variation 4:	By Nickel-Catalyzed Cyclization in the Presence of Ligand	241
16.17.7.2.3.2.5	Variation 5:	By Iron-Catalyzed C—H Amination	242
16.17.7.2.4	Modification of a C6 Substituent		243
16.17.7.2.4.1	Modification of 6-Aryl Substituents		243
16.17.7.2.4.1.1	Method 1:	<i>ortho</i> -Functionalization of 6-Arylpurines	243
16.17.7.2.4.1.1.1	Variation 1:	By Formation of a C—C Bond	243
16.17.7.2.4.1.1.2	Variation 2:	By the Formation of a C—Heteroatom Bond	248
16.17.7.2.4.1.2	Method 2:	<i>meta</i> -Functionalization of 6-Arylpurines	254
16.17.7.2.4.2	Modification of 6-Arylamino Substituents		256
16.17.7.2.4.2.1	Method 1:	Cyclization of <i>N</i> -Arylpurin-6-amines	256
16.17.7.2.4.2.1.1	Variation 1:	Intramolecular Cyclization of <i>N</i> -Arylpurin-6-amines	256
16.17.7.2.4.2.1.2	Variation 2:	Intermolecular Cyclization of <i>N</i> -Arylpurin-6-amines	257
16.17.7.2.4.2.2	Method 2:	<i>ortho</i> -Functionalization of <i>N</i> -Arylpurin-6-amines	258
16.17.7.3	Synthesis by Substituent Modification		262
16.17.7.3.1	By Introduction of Substituents Using Oxidation		262
16.17.7.3.1.1	Method 1:	Oxidation with Choline Peroxydisulfate	262
16.17.7.3.1.2	Method 2:	Enzymatic Oxidation	262
16.17.7.3.2	By Removal of Substituents		263
16.17.7.3.2.1	Method 1:	Dehalogenation	263
16.17.7.3.2.2	Method 2:	Desulfurization	263
16.17.7.3.2.3	Method 3:	Deamination	264
16.17.7.3.2.4	Method 4:	Dehydrazination	265
16.17.7.3.2.4.1	Variation 1:	With Strong Base	265
16.17.7.3.2.4.2	Variation 2:	With Mercury(II) Oxide	266
16.17.7.3.2.4.3	Variation 3:	With Silver(I) Oxide	267
16.17.7.3.2.4.4	Variation 4:	With Copper(II) Sulfate	267

16.17.7.3.3	By Introduction of Substituents (Exchange of Hydrogen)	268
16.17.7.3.3.1	Method 1: Deuteration and Tritiation	268
16.17.7.3.3.2	Method 2: Halogenation	271
16.17.7.3.3.2.1	Variation 1: Fluorination	271
16.17.7.3.3.2.2	Variation 2: Chlorination	273
16.17.7.3.3.2.3	Variation 3: Bromination	273
16.17.7.3.3.2.4	Variation 4: Iodination	275
16.17.7.3.3.3	Method 3: Nitration	276
16.17.7.3.3.4	Method 4: N-Alkylation	277
16.17.7.3.3.4.1	Variation 1: N3-Alkylation via Silver-Activated Intramolecular Cyclization ·	277
16.17.7.3.3.4.2	Variation 2: Microwave-Assisted N3-Alkylation under Mitsunobu Conditions	277
16.17.7.3.3.4.3	Variation 3: N7-Alkylation with Alkyl Halides in the Presence of Grignard Reagents	278
16.17.7.3.3.4.4	Variation 4: N7-Alkylation with Alkyl Halides and Concomitant Oxidation at Position C8	279
16.17.7.3.3.4.5	Variation 5: N9-Alkylation with Ethers in the Presence of Copper(II) Chloride via a Radical Pathway	280
16.17.7.3.3.4.6	Variation 6: N9-Alkylation with Ethers, Thioethers, and Alkylbenzenes without Metal Catalyst via a Radical Pathway	281
16.17.7.3.3.4.7	Variation 7: N9-Alkylation with Alkyl Halides in the Presence of Base	283
16.17.7.3.3.4.8	Variation 8: N9-Alkylation with Alkyl Halides Generated In Situ from Alcohols	283
16.17.7.3.3.4.9	Variation 9: N9-Alkylation with α -Carbamoyl Sulfides under Radical Conditions	285
16.17.7.3.3.5	Method 5: N-Glycosylation	285
16.17.7.3.3.5.1	Variation 1: By the Metal Salt Procedure	285
16.17.7.3.3.5.2	Variation 2: By Nucleobase Anion Glycosylation	286
16.17.7.3.3.5.3	Variation 3: By Silyl-Hilbert–Johnson Reaction	287
16.17.7.3.3.5.4	Variation 4: By Thioglycoside Activation	288
16.17.7.3.3.5.5	Variation 5: By Intramolecular Transglycosylation	289
16.17.7.3.3.5.6	Variation 6: By Enzymatic Intermolecular Transglycosylation	290
16.17.7.3.4	Exchange of Substituents	291
16.17.7.3.4.1	Halopurines	291
16.17.7.3.4.1.1	Method 1: Halogen Exchange	291
16.17.7.3.4.1.1.1	Variation 1: Exchange of Chlorine to Bromine	291
16.17.7.3.4.1.1.2	Variation 2: Exchange of Chlorine to Iodine	292
16.17.7.3.4.1.1.3	Variation 3: Exchange of Bromine to Fluorine	293
16.17.7.3.4.1.2	Method 2: Synthesis from Hydroxypurines	294
16.17.7.3.4.1.3	Method 3: Synthesis from Sulfanylpurines	295

16.17.7.3.4.1.4	Method 4:	Synthesis from Aminopurines	295
16.17.7.3.4.1.4.1	Variation 1:	By Diazotization/Fluorination	295
16.17.7.3.4.1.4.2	Variation 2:	By Diazotization/Chlorination or Bromination	295
16.17.7.3.4.1.5	Method 5:	Synthesis from Nitropurines	296
16.17.7.3.4.2	Hydroxypurines		297
16.17.7.3.4.2.1	Method 1:	Synthesis from Aminopurines	297
16.17.7.3.4.3	Alkoxypurines		298
16.17.7.3.4.3.1	Method 1:	Synthesis from Halopurines	298
16.17.7.3.4.4	Sulfanylpurines		299
16.17.7.3.4.4.1	Method 1:	Synthesis from Halopurines	299
16.17.7.3.4.4.2	Method 2:	Synthesis from Imidazole-Substituted Purines	300
16.17.7.3.4.4.3	Method 3:	Synthesis by Sulfanylation with Trimethylsilyl Difluoro(fluorosulfonyl)acetate	301
16.17.7.3.4.5	Aminopurines		302
16.17.7.3.4.5.1	Method 1:	Synthesis from Halopurines	302
16.17.7.3.4.5.2	Method 2:	Synthesis from Hydroxypurines	303
16.17.7.3.4.5.3	Method 3:	Synthesis by C—N Coupling	304
16.17.7.3.4.5.3.1	Variation 1:	From Halopurines with Amines	305
16.17.7.3.4.5.3.2	Variation 2:	From Aminopurines with Aryl Halides or Trifluoromethanesulfonates	306
16.17.7.3.4.5.3.3	Variation 3:	From Aminopurines with Alkanes	308
16.17.7.3.4.6	Azidopurines		309
16.17.7.3.4.6.1	Method 1:	Synthesis from Halopurines	309
16.17.7.3.4.6.1.1	Variation 1:	From Fluoropurines	309
16.17.7.3.4.6.1.2	Variation 2:	From Chloropurines	310
16.17.7.3.4.6.1.3	Variation 3:	From Bromopurines	313
16.17.7.3.4.6.1.4	Variation 4:	From Iodopurines	313
16.17.7.3.4.6.2	Method 2:	Synthesis from Aminopurines	314
16.17.7.3.4.6.3	Method 3:	Synthesis from Hydroxypurines	316
16.17.7.3.4.7	Triazole-Substituted Purines		319
16.17.7.3.4.7.1	Method 1:	Synthesis from 2-Azidopurines	319
16.17.7.3.4.7.2	Method 2:	Synthesis from 6-Azidopurines	321
16.17.7.3.4.7.3	Method 3:	Synthesis from 8-Azidopurines	323
16.17.7.3.4.8	C-Alkyl-, C-Alkenyl-, and C-Alkynylpurines		323
16.17.7.3.4.8.1	Method 1:	Synthesis Using Active Methylene Compounds	324
16.17.7.3.4.8.2	Method 2:	Synthesis Using Cyanides	325

16.17.7.3.4.8.3	Method 3: Synthesis Using Grignard Reagents	326
16.17.7.3.4.8.4	Method 4: Synthesis Using Trialkylaluminum Reagents	327
16.17.7.4	Modifications by Transition-Metal-Catalyzed Cross Couplings	328
16.17.7.4.1	Modification at C8	328
16.17.7.4.1.1	Method 1: C-Alkylation	328
16.17.7.4.1.1.1	Variation 1: By Stille Reaction	328
16.17.7.4.1.1.2	Variation 2: By Negishi Reaction	329
16.17.7.4.1.2	Method 2: C-Arylation	330
16.17.7.4.1.2.1	Variation 1: By Suzuki–Miyaura Reaction	330
16.17.7.4.1.2.2	Variation 2: By Stille Reaction	335
16.17.7.4.1.3	Method 3: C-Alkenylation	337
16.17.7.4.1.3.1	Variation 1: By Stille Reaction	337
16.17.7.4.1.3.2	Variation 2: By Suzuki–Miyaura Reaction	340
16.17.7.4.1.4	Method 4: C-Alkynylation	340
16.17.7.4.2	Modification at C2	344
16.17.7.4.2.1	Method 1: C-Alkylation	344
16.17.7.4.2.1.1	Variation 1: By Negishi Reaction	344
16.17.7.4.2.1.2	Variation 2: By Suzuki–Miyaura Reaction	345
16.17.7.4.2.2	Method 2: C-Arylation	346
16.17.7.4.2.3	Method 3: C-Alkenylation	348
16.17.7.4.2.3.1	Variation 1: By Stille Reaction	348
16.17.7.4.2.3.2	Variation 2: By Suzuki–Miyaura Reaction	348
16.17.7.4.2.4	Method 4: C-Alkynylation	349
16.17.7.4.3	Modification at C6	353
16.17.7.4.3.1	Method 1: C-Alkylation	353
16.17.7.4.3.2	Method 2: C-Arylation	355
16.17.7.4.3.2.1	Variation 1: By Negishi Reaction	355
16.17.7.4.3.2.2	Variation 2: By Suzuki–Miyaura Reaction	356
16.17.7.4.3.2.3	Variation 3: By Stille Reaction	359
16.17.7.4.3.3	Method 3: C-Alkenylation	360
16.17.7.4.3.4	Method 4: C-Alkynylation	360
16.17.7.4.4	Modification at more than One Position	362
16.17.7.4.4.1	Method 1: Modification at C2 and C6	362
16.17.7.4.4.2	Method 2: Modification at C2 and C8	363

Volume 21: Three Carbon—Heteroatom Bonds: Amides and Derivatives; Peptides; Lactams

21.1	Product Class 1: Amides	
21.1.7	Synthesis of Amides from Acylboron Compounds	(New)
	A. Osuna Gálvez and J. W. Bode	
21.1.7	Synthesis of Amides from Acylboron Compounds	375
21.1.7.1	Synthesis of Amides Using Potassium Acyltrifluoroborates	375
21.1.7.1.1	Method 1: Reaction of Potassium Acyltrifluoroborates with Azides	375
21.1.7.1.2	Method 2: Reaction of Potassium Acyltrifluoroborates with Hydroxylamines	378
21.1.7.1.2.1	Variation 1: With <i>O</i> -Acylhydroxylamines	378
21.1.7.1.2.2	Variation 2: With <i>O</i> -Carbamoylhydroxylamines	379
21.1.7.1.3	Method 3: Reaction of Potassium Acyltrifluoroborates with <i>N</i> -Chloroamines	386
21.1.7.2	Synthesis of Amides Using <i>N</i> -Methyliminodiacetyl (MIDA) Acylboronates	390
21.1.7.2.1	Method 1: Reaction of MIDA Acylboronates with <i>O</i> -Alkylhydroxylamines	390
21.1.7.3	Synthesis of Amides Using Monofluoro(acyl)boronates	390
21.1.7.3.1	Method 1: Reaction of Monofluoro(acyl)boronates with <i>O</i> -Carbamoylhydroxylamines	390

Volume 40: Amines, Ammonium Salts, Amine *N*-Oxides, Haloamines, Hydroxylamines and Sulfur Analogues, and Hydrazines

40.1	Product Class 1: Amino Compounds	
40.1.1.3.3.6	Synthesis of Amines by Pericyclic Reactions Involving C=N Units	(2020)
	W. Maison	
40.1.1.3.3.6	Synthesis of Amines by Pericyclic Reactions Involving C=N Units	397
40.1.1.3.3.6.1	Method 1: Aza-Diels–Alder Reactions with Imines as Electron-Poor Dienophiles	397
40.1.1.3.3.6.1.1	Variation 1: Diastereoselective Aza-Diels–Alder Reactions with Chiral <i>N</i> -Sulfinyl α -Imino Esters as Electron-Poor Dienophiles	398
40.1.1.3.3.6.1.2	Variation 2: Enantioselective Aza-Diels–Alder Reactions of α -Imino Esters Catalyzed by Chiral Brønsted Acids	399

40.1.1.3.3.6.1.3	Variation 3:	Enantioselective Aza-Diels–Alder Reactions with <i>N</i> -Acyhydrazones as Electron-Poor Dienophiles	400
40.1.1.3.3.6.1.4	Variation 4:	Enantioselective Aza-Diels–Alder Reactions of Dihydro- β -carbolines Catalyzed by Thioureas	401
40.1.1.3.3.6.2	Method 2:	Aza-Diels–Alder Reactions with 1-Azabuta-1,3-dienes as Electron-Poor Dienes	403
40.1.1.3.3.6.2.1	Variation 1:	Diels–Alder Reactions with Aza- <i>ortho</i> -quinomethanes as Electron-Poor Dienes, Catalyzed by Indium(III) Trifluoromethanesulfonate	404
40.1.1.3.3.6.2.2	Variation 2:	Diels–Alder Reactions with Aza- <i>ortho</i> -quinomethanes as Electron-Poor Dienes, Catalyzed by Tetrafluoroboric Acid	405
40.1.1.3.3.6.2.3	Variation 3:	Diels–Alder Reactions with Aza- <i>ortho</i> -quinomethanes as Electron-Poor Dienes, Catalyzed by <i>N</i> -Heterocyclic Carbenes	407
40.1.1.3.3.6.2.4	Variation 4:	Diels–Alder Reactions with Aza- <i>ortho</i> -quinomethanes as Electron-Poor Dienes, Catalyzed by Chiral Phosphoric Acids	408
40.1.1.3.3.6.2.5	Variation 5:	Photochemical Diels–Alder Reactions with Aza- <i>ortho</i> -quinomethanes as Electron-Poor Dienes	410
40.1.1.3.3.6.2.6	Variation 6:	Brønsted Acid Catalyzed [4 + 2] Cycloaddition of β,γ -Unsaturated α -Imino Esters with Enecarbamates	412
40.1.1.3.3.6.3	Method 3:	Diels–Alder Reactions with 2-Azabuta-1,3-dienes as Electron-Poor Dienes	413
40.1.1.3.3.6.3.1	Variation 1:	Enantioselective Povarov Cycloadditions Catalyzed by Lewis Acids	415
40.1.1.3.3.6.3.2	Variation 2:	Enantioselective Povarov Cycloadditions of Aldimines Catalyzed by Chiral Phosphoric Acids	417
40.1.1.3.3.6.3.3	Variation 3:	Enantioselective Povarov Cycloadditions with Ketimines Catalyzed by Chiral Phosphoric Acids	419
40.1.1.3.3.6.3.4	Variation 4:	Enantioselective Povarov Cycloadditions Catalyzed by Chiral Ureas	420

Volume 48: Alkanes

48.1.6.4	Alkane Metathesis	New
	G. Liu and Z. Huang	
48.1.6.4	Alkane Metathesis	425
48.1.6.4.1	Method 1: Alkane Self Metathesis	425
48.1.6.4.2	Method 2: Alkane Cross Metathesis	429
48.1.6.4.2.1	Variation 1: Upgrading Short Alkanes	429
48.1.6.4.2.2	Variation 2: Degradation of Polyethylenes	430
	Author Index	433
	Abbreviations	455