
**Volume 29:
Acetals: Hal/X and O/O, S, Se, Te**

| | | |
|--------------|---|-----|
| | Preface | V |
| | Volume Editor's Preface | VII |
| | Table of Contents | XI |
| | Introduction | |
| | S. L. Warriner | 1 |
| 29.1 | Product Class 1: F/Hal Acetals | |
| | S. Challenger | 13 |
| 29.2 | Product Class 2: Hal/Hal Acetals (Hal ≠ F) | |
| | G. J. Rowlands | 63 |
| 29.3 | Product Class 3: Hal/O Acetals | |
| | T. Benneche | 117 |
| 29.4 | Product Class 4: Hal/S, Hal/Se, and Hal/Te Acetals | |
| | C. M. Diaper | 193 |
| 29.5 | Product Class 5: Hal/N and Hal/P Acetals | |
| | B. Leroy | 251 |
| 29.6 | Product Class 6: Acyclic and Semicyclic O/O Acetals | |
| | S. von Angerer and S. L. Warriner | 303 |
| 29.7 | Product Class 7: 1,3-Dioxetanes and 1,3-Dioxolanes | |
| | C. Cordier, S. Leach, and A. Nelson | 407 |
| 29.8 | Product Class 8: 1,3-Dioxanes, 1,3-Dioxepanes, and Larger-Ring O/O Acetals | |
| | C. Kouklovsky | 487 |
| 29.9 | Product Class 9: Spiroketal | |
| | S. V. Ley, L.-G. Milroy, and R. M. Myers | 613 |
| 29.10 | Product Class 10: O/O Acetals with Functionalization Attached to the Acetal Carbon | |
| | H. Yorimitsu and K. Oshima | 691 |
| 29.11 | Product Class 11: OR¹/OX Acetals | |
| | P. Merino | 707 |
| 29.12 | Product Class 12: O/S, O/Se, and O/Te Acetals | |
| | F. Chemla, F. Ferreira, and B. Roy | 801 |
| 29.13 | Product Class 13: Glycosyl Halides | |
| | S. J. Gunn, S. L. Warriner, and J. W. White | 889 |

| | | |
|-------|--|------|
| 29.14 | Product Class 14: Glycosyl Sulfur, Selenium, and Tellurium Compounds W. B. Turnbull, M. A. Fascione, and S. A. Stalford | 923 |
| 29.15 | Product Class 15: Glycosyl Oxygen Compounds (Except Di- and Oligosaccharides) B. Kryczka, J. Lewkowski, and A. Zawisza | 971 |
| 29.16 | Product Class 16: Glycosyl Oxygen Compounds (Di- and Oligosaccharides) A. V. Demchenko and C. De Meo | 1057 |
| | Keyword Index | 1149 |
| | Author Index | 1203 |
| | Abbreviations | 1281 |

Table of Contents

Introduction

S. L. Warriner

| | |
|---------------------------|---|
| Introduction | 1 |
|---------------------------|---|

29.1 Product Class 1: F/Hal Acetals

S. Challenger

| | | |
|---------------------|---|----|
| 29.1 | Product Class 1: F/Hal Acetals | 13 |
| 29.1.1 | Product Subclass 1: F/F Acetals | 13 |
| 29.1.1.1 | Synthesis of Product Subclass 1 | 13 |
| 29.1.1.1.1 | Method 1: Fluorination of Alkanes | 13 |
| 29.1.1.1.1.1 | Variation 1: Fluorination α to a Carbonyl Group | 13 |
| 29.1.1.1.1.2 | Variation 2: Fluorination at the α -Carbon of Imines and Nitriles and at the β -Carbon of Enamines | 16 |
| 29.1.1.1.1.3 | Variation 3: Fluorination α to a Phosphonyl or Sulfonyl Group | 17 |
| 29.1.1.1.2 | Method 2: Fluorodecarboxylation of Carboxylic Acids | 18 |
| 29.1.1.1.3 | Method 3: Synthesis from Haloalkanes | 18 |
| 29.1.1.1.4 | Method 4: Deoxofluorination of Carbonyl Compounds and Their Derivatives | 19 |
| 29.1.1.1.4.1 | Variation 1: Deoxofluorination of Aldehydes and Ketones | 19 |
| 29.1.1.1.4.2 | Variation 2: From 1,1-Bis(trifluoromethylsulfonyloxy) Compounds | 22 |
| 29.1.1.1.5 | Method 5: Fluorodesulfurization of Thioketones, Dithioacetals, or Dithioketals | 23 |
| 29.1.1.1.5.1 | Variation 1: By Fluorodesulfurization of Thioketones | 23 |
| 29.1.1.1.5.2 | Variation 2: By Fluorodesulfurization of Dithioacetals or Dithioketals | 24 |
| 29.1.1.1.6 | Method 6: Fluorination of C=N Compounds | 25 |
| 29.1.1.1.6.1 | Variation 1: By Fluorination of Diazo Compounds | 25 |
| 29.1.1.1.6.2 | Variation 2: Fluorination of Hydrazones, Azines, Oximes, or Oxime Ethers | 26 |
| 29.1.1.1.6.3 | Variation 3: Fluorination of 2 <i>H</i> -Azirines | 29 |
| 29.1.1.1.7 | Method 7: Synthesis from Alkenes | 30 |
| 29.1.1.1.7.1 | Variation 1: From 1,1-Difluoroalkenes | 30 |
| 29.1.1.1.7.2 | Variation 2: Synthesis of Difluorocyclopropanes | 30 |
| 29.1.1.1.7.3 | Variation 3: By Fluorination of Alkenes and Fluoroalkenes | 34 |
| 29.1.1.1.7.4 | Variation 4: By Fluorination of Alkenylboron Derivatives and Alkenylsilanes | 36 |
| 29.1.1.1.8 | Method 8: Synthesis from Alkynes | 37 |
| 29.1.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 38 |
| 29.1.2 | Product Subclass 2: F/Cl Acetals | 39 |
| 29.1.2.1 | Synthesis of Product Subclass 2 | 39 |
| 29.1.2.1.1 | Method 1: Halogenation of Alkanes | 39 |
| 29.1.2.1.2 | Method 2: Synthesis from <i>gem</i> -Dihaloalkanes | 41 |
| 29.1.2.1.3 | Method 3: Synthesis from C—O Compounds | 41 |
| 29.1.2.1.3.1 | Variation 1: Synthesis from 1,1-Bis(trifluoromethylsulfonyloxy) Compounds | 41 |

| | | |
|--------------|---|----|
| 29.1.2.1.3.2 | Variation 2: Synthesis from α -Chlorooxiranes | 42 |
| 29.1.2.1.4 | Method 4: Synthesis from C=N Compounds | 42 |
| 29.1.2.1.5 | Method 5: Synthesis from Alkenes | 43 |
| 29.1.2.1.5.1 | Variation 1: Synthesis of 1-Chloro-1-fluorocyclopropanes | 43 |
| 29.1.2.1.5.2 | Variation 2: Synthesis from Haloalkenes | 44 |
| 29.1.2.2 | Applications of Product Subclass 2 in Organic Synthesis | 45 |
| 29.1.3 | Product Subclass 3: F/Br Acetals | 46 |
| 29.1.3.1 | Synthesis of Product Subclass 3 | 46 |
| 29.1.3.1.1 | Method 1: Synthesis from Alkanes | 46 |
| 29.1.3.1.2 | Method 2: Bromodecarboxylation of α -Fluorocarboxylic Acid Derivatives | 48 |
| 29.1.3.1.3 | Method 3: Synthesis from Haloalkanes by Halogen Exchange | 48 |
| 29.1.3.1.4 | Method 4: Halogenation of C—O Compounds | 49 |
| 29.1.3.1.5 | Method 5: Halogenation of C=N Compounds | 49 |
| 29.1.3.1.6 | Method 6: Synthesis from Alkenes | 50 |
| 29.1.3.1.6.1 | Variation 1: Synthesis of 1-Bromo-1-fluorocyclopropanes | 50 |
| 29.1.3.1.6.2 | Variation 2: Synthesis from Haloalkenes | 51 |
| 29.1.3.1.7 | Method 7: Fragmentation and Bromination of a 2-Deoxy-2-fluoro Carbohydrate Derivative | 52 |
| 29.1.3.2 | Applications of Product Subclass 3 in Organic Synthesis | 52 |
| 29.1.4 | Product Subclass 4: F/I Acetals | 53 |
| 29.1.4.1 | Synthesis of Product Subclass 4 | 53 |
| 29.1.4.1.1 | Method 1: Synthesis from Haloalkanes | 53 |
| 29.1.4.1.2 | Method 2: Halogenation of C—O Compounds | 53 |
| 29.1.4.1.3 | Method 3: Halogenation of C=N Compounds | 54 |
| 29.1.4.1.4 | Method 4: Synthesis from Alkenes | 54 |
| 29.1.4.1.5 | Method 5: Synthesis from Fluorinated Alkenes | 54 |
| 29.1.4.1.6 | Method 6: Fragmentation and Iodination of a 2-Deoxy-2-fluoro Carbohydrate Derivative | 55 |
| 29.1.4.2 | Applications of Product Subclass 4 in Organic Synthesis | 55 |
| 29.2 | Product Class 2: Hal/Hal Acetals (Hal \neq F) G. J. Rowlands | |
| 29.2 | Product Class 2: Hal/Hal Acetals (Hal \neq F) | 63 |
| 29.2.1 | Product Subclass 1: Cl/Cl Acetals | 63 |
| 29.2.1.1 | Synthesis of Product Subclass 1 | 63 |
| 29.2.1.1.1 | Method 1: Chlorination of Alkanes | 63 |
| 29.2.1.1.1.1 | Variation 1: α -Dichlorination of Aldehydes | 64 |
| 29.2.1.1.1.2 | Variation 2: α -Dichlorination of Ketones | 65 |
| 29.2.1.1.1.3 | Variation 3: α -Dichlorination of Imines | 66 |
| 29.2.1.1.2 | Method 2: Chlorination of the Carbonyl Group | 67 |
| 29.2.1.1.3 | Method 3: Chlorination of Hydrazones | 68 |
| 29.2.1.1.4 | Method 4: Synthesis from Dichloroalkanes | 69 |
| 29.2.1.1.4.1 | Variation 1: Via Dichloro(metallo)alkanes | 69 |

| | | | |
|--------------|---|--|-----|
| 29.2.1.1.5 | Method 5: | Radical Reactions of Trichloroalkanes | 72 |
| 29.2.1.1.5.1 | Variation 1: | Intermolecular Radical Reactions | 72 |
| 29.2.1.1.5.2 | Variation 2: | Intramolecular Radical Reactions | 73 |
| 29.2.1.1.6 | Method 6: | Synthesis of <i>gem</i> -Dichlorocyclopropanes | 75 |
| 29.2.1.1.6.1 | Variation 1: | Synthesis from Chloroform | 75 |
| 29.2.1.1.6.2 | Variation 2: | Synthesis from Trichloroacetates | 77 |
| 29.2.1.1.6.3 | Variation 3: | Synthesis from Organomercury Carbene Precursors | 78 |
| 29.2.1.1.7 | Method 7: | Trapping of Dichloroalkene | 79 |
| 29.2.1.1.7.1 | Variation 1: | [2+2] Cycloaddition of Dichloroalkene | 79 |
| 29.2.1.1.7.2 | Variation 2: | [3,3]-Sigmatropic Rearrangement of Ylides Derived from Dichloroalkene | 80 |
| 29.2.1.1.8 | Method 8: | Chlorination of Alkynes | 81 |
| 29.2.2 | Product Subclass 2: Cl/Br Acetals | | 82 |
| 29.2.2.1 | Synthesis of Product Subclass 2 | | 82 |
| 29.2.2.1.1 | Method 1: | Synthesis from Chloroalkanes | 82 |
| 29.2.2.1.2 | Method 2: | Synthesis from Bromo(chloro)(metallo)alkanes | 83 |
| 29.2.2.1.3 | Method 3: | Synthesis of <i>gem</i> -Bromo(chloro)cyclopropanes | 84 |
| 29.2.2.1.3.1 | Variation 1: | Synthesis from Bromo(chloro)methane | 84 |
| 29.2.2.1.3.2 | Variation 2: | Synthesis from Organomercury Carbene Precursors | 85 |
| 29.2.2.1.4 | Methods 4: | Miscellaneous Methods | 85 |
| 29.2.3 | Product Subclass 3: Cl/I Acetals | | 87 |
| 29.2.3.1 | Synthesis of Product Subclass 3 | | 87 |
| 29.2.3.1.1 | Method 1: | Synthesis from Haloalkanes | 87 |
| 29.2.3.1.2 | Method 2: | Synthesis from [Chloro(iodo)methyl]lithium | 87 |
| 29.2.3.1.3 | Method 3: | Synthesis from α -Chloro Sulfoxides | 88 |
| 29.2.3.1.4 | Method 4: | Synthesis from 1,2-Halohydrins | 88 |
| 29.2.3.1.5 | Method 5: | Synthesis of <i>gem</i> -Chloro(iodo)cyclopropanes | 90 |
| 29.2.4 | Product Subclass 4: Br/Br Acetals | | 90 |
| 29.2.4.1 | Synthesis of Product Subclass 4 | | 91 |
| 29.2.4.1.1 | Method 1: | Bromination of Alkanes | 91 |
| 29.2.4.1.1.1 | Variation 1: | α -Dibromination of Carbonyl Compounds | 92 |
| 29.2.4.1.2 | Method 2: | Bromination of Aldehydes or Ketones | 94 |
| 29.2.4.1.3 | Method 3: | Bromination of Hydrazones | 95 |
| 29.2.4.1.4 | Method 4: | Synthesis of <i>gem</i> -Dibromocyclopropanes | 96 |
| 29.2.4.1.4.1 | Variation 1: | α -Elimination from Bromoform | 96 |
| 29.2.4.1.4.2 | Variation 2: | Synthesis from Organomercury Carbene Precursors | 97 |
| 29.2.4.1.5 | Method 5: | Synthesis from Dibromo(metallo)alkanes | 98 |
| 29.2.4.1.6 | Method 6: | Synthesis from Haloalkanes and Haloalkenes | 99 |
| 29.2.4.1.7 | Method 7: | Synthesis from Alkynes | 99 |
| 29.2.4.1.8 | Method 8: | Synthesis from Carboxylic Acids | 100 |
| 29.2.4.2 | Applications of Product Subclass 4 in Organic Synthesis | | 101 |
| 29.2.4.2.1 | Method 1: | Alkene Formation | 101 |
| 29.2.5 | Product Subclass 5: Br/I Acetals | | 101 |
| 29.2.5.1 | Synthesis of Product Subclass 5 | | 102 |

| | | |
|--------------|---|-----|
| 29.2.5.1.1 | Method 1: Synthesis from Haloalkanes | 102 |
| 29.2.5.1.2 | Method 2: Synthesis from 1,2-Halohydrins | 103 |
| 29.2.6 | Product Subclass 6: I/I Acetals | 103 |
| 29.2.6.1 | Synthesis of Product Subclass 6 | 104 |
| 29.2.6.1.1 | Method 1: Iodination of Hydrazones | 104 |
| 29.2.6.1.1.1 | Variation 1: Oxidation of <i>N</i> -(<i>tert</i> -Butyldimethylsilyl)hydrazones with Iodine | 105 |
| 29.2.6.1.2 | Method 2: Synthesis from Haloalkanes | 106 |
| 29.2.6.1.2.1 | Variation 1: Synthesis from <i>gem</i> -Dihaloalkanes | 106 |
| 29.2.6.1.2.2 | Variation 2: Synthesis from Diiodo(metallo)methanes | 106 |
| 29.2.6.2 | Applications of Product Subclass 6 in Organic Synthesis | 108 |
| 29.2.6.2.1 | Method 1: Formation of Alkenes | 108 |
| 29.2.6.2.2 | Method 2: Cyclopropanation (The Simmons–Smith Reaction) | 108 |
| 29.3 | Product Class 3: Hal/O Acetals T. Benneche | |
| 29.3 | Product Class 3: Hal/O Acetals | 117 |
| 29.3.1 | Product Subclass 1: F/O Acetals | 118 |
| 29.3.1.1 | Synthesis of Product Subclass 1 | 118 |
| 29.3.1.1.1 | Method 1: Anodic Fluorination of Ethers | 118 |
| 29.3.1.1.2 | Method 2: Nucleophilic Substitution with Fluoride Ions | 118 |
| 29.3.1.1.3 | Method 3: Cleavage of O/S Acetals | 119 |
| 29.3.1.1.3.1 | Variation 1: Using Xenon Difluoride | 119 |
| 29.3.1.1.3.2 | Variation 2: Using <i>N</i> -Iodosuccinimide and <i>N,N</i> -Diethylaminosulfur Trifluoride | 120 |
| 29.3.1.1.4 | Method 4: Cleavage of O/S(O) Acetals with <i>N,N</i> -Diethylaminosulfur Trifluoride | 121 |
| 29.3.1.1.5 | Method 5: Decarboxylation with Xenon Difluoride | 121 |
| 29.3.1.1.6 | Method 6: Addition of (Benzyloxy)fluorocarbene to Acrylonitrile | 122 |
| 29.3.1.1.7 | Method 7: Peracid Oxidation of Fluoroalkenes | 122 |
| 29.3.1.1.8 | Method 8: Transformation of Benzyl Alcohols into (Fluoromethoxy)benzenes Using Xenon Difluoride | 122 |
| 29.3.1.1.9 | Method 9: Transformation of Epoxy Alcohols into α -Fluoro Ethers | 123 |
| 29.3.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 124 |
| 29.3.1.2.1 | Method 1: Samarium(II) Iodide Mediated Barbier Reactions | 124 |
| 29.3.1.2.2 | Method 2: α -Fluoro Csh;carbonyl Compounds by Isomerization of 2-Fluorooxiranes | 124 |
| 29.3.1.2.3 | Method 3: Formation of Ethers | 124 |
| 29.3.1.2.3.1 | Variation 1: By Reaction with Organometallic Compounds | 124 |
| 29.3.1.2.3.2 | Variation 2: By Addition to Alkenes | 125 |
| 29.3.2 | Product Subclass 2: Cl/O Acetals | 126 |
| 29.3.2.1 | Synthesis of Product Subclass 2 | 126 |
| 29.3.2.1.1 | Method 1: Chlorination of Ethers | 126 |
| 29.3.2.1.2 | Method 2: Cleavage of O/O Acetals | 127 |

| | | | |
|--------------|---|---|-----|
| 29.3.2.1.2.1 | Variation 1: | Using Boron Trichloride | 127 |
| 29.3.2.1.2.2 | Variation 2: | Using Acid Chlorides | 127 |
| 29.3.2.1.3 | Method 3: | Cleavage of O/S Acetals | 129 |
| 29.3.2.1.3.1 | Variation 1: | Using Sulfuryl Chloride | 129 |
| 29.3.2.1.3.2 | Variation 2: | Using <i>N</i> -Chlorosuccinimide and Chlorotrimethylsilane | 130 |
| 29.3.2.1.4 | Method 4: | Cleavage of O/S(O) Acetals with Acetyl Chloride or Thionyl Chloride | 131 |
| 29.3.2.1.5 | Method 5: | Decarbonylation of Alkoxy- and (Aryloxy)acetyl Chlorides | 131 |
| 29.3.2.1.6 | Method 6: | Decarboxylative Chlorination of <i>O</i> -Acyl Thiohydroxamates (Barton–Borodin–Hunsdiecker Reaction) | 132 |
| 29.3.2.1.7 | Method 7: | Desulfonylation of Aryloxymethanesulfonyl Chlorides | 133 |
| 29.3.2.1.8 | Method 8: | Addition of Hydrogen Chloride to Enol Ethers | 133 |
| 29.3.2.1.9 | Method 9: | Reaction of Metalated Geminal Dichloroalkanes with Ketones | 134 |
| 29.3.2.1.10 | Method 10: | Addition of Alkoxy(chloro)carbenes to Alkenes | 134 |
| 29.3.2.1.11 | Method 11: | Addition of Carbon Tetrachloride to Enol Ethers | 135 |
| 29.3.2.1.12 | Method 12: | Addition of Chlorine to Enol Ethers | 135 |
| 29.3.2.1.13 | Method 13: | Addition of Arenesulfonyl Chlorides to Enol Ethers | 136 |
| 29.3.2.1.14 | Method 14: | Oxidation of Chloroalkenes | 137 |
| 29.3.2.1.15 | Method 15: | Reaction of Alcohols with Aldehydes in the Presence of a Chlorinating Agent | 137 |
| 29.3.2.2 | Applications of Product Subclass 2 in Organic Synthesis | | 139 |
| 29.3.2.2.1 | Method 1: | Formation of α -Metalated Ethers | 139 |
| 29.3.2.2.1.1 | Variation 1: | Formation of α -Lithio Ethers | 139 |
| 29.3.2.2.1.2 | Variation 2: | Formation of α -Silyl, α -Germyl, α -Stannyl, and α -Plumbyl Ethers | 140 |
| 29.3.2.2.1.3 | Variation 3: | Samarium(II) Iodide Based Reactions | 142 |
| 29.3.2.2.2 | Method 2: | Formation of O/O Acetals: Protection of Alcohols | 143 |
| 29.3.2.2.3 | Method 3: | Formation of α -Alkoxy Sulfur Compounds | 146 |
| 29.3.2.2.4 | Method 4: | Formation of α -Alkoxy Nitrogen Compounds | 146 |
| 29.3.2.2.5 | Method 5: | Formation of α -Alkoxy Phosphorus Compounds | 148 |
| 29.3.2.2.6 | Method 6: | Formation of Enol Ethers | 148 |
| 29.3.2.2.6.1 | Variation 1: | Dehalogenation of 1,2-Dihalo Ethers | 148 |
| 29.3.2.2.6.2 | Variation 2: | Carbonyl Alkenations with an Alkoxychloromethane/Titanocene(II) System | 149 |
| 29.3.2.2.7 | Method 7: | Formation of Carbonyl Ylides | 150 |
| 29.3.2.2.8 | Method 8: | Chloromethylation of Aromatic Compounds | 151 |
| 29.3.2.2.9 | Method 9: | Formation of Ethers | 151 |
| 29.3.2.2.9.1 | Variation 1: | Reaction with Main-Group Organometallic Compounds | 151 |
| 29.3.2.2.9.2 | Variation 2: | Transition-Metal-Based Reactions | 153 |
| 29.3.2.2.9.3 | Variation 3: | Reaction with Enolates or Enolate Equivalents | 154 |
| 29.3.2.2.9.4 | Variation 4: | Addition to Alkenes | 156 |
| 29.3.2.2.10 | Method 10: | Carbenes/Carbenoid Formation | 157 |
| 29.3.3 | Product Subclass 3: Br/O Acetals | | 159 |
| 29.3.3.1 | Synthesis of Product Subclass 3 | | 159 |
| 29.3.3.1.1 | Method 1: | Bromination of Ethers | 159 |
| 29.3.3.1.2 | Method 2: | Cleavage of α -Alkoxy Stannanes with Bromine | 160 |

| | | | |
|--------------|--------------|--|-----|
| 29.3.3.1.3 | Method 3: | Reaction of α -Chloro Ethers with Lithium Bromide, Hydrogen Bromide, or Bromine | 161 |
| 29.3.3.1.4 | Method 4: | Rhodium(II)-Catalyzed Reaction of Diazo Dicarbonyl Compounds with Dibromomethane | 161 |
| 29.3.3.1.5 | Method 5: | Cleavage of O/O Acetals | 162 |
| 29.3.3.1.5.1 | Variation 1: | Using Boron Compounds | 162 |
| 29.3.3.1.5.2 | Variation 2: | Using Acetyl Bromide | 163 |
| 29.3.3.1.5.3 | Variation 3: | Using Bromotrimethylsilane | 164 |
| 29.3.3.1.6 | Method 6: | Cleavage of α -Acyloxy Ethers with Bromotrimethylsilane | 165 |
| 29.3.3.1.7 | Method 7: | Cleavage of O/S Acetals with Bromine | 165 |
| 29.3.3.1.8 | Method 8: | Cleavage of O/S(O) Acetals with Bromotrimethylsilane | 166 |
| 29.3.3.1.9 | Method 9: | Addition of Hydrogen Bromide to Enol Ethers | 166 |
| 29.3.3.1.10 | Method 10: | Reaction of Lithiated Geminal Dibromoalkanes with Aldehydes | 167 |
| 29.3.3.1.11 | Method 11: | Radical Addition to Enol Ethers | 167 |
| 29.3.3.1.12 | Method 12: | Bromination of Enol Ethers | 168 |
| 29.3.3.1.13 | Method 13: | Peracid Oxidation of Bromoalkenes | 169 |
| 29.3.3.1.14 | Method 14: | Reaction of Alcohols with Aldehydes in the Presence of Hydrogen Bromide | 169 |
| 29.3.3.2 | | Applications of Product Subclass 3 in Organic Synthesis | 170 |
| 29.3.3.2.1 | Method 1: | Formation of α -Metalated Ethers | 170 |
| 29.3.3.2.2 | Method 2: | α -Halo Carbonyl Compounds by Isomerization of 2-Bromooxiranes | 171 |
| 29.3.3.2.3 | Method 3: | Formation of O/O Acetals | 171 |
| 29.3.3.2.4 | Method 4: | Formation of α -Alkoxy Sulfur Compounds | 172 |
| 29.3.3.2.5 | Method 5: | Formation of α -Alkoxy Nitrogen Compounds | 173 |
| 29.3.3.2.6 | Method 6: | Formation of α -Alkoxy Phosphorus Compounds | 174 |
| 29.3.3.2.7 | Method 7: | Dehydrobromination | 174 |
| 29.3.3.2.8 | Method 8: | Bromomethylation of Aromatic Compounds | 175 |
| 29.3.3.2.9 | Method 9: | Formation of Ethers | 176 |
| 29.3.3.2.9.1 | Variation 1: | Reaction with Main-Group Organometallic Compounds | 176 |
| 29.3.3.2.9.2 | Variation 2: | Transition-Metal-Based Reactions | 177 |
| 29.3.3.2.9.3 | Variation 3: | Reaction with Enolates or Enolate Equivalents | 178 |
| 29.3.3.2.10 | Method 10: | Formation of α -Alkoxy Radicals | 179 |
| 29.3.4 | | Product Subclass 4: I/O Acetals | 180 |
| 29.3.4.1 | | Synthesis of Product Subclass 4 | 180 |
| 29.3.4.1.1 | Method 1: | Nucleophilic Substitution with Iodide Ions | 180 |
| 29.3.4.1.2 | Method 2: | Cleavage of O/O Acetals with Iodotrimethylsilane | 180 |
| 29.3.4.2 | | Applications of Product Subclass 4 in Organic Synthesis | 181 |
| 29.3.4.2.1 | Method 1: | Formation of α -Metalated Ethers | 181 |
| 29.3.4.2.2 | Method 2: | Formation of α -Alkoxy Nitrogen Compounds | 181 |
| 29.3.4.2.3 | Method 3: | Formation of α -Alkoxy Phosphorus Compounds | 182 |
| 29.3.4.2.4 | Method 4: | Formation of Carbonyl Ylides | 182 |
| 29.3.4.2.5 | Method 5: | Formation of Ethers | 183 |
| 29.3.4.2.5.1 | Variation 1: | Alkylation of a Lithioferrocene | 183 |
| 29.3.4.2.5.2 | Variation 2: | Trapping of Vinylcopper Reagents | 183 |
| 29.3.4.2.5.3 | Variation 3: | Reaction with Enolates | 184 |

| | | |
|-----------------------|---|-----|
| 29.3.4.2.6 | Method 6: Formation of α -Alkoxy Radicals | 184 |
| 29.4 | Product Class 4: Hal/S, Hal/Se, and Hal/Te Acetals | |
| | C. M. Diaper | |
| 29.4 | Product Class 4: Hal/S, Hal/Se, and Hal/Te Acetals | 193 |
| 29.4.1 | Product Subclass 1: Hal/S Acetals | 193 |
| 29.4.1.1 | Synthesis of Product Subclass 1 | 194 |
| 29.4.1.1.1 | α -Halo Sulfides and α -Halosulfenyl Compounds | 194 |
| 29.4.1.1.1.1 | Method 1: α -Halo Sulfides by α -Halogenation of Sulfides | 194 |
| 29.4.1.1.1.2 | Method 2: α -Halo Sulfides by Substitution | 195 |
| 29.4.1.1.1.2.1 | Variation 1: Displacement of Halide from Hal/Hal Acetals by an Organothiol or an Organothiolate | 196 |
| 29.4.1.1.1.2.2 | Variation 2: Displacement of an Organosulfonyl Substituent from Dithioacetals by Halogen | 197 |
| 29.4.1.1.1.2.3 | Variation 3: Displacement of Monothioacetals by Halides | 197 |
| 29.4.1.1.1.3 | Method 3: α -Halo Sulfides by Addition to Alkenes | 198 |
| 29.4.1.1.1.4 | Method 4: α -Halo Sulfides by the Addition of Organosulfonyl Halides to α -Diazo Carbonyl Compounds | 200 |
| 29.4.1.1.1.5 | Method 5: α -Halo Sulfides from Sulfoxides by Pummerer Rearrangement | 200 |
| 29.4.1.1.1.6 | Method 6: Substitution of α -Halosulfonyl Halides with Nucleophiles | 201 |
| 29.4.1.1.1.7 | Method 7: α -Halosulfonyl Halides by Addition Reactions | 203 |
| 29.4.1.1.1.8 | Method 8: α -Halosulfonyl Halides by Addition to Disulfides | 204 |
| 29.4.1.1.2 | α -Halo Sulfoxides | 204 |
| 29.4.1.1.2.1 | Method 1: α -Halo Sulfoxides by the Halogenation of Alkyl Sulfoxides | 204 |
| 29.4.1.1.2.2 | Method 2: Iodomethyl Sulfoxides from Chloromethyl Sulfoxides by the Finkelstein Reaction | 205 |
| 29.4.1.1.2.3 | Method 3: α -Halo Sulfoxides by Michael Addition to α -Halovinyl Sulfoxides | 206 |
| 29.4.1.1.2.4 | Method 4: Halomethyl Sulfoxides by the Addition of Diazomethane to Sulfinyl Halides | 207 |
| 29.4.1.1.2.5 | Method 5: α -Halo Sulfoxides by the Addition of Halogens to Vinylic Sulfoxides | 207 |
| 29.4.1.1.2.6 | Method 6: Oxidation of α -Halo Sulfides | 208 |
| 29.4.1.1.2.7 | Method 7: Reaction of α -Halo Sulfoxide Anions with Carbon Electrophiles | 209 |
| 29.4.1.1.2.8 | Method 8: α -Halosulfinyl Halides by the Oxidation of α -Halosulfonyl Halides | 211 |
| 29.4.1.1.3 | α -Halo Sulfones and S-(α -Haloalkyl)sulfoximides | 211 |
| 29.4.1.1.3.1 | Method 1: α -Halo Sulfones by the Halogenation of Sulfones | 211 |
| 29.4.1.1.3.1.1 | Variation 1: Direct Halogenation of Activated Sulfones | 212 |
| 29.4.1.1.3.1.2 | Variation 2: Halogenation of Sulfones under Basic Conditions | 213 |
| 29.4.1.1.3.2 | Method 2: α -Halo Sulfones by Michael Addition to Halovinyl Sulfones | 214 |
| 29.4.1.1.3.3 | Method 3: α -Halo Sulfones by Addition Reactions | 215 |
| 29.4.1.1.3.4 | Method 4: α -Halo Sulfones by the α -Oxidation of Halo Sulfides | 216 |
| 29.4.1.1.3.4.1 | Variation 1: Oxidation of α -Halo Sulfides | 216 |

| | | | |
|----------------|--------------|--|-----|
| 29.4.1.1.3.4.2 | Variation 2: | Oxidation of α -Halo Sulfoxides | 217 |
| 29.4.1.1.3.5 | Method 5: | α -Halo Sulfones by the Reaction of α -Halo Sulfone Anions with Carbon Electrophiles | 217 |
| 29.4.1.1.3.6 | Method 6: | S-(α -Haloalkyl)sulfoximides by the Halogenation of Sulfoximides | 219 |
| 29.4.1.1.4 | | α -Halosulfonyl Chlorides, α -Halosulfonates, and α -Halosulfonamides | 220 |
| 29.4.1.1.4.1 | Method 1: | α -Halosulfonyl Halides by Halogenation | 220 |
| 29.4.1.1.4.2 | Method 2: | α -Halosulfonates by the Substitution of Dihalomethanes | 221 |
| 29.4.1.1.4.3 | Method 3: | α -Halosulfonamides by Halogenation of Sulfonamides | 222 |
| 29.4.1.1.4.4 | Method 4: | α,β -Dihalosulfonamides by the Addition of Halogens to α,β -Unsaturated Sulfonamides | 223 |
| 29.4.1.1.4.5 | Method 5: | Reaction of α -Halosulfonamide Anions with Carbon Electrophiles | 223 |
| 29.4.1.1.4.6 | Method 6: | Substitution of α -Halosulfonyl Halides with Heteroatom Nucleophiles | 224 |
| 29.4.1.2 | | Applications of Product Subclass 1 in Organic Synthesis | 225 |
| 29.4.1.2.1 | Method 1: | Radical Cyclizations in the Total Synthesis of Natural Products | 225 |
| 29.4.1.2.2 | Method 2: | Protecting Group Chemistry | 226 |
| 29.4.1.2.3 | Method 3: | Reactions of Hal/S Acetals with Carbon Nucleophiles | 227 |
| 29.4.1.2.3.1 | Variation 1: | Reactions with Carbanion Nucleophiles | 227 |
| 29.4.1.2.3.2 | Variation 2: | Lewis Acid Catalyzed Alkylations of Unsaturated Derivatives | 228 |
| 29.4.1.2.4 | Method 4: | The Ramberg–Bäcklund Rearrangement | 229 |
| 29.4.1.2.5 | Method 5: | Organometallic Reagents Derived from α -Halo Sulfides, Sulfoxides, and Sulfones | 230 |
| 29.4.1.2.5.1 | Variation 1: | Reagents Derived from α -Chloro Sulfides | 230 |
| 29.4.1.2.5.2 | Variation 2: | Reagents Derived from α -Halo Sulfoxides | 231 |
| 29.4.1.2.5.3 | Variation 3: | Vicarious Nucleophilic Substitution Reactions | 232 |
| 29.4.1.2.6 | Method 6: | The Chloromethylsulfonyloxy Group in the Inversion of Secondary Alcohols | 233 |
| 29.4.2 | | Product Subclass 2: Hal/Se and Hal/Te Acetals | 234 |
| 29.4.2.1 | | Synthesis of Product Subclass 2 | 234 |
| 29.4.2.1.1 | Method 1: | α -Halo Selenides from Enolates | 234 |
| 29.4.2.1.2 | Method 2: | α -Halo Selenides by Halogenation of Selenium/Chalcogen Acetals | 235 |
| 29.4.2.1.3 | Method 3: | α -Halo Selenides and α -Halo Tellurides by Substitution | 236 |
| 29.4.2.1.4 | Method 4: | α -Halo Selenides and α -Halo Tellurides by Addition of Selenenyl Halides to Diazoalkanes | 237 |
| 29.4.2.1.5 | Method 5: | α -Halo Selenides by Addition Reactions | 237 |
| 29.4.2.1.6 | Method 6: | α -Halo Selenides by Seleno-Pummerer Rearrangements | 238 |
| 29.5 | | Product Class 5: Hal/N and Hal/P Acetals B. Leroy | |
| 29.5 | | Product Class 5: Hal/N and Hal/P Acetals | 251 |
| 29.5.1 | | Product Subclass 1: α-Haloamines | 251 |

| | | |
|--------------|--|-----|
| 29.5.1.1 | Synthesis of Product Subclass 1 | 252 |
| 29.5.1.1.1 | Method 1: Halogenation of O/N and N/N Acetals | 252 |
| 29.5.1.1.2 | Method 2: Halogenation of Enamines | 253 |
| 29.5.1.1.3 | Method 3: Halogenation of Imines | 253 |
| 29.5.2 | Product Subclass 2: α-Haloammonium Salts | 254 |
| 29.5.2.1 | Synthesis of Product Subclass 2 | 254 |
| 29.5.2.1.1 | Method 1: Addition of Amines to 1,1-Dihaloalkanes | 254 |
| 29.5.2.1.2 | Method 2: Addition of Aromatic Heterocyclic Nitrogen to Aldehydes | 254 |
| 29.5.3 | Product Subclass 3: α-Halo Amides, α-Halo Imides, α-Halocarbamates, and α-Halo Sulfonamides | 255 |
| 29.5.3.1 | Synthesis of Product Subclass 3 | 256 |
| 29.5.3.1.1 | Method 1: Radical Halogenation of Amides and Related Compounds | 256 |
| 29.5.3.1.2 | Method 2: Deprotonation and Halogenation α to Nitrogen | 257 |
| 29.5.3.1.3 | Method 3: Electrochemical Halogenation | 258 |
| 29.5.3.1.4 | Method 4: Addition of Nucleophilic Nitrogen to 1,1-Dihaloalkanes | 259 |
| 29.5.3.1.5 | Method 5: Halogenation of α -Hydroxy Amides and Related Compounds | 260 |
| 29.5.3.1.6 | Method 6: Halogenation of <i>N</i> -Acyl O/N Acetals and Analogues | 261 |
| 29.5.3.1.6.1 | Variation 1: Halogenation of O/N Acetals | 261 |
| 29.5.3.1.6.2 | Variation 2: Halogenation of S/N Acetals | 262 |
| 29.5.3.1.6.3 | Variation 3: Halogenation of N/N Acetals | 263 |
| 29.5.3.1.7 | Method 7: Halogenation of Acyl Enamines | 264 |
| 29.5.3.1.7.1 | Variation 1: Electrophilic Halogenation | 264 |
| 29.5.3.1.7.2 | Variation 2: Radical Halogenation | 264 |
| 29.5.3.1.8 | Method 8: Halogenation of Imines | 265 |
| 29.5.3.1.8.1 | Variation 1: Addition of Acyl Halides | 265 |
| 29.5.3.1.8.2 | Variation 2: Addition of Other Chlorocarbonyl Reagents | 266 |
| 29.5.4 | Product Subclass 4: α-Halonitro and Related Compounds | 267 |
| 29.5.4.1 | Synthesis of Product Subclass 4 | 267 |
| 29.5.4.1.1 | Method 1: Halogenation of Nitroalkanes | 267 |
| 29.5.4.1.1.1 | Variation 1: Fluorination | 267 |
| 29.5.4.1.1.2 | Variation 2: Chlorination, Bromination, and Iodination | 268 |
| 29.5.4.1.2 | Method 2: Halogenation of Nitroalkenes | 269 |
| 29.5.4.1.3 | Method 3: Oxidative Halogenation of Oximes | 270 |
| 29.5.4.1.3.1 | Variation 1: Preparation of α -Halonitroso Compounds | 270 |
| 29.5.4.1.3.2 | Variation 2: Preparation of α -Halonitro Compounds | 271 |
| 29.5.4.1.4 | Method 4: Halogenation of Hydrazones | 273 |
| 29.5.4.1.4.1 | Variation 1: Preparation of α -Haloazo Compounds | 273 |
| 29.5.4.1.4.2 | Variation 2: Halogenation of Ketazines | 274 |
| 29.5.4.1.5 | Method 5: Addition of Diazoalkanes to Vinyl Halides | 274 |
| 29.5.4.1.6 | Method 6: Functionalization of 1-Halo-1-nitroalkanes | 274 |
| 29.5.4.1.7 | Method 7: Modification of 1-Halo-1-nitroalkenes | 275 |
| 29.5.5 | Product Subclass 5: α-Halophosphorus(III) Compounds | 276 |
| 29.5.5.1 | Synthesis of Product Subclass 5 | 276 |

| | | | |
|--------------|---|--|-----|
| 29.5.5.1.1 | Method 1: | Reaction of Alkylphosphorus(III) Compounds with Carbon Tetrahalides | 276 |
| 29.5.5.1.2 | Method 2: | Addition of Phosphines to 1,1-Dihaloalkanes | 278 |
| 29.5.5.1.3 | Method 3: | Reduction of Phosphorus(V) Derivatives | 278 |
| 29.5.6 | Product Subclass 6: α-Halophosphonium Salts | | 279 |
| 29.5.6.1 | Synthesis of Product Subclass 6 | | 279 |
| 29.5.6.1.1 | Method 1: | Addition of Phosphines to 1,1-Dihaloalkanes | 279 |
| 29.5.6.1.2 | Method 2: | Halogenation of α -Hydroxyphosphonium Salts | 280 |
| 29.5.6.1.3 | Method 3: | Halogenation of Phosphonium Ylides | 281 |
| 29.5.7 | Product Subclass 7: α-Halophosphorus(V) Compounds | | 281 |
| 29.5.7.1 | Synthesis of Product Subclass 7 | | 282 |
| 29.5.7.1.1 | Method 1: | Radical Halogenation | 282 |
| 29.5.7.1.2 | Method 2: | Deprotonation and Halogenation α to Phosphorus | 283 |
| 29.5.7.1.2.1 | Variation 1: | Fluorination of Lithium, Sodium, or Potassium Salts | 283 |
| 29.5.7.1.2.2 | Variation 2: | Fluorination Using Palladium Complexes | 284 |
| 29.5.7.1.2.3 | Variation 3: | Chlorination, Bromination, and Iodination | 285 |
| 29.5.7.1.2.4 | Variation 4: | Halogenation of Silyl-Stabilized Carbanions | 286 |
| 29.5.7.1.3 | Method 3: | Addition of Nucleophilic Phosphorus to 1,1-Dihaloalkanes | 288 |
| 29.5.7.1.3.1 | Variation 1: | Addition of Phosphites | 288 |
| 29.5.7.1.3.2 | Variation 2: | Addition of Phosphorus Trihalides | 288 |
| 29.5.7.1.4 | Method 4: | Halogenation of α -Hydroxyphosphorus(V) Derivatives | 289 |
| 29.5.7.1.4.1 | Variation 1: | Fluorination | 289 |
| 29.5.7.1.4.2 | Variation 2: | Chlorination, Bromination, and Iodination | 290 |
| 29.5.7.1.5 | Method 5: | Halogenation of Vinylphosphorus(V) Derivatives | 292 |
| 29.5.7.1.6 | Method 6: | Addition of Halophosphorus(III) Derivatives to Carbonyl Compounds | 292 |
| 29.5.7.1.7 | Method 7: | Functionalization of α -Halo Phosphorus(V) Compounds | 293 |
| 29.5.7.1.8 | Method 8: | Modification of α -Haloalk-1-enylphosphorus(V) Compounds | 294 |
| 29.5.7.1.9 | Method 9: | Selective Dehalogenation of α,α -Dihalophosphorus(V) Compounds | 295 |
| 29.6 | Product Class 6: Acyclic and Semicyclic O/O Acetals S. von Angerer and S. L. Warriner | | |
| 29.6 | Product Class 6: Acyclic and Semicyclic O/O Acetals | | 303 |
| 29.6.1 | Synthesis of Product Class 6 | | 304 |
| 29.6.1.1 | Synthesis from Compounds of Higher Oxidation State | | 304 |
| 29.6.1.1.1 | Method 1: | Synthesis by Reduction | 304 |
| 29.6.1.1.2 | Method 2: | Synthesis from CH-Acidic Compounds | 305 |
| 29.6.1.1.2.1 | Variation 1: | From Alkynes | 305 |
| 29.6.1.1.2.2 | Variation 2: | From Ketones | 306 |
| 29.6.1.1.2.3 | Variation 3: | From β -Oxo Nitriles and Related Compounds | 308 |
| 29.6.1.1.3 | Method 3: | Synthesis from Organometallic Compounds | 308 |
| 29.6.1.1.3.1 | Variation 1: | From Organomagnesium Compounds | 308 |
| 29.6.1.1.3.2 | Variation 2: | From Organoaluminum and Organozinc Compounds | 309 |

| | | | |
|---------------|--|---|-----|
| 29.6.1.1.3.3 | Variation 3: | From Organosilanes | 310 |
| 29.6.1.1.4 | Method 4: | Synthesis from Ketenes and Ketene Acetals | 311 |
| 29.6.1.1.5 | Method 5: | Synthesis from Enol Derivatives | 311 |
| 29.6.1.1.5.1 | Variation 1: | From Silyl Enol Ethers | 311 |
| 29.6.1.1.5.2 | Variation 2: | From Enol Ethers | 312 |
| 29.6.1.1.6 | Method 6: | Synthesis Using Enamines | 313 |
| 29.6.1.2 | Synthesis from Compounds of the Same Oxidation State | | 313 |
| 29.6.1.2.1 | Method 1: | Synthesis from 1,1-Dihaloalkanes | 313 |
| 29.6.1.2.1.1 | Variation 1: | From Alcohols | 314 |
| 29.6.1.2.1.2 | Variation 2: | From Phenols | 316 |
| 29.6.1.2.2 | Method 2: | Synthesis from Hal/OR ¹ Acetals | 316 |
| 29.6.1.2.2.1 | Variation 1: | From Alcohols | 317 |
| 29.6.1.2.2.2 | Variation 2: | From Phenols | 321 |
| 29.6.1.2.2.3 | Variation 3: | From Ketones | 322 |
| 29.6.1.2.3 | Method 3: | Synthesis from Aldehydes or Ketones and Alcohols | 323 |
| 29.6.1.2.3.1 | Variation 1: | From Alcohols without Removal of Water | 323 |
| 29.6.1.2.3.2 | Variation 2: | From Alcohols with Removal of Water by Physical Methods | 327 |
| 29.6.1.2.3.3 | Variation 3: | From Alcohols with Removal of Water by Chemical Means | 328 |
| 29.6.1.2.3.4 | Variation 4: | From Alcohols and Alkylating Agents | 334 |
| 29.6.1.2.4 | Method 4: | Synthesis from Aldehydes or Ketones and Alcohol Derivatives | 336 |
| 29.6.1.2.4.1 | Variation 1: | From Alkoxysilanes | 337 |
| 29.6.1.2.4.2 | Variation 2: | From Titanium or Antimony Alkoxides | 337 |
| 29.6.1.2.4.3 | Variation 3: | From Trialkyl Orthoformates | 338 |
| 29.6.1.2.4.4 | Variation 4: | From Other Acetals | 339 |
| 29.6.1.2.4.5 | Variation 5: | From Dialkoxytriphenylphosphoranes | 340 |
| 29.6.1.2.5 | Method 5: | Synthesis from Other O/O Acetals | 341 |
| 29.6.1.2.5.1 | Variation 1: | With Other Acetals | 341 |
| 29.6.1.2.5.2 | Variation 2: | By Exchange of Both Alkoxy Groups | 341 |
| 29.6.1.2.5.3 | Variation 3: | By Exchange of One Alkoxy Group | 342 |
| 29.6.1.2.6 | Method 6: | Synthesis from Acetals with Other Heteroatoms | 349 |
| 29.6.1.2.6.1 | Variation 1: | From O/S Acetals | 349 |
| 29.6.1.2.6.2 | Variation 2: | From S/S Acetals | 351 |
| 29.6.1.2.6.3 | Variation 3: | From O/N Acetals | 353 |
| 29.6.1.2.7 | Method 7: | Synthesis from Imines, Oximes, and Related Compounds | 354 |
| 29.6.1.2.8 | Method 8: | Synthesis from Heterosubstituted Alkenes | 355 |
| 29.6.1.2.8.1 | Variation 1: | From Haloalkenes and Alcohols | 355 |
| 29.6.1.2.8.2 | Variation 2: | From Acyclic Enol Ethers and Alcohols | 356 |
| 29.6.1.2.8.3 | Variation 3: | From Cyclic Enol Ethers and Alcohols | 362 |
| 29.6.1.2.8.4 | Variation 4: | From Allenyl Ethers and Alcohols | 365 |
| 29.6.1.2.8.5 | Variation 5: | From Enol Ethers via Cycloaddition | 366 |
| 29.6.1.2.8.6 | Variation 6: | From Aryl Ethers by Oxidation | 368 |
| 29.6.1.2.8.7 | Variation 7: | From Enolates or Enol Esters and Alcohols | 370 |
| 29.6.1.2.8.8 | Variation 8: | From Furans and Alcohols | 371 |
| 29.6.1.2.8.9 | Variation 9: | From Enol Ethers with Acetals | 373 |
| 29.6.1.2.8.10 | Variation 10: | Dimerization of Enol Ethers | 374 |
| 29.6.1.3 | Synthesis from Compounds of Lower Oxidation State | | 374 |
| 29.6.1.3.1 | Method 1: | Synthesis from Heterosubstituted Alkanes | 374 |

| | | | |
|---------------------|---|---|-----|
| 29.6.1.3.1.1 | Variation 1: | From Alcohols and Ethers | 374 |
| 29.6.1.3.1.2 | Variation 2: | From Sulfides | 378 |
| 29.6.1.3.1.3 | Variation 3: | From Dimethyl Sulfoxide | 378 |
| 29.6.1.3.1.4 | Variation 4: | From Amines and Other Nitrogen Derivatives | 379 |
| 29.6.1.3.2 | Method 2: | Synthesis from Alkynes | 380 |
| 29.6.1.3.2.1 | Variation 1: | From Alkyl- and Arylalkynes | 381 |
| 29.6.1.3.2.2 | Variation 2: | From Vinylacetylenes | 383 |
| 29.6.1.3.2.3 | Variation 3: | From Alkynes with Electron-Withdrawing Substituents | 384 |
| 29.6.1.3.3 | Method 3: | Synthesis from Alkenes | 386 |
| 29.6.1.3.3.1 | Variation 1: | By Oxidation with Thallium(III) Salts | 386 |
| 29.6.1.3.3.2 | Variation 2: | By Oxidation with Molecular Oxygen | 388 |
| 29.6.1.3.3.3 | Variation 3: | By Oxidation with Ozone | 388 |
| 29.6.1.3.3.4 | Variation 4: | By Oxidation with Alkyl Nitrites | 389 |
| 29.6.1.3.3.5 | Variation 5: | By Electrochemical Oxidation | 389 |
| 29.6.1.3.3.6 | Variation 6: | By Oxidation of Benzenes | 390 |
| 29.6.1.3.4 | Method 4: | Synthesis from Alkanes | 392 |
| 29.7 | Product Class 7: 1,3-Dioxetanes and 1,3-Dioxolanes | | |
| | C. Cordier, S. Leach, and A. Nelson | | |
| 29.7 | Product Class 7: 1,3-Dioxetanes and 1,3-Dioxolanes 407 | | |
| 29.7.1 | Product Subclass 1: 1,3-Dioxetanes 407 | | |
| 29.7.1.1 | Synthesis of Product Subclass 1 407 | | |
| 29.7.1.1.1 | Method 1: | Synthesis by Formation of Two C—O Bonds | 407 |
| 29.7.2 | Product Subclass 2: 1,3-Dioxolanes 408 | | |
| 29.7.2.1 | Synthesis of Product Subclass 2 411 | | |
| 29.7.2.1.1 | Method 1: | Synthesis by Formation of Two C—O Bonds | 411 |
| 29.7.2.1.1.1 | Variation 1: | Reactions of Carbonyl Compounds with 1,2-Diols | 411 |
| 29.7.2.1.1.2 | Variation 2: | Reactions of Acetals and Ketals with 1,2-Diols | 426 |
| 29.7.2.1.1.3 | Variation 3: | Reactions of Enol Ethers with 1,2-Diols | 437 |
| 29.7.2.1.1.4 | Variation 4: | Reactions of Carbonyl Compounds with 1,2-Bis(trimethylsilyl) Ethers | 442 |
| 29.7.2.1.1.5 | Variation 5: | Reactions of Epoxides with Ketones | 444 |
| 29.7.2.1.1.6 | Variation 6: | By Double Michael Addition of 1,2-Diols to Electron-Deficient Alkynes | 447 |
| 29.7.2.1.1.7 | Variation 7: | Reaction of 1,1-Dihalo Compounds with 1,2-Diols | 448 |
| 29.7.2.1.1.8 | Variation 8: | Reactions of Ketones and 2-Halo Alcohols | 451 |
| 29.7.2.1.1.9 | Variation 9: | From But-2-ene-1,4-diols and Ketones | 452 |
| 29.7.2.1.2 | Method 2: | Synthesis by Formation of One C—O Bond | 453 |
| 29.7.2.1.2.1 | Variation 1: | From Monoprotected 1,2-Diols | 453 |
| 29.7.2.1.2.2 | Variation 2: | By Oxidation of Electron-Rich Arenes and Hetarenes and Cyclization | 456 |
| 29.7.2.1.2.3 | Variation 3: | By Cyclization of Hydroxy-Substituted Enol Ethers | 458 |
| 29.7.2.1.2.4 | Variation 4: | By Intramolecular Transacetalization | 459 |
| 29.7.2.1.2.5 | Variation 5: | From Stable Acyclic Hemiacetals Derived from Allylic Alcohols | 459 |

| | | | |
|---------------|---|--|-----|
| 29.7.2.1.2.6 | Variation 6: | By Cyclization of 2-Hydroxyalkyl Hal/O Acetals and 2-Haloalkyl Hemiacetals | 460 |
| 29.7.2.1.3 | Method 3: | Exchange of Ligands on Existing Acetals | 461 |
| 29.7.2.1.3.1 | Variation 1: | Radical Epimerization | 461 |
| 29.7.2.1.3.2 | Variation 2: | Radical Reactions | 461 |
| 29.7.2.1.3.3 | Variation 3: | From Metalated Dioxolanes | 464 |
| 29.7.2.1.3.4 | Variation 4: | From Methylene-dioxolanes | 464 |
| 29.7.2.1.3.5 | Variation 5: | Cycloaddition | 465 |
| 29.7.2.1.3.6 | Variation 6: | From Ortho Esters | 466 |
| 29.7.2.2 | Applications of Product Subclass 2 in Organic Synthesis | | 469 |
| 29.7.2.2.1 | Method 1: | Deprotection Reactions | 469 |
| 29.7.2.2.1.1 | Variation 1: | Deprotection to Carbonyl Compounds and 1,2-Diols | 469 |
| 29.7.2.2.1.2 | Variation 2: | Conversion into Monofunctionalized 1,2-Diols | 476 |
| 29.7.2.2.2 | Method 2: | Chiral 1,3-Dioxolanes in Asymmetric Synthesis | 477 |
| 29.7.2.2.3 | Method 3: | Chiral 1,3-Dioxolan-4-ones in Asymmetric Synthesis | 479 |
| 29.8 | Product Class 8: 1,3-Dioxanes, 1,3-Dioxepanes, and Larger-Ring O/O Acetals | | |
| | C. Kouklovsky | | |
| 29.8 | Product Class 8: 1,3-Dioxanes, 1,3-Dioxepanes, and Larger-Ring O/O Acetals | | |
| 29.8.1 | Product Subclass 1: 1,3-Dioxanes | | |
| 29.8.1.1 | Synthesis of Product Subclass 1 | | 491 |
| 29.8.1.1.1 | Method 1: | Synthesis by Formation of Two C—O Bonds | 491 |
| 29.8.1.1.1.1 | Variation 1: | From Reactions of Carbonyl Compounds with 1,3-Diols | 491 |
| 29.8.1.1.1.2 | Variation 2: | From Reactions of 1,3-Diols with Acetals or Ketals | 503 |
| 29.8.1.1.1.3 | Variation 3: | From Reactions of Enol Ethers with 1,3-Diols | 517 |
| 29.8.1.1.1.4 | Variation 4: | From Reactions of Carbonyl Compounds with 1,3-Diol Bis(silyl ethers) | 523 |
| 29.8.1.1.1.5 | Variation 5: | From Reactions of 1,3-Diols with 1,1-Dihaloalkanes | 528 |
| 29.8.1.1.1.6 | Variation 6: | From Reactions of Alkenes with 1,3-Diols | 530 |
| 29.8.1.1.1.7 | Variation 7: | From Reactions of Phenols and 1,3-Diketones with Aldehydes | 532 |
| 29.8.1.1.2 | Method 2: | Synthesis by Formation of One C—O Bond | 534 |
| 29.8.1.1.2.1 | Variation 1: | From 3-Hydroxy Hal/O Acetals | 534 |
| 29.8.1.1.2.2 | Variation 2: | From Monoprotected 1,3-Diols | 535 |
| 29.8.1.1.2.3 | Variation 3: | From Allylic and Homoallylic Alcohols | 548 |
| 29.8.1.1.3 | Method 3: | Synthesis by Ligand Exchange | 554 |
| 29.8.1.1.3.1 | Variation 1: | From Ortho Esters | 554 |
| 29.8.1.1.3.2 | Variation 2: | From Substitution at the 4-Position of 1,3-Dioxanes | 558 |
| 29.8.1.1.3.3 | Variation 3: | From 2-Lithio-1,3-dioxane | 566 |
| 29.8.1.1.3.4 | Variation 4: | From 5-Methylene-1,3-dioxanes | 567 |
| 29.8.1.1.3.5 | Variation 5: | From Reduction of Dioxins | 572 |
| 29.8.1.2 | Applications of Product Subclass 1 in Organic Synthesis | | 575 |
| 29.8.1.2.1 | Method 1: | Deprotection Reactions of 1,3-Dioxanes | 575 |
| 29.8.1.2.1.1 | Variation 1: | Cleavage To Give Carbonyl Compounds and 1,3-Diols | 576 |

| | | | |
|----------------|---|---|-----|
| 29.8.1.2.1.2 | Variation 2: | Cleavage To Give Monoprotected 1,3-Diols | 580 |
| 29.8.1.2.2 | Method 2: | Chiral 1,3-Dioxanes in Asymmetric Synthesis | 583 |
| 29.8.1.2.2.1 | Variation 1: | As Chiral Reagents | 584 |
| 29.8.1.2.2.2 | Variation 2: | As Chiral Auxiliaries | 585 |
| 29.8.1.2.3 | Method 3: | Rearrangement of Methylene-1,3-dioxanes | 585 |
| 29.8.1.2.3.1 | Variation 1: | Claisen Rearrangement | 586 |
| 29.8.1.2.3.2 | Variation 2: | Ferrier Rearrangement | 586 |
| 29.8.1.2.4 | Method 4: | Synthesis of Cyclic Ethers from 1,3-Dioxanes | 587 |
| 29.8.2 | Product Subclass 2: 1,3-Dioxepanes | | 587 |
| 29.8.2.1 | Synthesis of Product Subclass 2 | | 588 |
| 29.8.2.1.1 | Method 1: | Synthesis by Formation of Two C—O Bonds | 588 |
| 29.8.2.1.1.1 | Variation 1: | From Reactions of Carbonyl Compounds with 1,4-Diols | 588 |
| 29.8.2.1.1.2 | Variation 2: | From Reactions of Acetals with 1,4-Diols | 591 |
| 29.8.2.1.1.3 | Variation 3: | From Reactions of 1,4-Diols with Enol Ethers | 593 |
| 29.8.2.1.1.4 | Variation 4: | From Reactions of 1,4-Diols with 1,1-Dihaloalkanes | 594 |
| 29.8.2.1.2 | Method 2: | Synthesis by Formation of One C—O Bond | 595 |
| 29.8.2.1.2.1 | Variation 1: | From Monoprotected 1,4-Diols | 595 |
| 29.8.2.1.2.2 | Variation 2: | From Homoallylic Alcohols | 596 |
| 29.8.2.2 | Applications of Product Subclass 2 in Organic Synthesis | | 597 |
| 29.8.2.2.1 | Method 1: | Deprotection Reactions | 597 |
| 29.8.2.2.1.1 | Variation 1: | Cleavage To Give 1,4-Diols | 597 |
| 29.8.2.2.1.2 | Variation 2: | Cleavage To Give Monoprotected 1,4-Diols | 598 |
| 29.8.3 | Product Subclass 3: Larger-Ring O/O Acetals | | 599 |
| 29.8.3.1 | Synthesis of Product Subclass 3 | | 600 |
| 29.8.3.1.1 | Method 1: | Synthesis by Formation of Two C—O Bonds | 600 |
| 29.8.3.1.1.1 | Variation 1: | From Reactions of Carbonyl Compounds and Diols | 600 |
| 29.8.3.1.1.2 | Variation 2: | From Reactions of Acetals with Diols | 601 |
| 29.8.3.1.1.3 | Variation 3: | From Reactions of Enol Ethers with Diols | 602 |
| 29.8.3.1.1.4 | Variation 4: | From Reactions of Dihaloalkanes with Diols | 603 |
| 29.8.3.1.1.5 | Variation 5: | From Reactions of Diazoalkanes with Diols | 603 |
| 29.8.3.1.2 | Method 2: | Synthesis by Formation of One C—O Bond | 604 |
| 29.8.3.1.3 | Method 3: | Synthesis by Bond Disconnection | 605 |
| 29.8.3.2 | Applications of Product Subclass 3 in Organic Synthesis | | 605 |
| 29.8.3.2.1 | Method 1: | Deprotection to Monoprotected Diols | 605 |
| 29.9 | Product Class 9: Spiroketal | | |
| | S. V. Ley, L.-G. Milroy, and R. M. Myers | | |
| 29.9 | Product Class 9: Spiroketal | | 613 |
| 29.9.1 | Synthesis of Product Class 9 | | 616 |
| 29.9.1.1 | Synthesis by Formation of Two C—O Bonds | | 616 |
| 29.9.1.1.1 | Cyclization of Dihydroxy Ketones | | 616 |
| 29.9.1.1.1.1 | Method 1: | Nucleophilic Addition to Aldehydes | 617 |
| 29.9.1.1.1.1.1 | Variation 1: | Using Sulfone-Stabilized Carbanions | 617 |

| | | | |
|----------------|---------------------------------|--|-----|
| 29.9.1.1.1.1.2 | Variation 2: | Using Acetylide Anions Followed by Reoxidation and Metal-Catalyzed Reduction | 618 |
| 29.9.1.1.1.1.3 | Variation 3: | Using Acetylide Anions Followed by Reoxidation and β -Oxo-1,3-dithiane Formation | 619 |
| 29.9.1.1.1.1.4 | Variation 4: | Using Acetylide Anions Followed by Hydrogenation and Oxidation | 621 |
| 29.9.1.1.1.1.5 | Variation 5: | Using Phosphorus-Stabilized Carbanions | 622 |
| 29.9.1.1.1.1.6 | Variation 6: | Using Nonstabilized Carbanions | 624 |
| 29.9.1.1.1.1.7 | Variation 7: | Using Nitro-Stabilized Anions | 625 |
| 29.9.1.1.1.2 | Method 2: | Anionic Acylation Reactions | 626 |
| 29.9.1.1.1.2.1 | Variation 1: | Using Weinreb Amides Involving Acetylide Addition Followed by Reduction | 626 |
| 29.9.1.1.1.2.2 | Variation 2: | Addition of Nonstabilized Carbanions to Weinreb Amides | 627 |
| 29.9.1.1.1.2.3 | Variation 3: | Double Heteroatom Addition to Weinreb Amides | 628 |
| 29.9.1.1.1.2.4 | Variation 4: | Using Acyl Anion Equivalents | 629 |
| 29.9.1.1.1.2.5 | Variation 5: | Claisen Condensation | 630 |
| 29.9.1.1.1.2.6 | Variation 6: | From Double Addition to Ethyl Formate | 631 |
| 29.9.1.1.1.3 | Method 3: | Nucleophilic Addition to Epoxides | 631 |
| 29.9.1.1.1.3.1 | Variation 1: | Using Stabilized Carbanions | 631 |
| 29.9.1.1.1.4 | Method 4: | Enolate Addition to an Aldehyde | 634 |
| 29.9.1.1.1.4.1 | Variation 1: | Enolate Addition | 634 |
| 29.9.1.1.1.4.2 | Variation 2: | Stereocontrolled Aldol Addition | 635 |
| 29.9.1.1.1.4.3 | Variation 3: | Silyl Enol Addition | 636 |
| 29.9.1.1.1.5 | Method 5: | α -Lithiated Hydrazones as Enolate Equivalents | 637 |
| 29.9.1.1.1.6 | Method 6: | Metathesis Processes | 639 |
| 29.9.1.1.1.6.1 | Variation 1: | Using Metal-Carbene Complexes | 639 |
| 29.9.1.1.1.6.2 | Variation 2: | Enyne Cross Metathesis | 641 |
| 29.9.1.1.1.6.3 | Variation 3: | Silicon-Tethered Metathesis | 642 |
| 29.9.1.1.1.7 | Method 7: | Synthesis Using Acetals Derived from Lactones | 642 |
| 29.9.1.1.1.7.1 | Variation 1: | Using Phenyl Sulfones | 643 |
| 29.9.1.1.1.7.2 | Variation 2: | Aromatic Anion Addition | 644 |
| 29.9.1.1.1.7.3 | Variation 3: | Acetylide Anion Addition | 645 |
| 29.9.1.1.1.7.4 | Variation 4: | Self-Condensation of Lactones | 647 |
| 29.9.1.1.1.8 | Method 8: | Alternative Routes to β -Hydroxy Ketones | 648 |
| 29.9.1.1.1.8.1 | Variation 1: | Oxazolidine <i>N</i> -Oxide Cycloaddition Reactions | 648 |
| 29.9.1.1.1.9 | Method 9: | Double Allylboration of Aldehydes | 649 |
| 29.9.1.1.1.10 | Method 10: | Hydroboration of Alkyne- α,ω -diols | 650 |
| 29.9.1.1.1.11 | Method 11: | Acid-Catalyzed Michael Addition-Cyclization | 651 |
| 29.9.1.1.2 | Synthesis from Other Precursors | | 651 |
| 29.9.1.1.2.1 | Method 1: | Metal-Catalyzed Processes | 651 |
| 29.9.1.1.2.1.1 | Variation 1: | Iridium-Catalyzed Reactions | 652 |
| 29.9.1.1.2.1.2 | Variation 2: | Palladium-Catalyzed Cycloisomerization | 652 |
| 29.9.1.1.2.2 | Method 2: | Synthesis from Weinreb Amides via Acetylide Addition Followed by Hetero-Michael Addition | 652 |
| 29.9.1.1.2.3 | Method 3: | Organoselenium-Mediated Cyclization | 653 |
| 29.9.1.1.2.4 | Method 4: | Carbonyl Cascade Processes | 654 |
| 29.9.1.1.2.4.1 | Variation 1: | Cyclization of Hydroxy Diketones | 654 |

| | | | |
|----------------|--------------|---|-----|
| 29.9.1.1.2.4.2 | Variation 2: | β -Lactone Ring-Opening Spirocyclization | 655 |
| 29.9.1.1.2.5 | Method 5: | Polymer-Supported Ketal Protection | 655 |
| 29.9.1.2 | | Synthesis by Formation of One C–O and One C–C Bond | 657 |
| 29.9.1.2.1 | Method 1: | Carbanion Addition to Lactones | 657 |
| 29.9.1.2.2 | Method 2: | Synthesis from Cyclic Vinyl Ethers | 659 |
| 29.9.1.2.2.1 | Variation 1: | Acylation | 659 |
| 29.9.1.2.2.2 | Variation 2: | Alkylation of Phenyl Sulfones | 660 |
| 29.9.1.2.2.3 | Variation 3: | From Enol Ethers via Wittig Alkenation | 661 |
| 29.9.1.2.2.4 | Variation 4: | From Cyclic Ether Phenyl Sulfones as Precursors | 662 |
| 29.9.1.2.2.5 | Variation 5: | Metal-Catalyzed Cross Coupling | 664 |
| 29.9.1.2.2.6 | Variation 6: | Sulfone Alkylation | 666 |
| 29.9.1.2.2.7 | Variation 7: | Asymmetric Oxyselenylation | 667 |
| 29.9.1.2.3 | Method 3: | Hetero-Diels–Alder Reactions | 668 |
| 29.9.1.2.4 | Method 4: | Silyl-Modified Sakurai Reactions | 669 |
| 29.9.1.3 | | Synthesis by Formation of One C–O Bond | 669 |
| 29.9.1.3.1 | Method 1: | Hydroboration–Cyclization | 670 |
| 29.9.1.3.2 | Method 2: | Rearrangement of Bicyclic Acetals | 671 |
| 29.9.1.3.3 | Method 3: | Synthesis Using Hemiacetals Derived from Oxidation of Furans | 671 |
| 29.9.1.3.4 | Method 4: | Intramolecular Epoxide Ring Opening | 672 |
| 29.9.1.3.5 | Method 5: | Intramolecular Conjugate Addition | 673 |
| 29.9.1.3.5.1 | Variation 1: | Using α,β -Unsaturated Sulfoxides | 673 |
| 29.9.1.3.5.2 | Variation 2: | Using α,β -Unsaturated Ketones | 674 |
| 29.9.1.3.6 | Method 6: | Ring Expansion | 675 |
| 29.9.1.3.7 | Method 7: | Oxidative Insertion Reactions | 675 |
| 29.9.1.4 | | Synthesis by Formation of One C–C Bond | 676 |
| 29.9.1.4.1 | Method 1: | Norrish Type II Photochemical Reactions | 676 |
| 29.9.1.4.2 | Method 2: | Synthesis from Alkylidenecarbene Complexes | 676 |
| 29.9.1.4.3 | Method 3: | Stereoselective Ketal-Tethered Intramolecular Diels–Alder Reaction | 677 |
| 29.9.1.4.4 | Method 4: | Ring-Closing Metathesis | 678 |
| 29.9.1.5 | | Synthesis of Trioxadispiroketal | 679 |
| 29.9.1.5.1 | Method 1: | Sulfone–Lactone Coupling Reactions | 680 |
| 29.9.1.5.2 | Method 2: | Radical Cyclization of Pyran Derivatives Using Hypervalent Iodine | 680 |
| 29.9.1.5.3 | Method 3: | Acid-Catalyzed Carbonyl Cascade Process | 681 |
| 29.10 | | Product Class 10: O/O Acetals with Functionalization Attached to the Acetal Carbon H. Yorimitsu and K. Oshima | |
| 29.10 | | Product Class 10: O/O Acetals with Functionalization Attached to the Acetal Carbon | 691 |
| 29.10.1 | | Product Subclass 1: Halogenated O/O Acetals | 691 |

| | | |
|---------------|--|-----|
| 29.10.1.1 | Synthesis of Product Subclass 1 | 692 |
| 29.10.1.1.1 | Method 1: Haloetherification | 692 |
| 29.10.1.1.1.1 | Variation 1: Of Alkenes | 692 |
| 29.10.1.1.1.2 | Variation 2: Of Alkynes | 694 |
| 29.10.2 | Product Subclass 2: Chalcogenated O/O Acetals | 696 |
| 29.10.2.1 | Synthesis of Product Subclass 2 | 696 |
| 29.10.2.1.1 | Method 1: Chalcogenoetherification of Alkenes | 696 |
| 29.10.2.1.2 | Method 2: Addition of an Alcohol to a 1,2-Dialkoxyalkene | 697 |
| 29.10.3 | Product Subclass 3: Nitrated O/O Acetals | 697 |
| 29.10.3.1 | Synthesis of Product Subclass 3 | 697 |
| 29.10.3.1.1 | Method 1: Addition of Alcohols to Nitroalkenes | 697 |
| 29.10.4 | Product Subclass 4: Metalated O/O Acetals | 698 |
| 29.10.4.1 | Synthesis of Product Subclass 4 | 698 |
| 29.10.4.1.1 | Method 1: Alkoxymercuration of Alk-1-enyl Ethers | 698 |
| 29.10.4.1.2 | Method 2: Nucleophilic Substitution Reactions of Halogenated O/O Acetals with a Cobalt-Centered Anion | 699 |
| 29.10.5 | Product Subclass 5: O/O Acetals with Alkenyl Functionality | 699 |
| 29.10.5.1 | Synthesis of Product Subclass 5 | 699 |
| 29.10.5.1.1 | Method 1: Elimination Reactions from Selenyl Acetals | 699 |
| 29.10.5.1.2 | Method 2: Hetero-Diels–Alder Reactions of Alka-1,3-dienyl Ethers with Carbonyl Compounds | 700 |
| 29.10.5.1.3 | Method 3: Mercury-Mediated Addition of Alcohols to Enynes | 700 |
| 29.10.6 | Product Subclass 6: O/O Acetals with Alkynyl Functionality | 700 |
| 29.10.6.1 | Synthesis of Product Subclass 6 | 701 |
| 29.10.6.1.1 | Method 1: Base-Mediated Rearrangement of <i>gem</i> -Dihalocyclopropyl Ethers Followed by Elimination | 701 |
| 29.10.6.1.2 | Method 2: Reaction of Orthoformates with Alkynylmagnesium Compounds | 701 |
| 29.10.6.1.3 | Method 3: Reaction of Orthoformates with Alk-1-yne under Zinc Salt Catalysis | 702 |
| 29.10.7 | Product Subclass 7: O/O Acetals with Carbonyl Functionality | 702 |
| 29.10.7.1 | Synthesis of Product Subclass 7 | 702 |
| 29.10.7.1.1 | Method 1: 1,4-Addition of Alcohols to β -Halo or β -Alkoxy α,β -Unsaturated Carbonyl Compounds | 702 |
| 29.10.7.1.2 | Method 2: Sequential 1,4-Addition of Alcohols to Electron-Deficient Alkynes | 703 |
| 29.10.7.1.3 | Method 3: Reaction of Enolates or Enamines with Orthoformates | 703 |
| 29.11 | Product Class 11: OR¹/OX Acetals P. Merino | |
| 29.11 | Product Class 11: OR¹/OX Acetals | 707 |

| | | |
|----------------------|---|-----|
| 29.11.1 | Product Subclass 1: OR¹/ON Acetals: Open-Chain Compounds | 707 |
| 29.11.1.1 | Synthesis of Product Subclass 1 | 707 |
| 29.11.1.1.1 | Method 1: Synthesis from N—OH Compounds | 707 |
| 29.11.1.1.1.1 | Variation 1: From Oximes | 707 |
| 29.11.1.1.1.2 | Variation 2: From Hydroxylamines | 709 |
| 29.11.1.1.1.3 | Variation 3: From Hydroxamic Acids and Imides | 711 |
| 29.11.1.1.2 | Method 2: Synthesis from Diazenium Diolates | 714 |
| 29.11.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 715 |
| 29.11.1.2.1 | Method 1: Use as a N—O Protecting Group | 715 |
| 29.11.1.2.2 | Method 2: Use as Nitric Oxide Releasing Compounds | 716 |
| 29.11.2 | Product Subclass 2: OR¹/ON Acetals: 5-Alkoxyisoxazoles and -isoxazolidines | 717 |
| 29.11.2.1 | Synthesis of Product Subclass 2 | 717 |
| 29.11.2.1.1 | Method 1: Synthesis by Cycloaddition Reactions | 717 |
| 29.11.2.1.1.1 | Variation 1: From Nitrile Oxides | 717 |
| 29.11.2.1.1.2 | Variation 2: From Nitrones | 721 |
| 29.11.2.2 | Applications of Product Subclass 2 in Organic Synthesis | 731 |
| 29.11.2.2.1 | Method 1: Use as Synthetic Intermediates | 731 |
| 29.11.3 | Product Subclass 3: OR¹/ON Acetals: 6-Alkoxy-3<i>H</i>-1,2-oxazines and Related Compounds | 732 |
| 29.11.3.1 | Synthesis of Product Subclass 3 | 732 |
| 29.11.3.1.1 | Method 1: Synthesis from Nitroso Compounds and N—OH Derivatives .. | 732 |
| 29.11.3.2 | Applications of Product Subclass 3 in Organic Synthesis | 737 |
| 29.11.3.2.1 | Method 1: Use as Synthetic Intermediates | 737 |
| 29.11.4 | Product Subclass 4: OR¹/ON Acetals: 1-Aminoxy Carbohydrates and Related Compounds | 739 |
| 29.11.4.1 | Synthesis of Product Subclass 4 | 739 |
| 29.11.4.1.1 | Method 1: Glycosylation with Imides | 739 |
| 29.11.4.1.2 | Method 2: Formation of Glycosyl Nitrates | 744 |
| 29.11.4.2 | Applications of Product Subclass 4 in Organic Synthesis | 747 |
| 29.11.4.2.1 | Method 1: Synthesis of Carbohydrates | 747 |
| 29.11.5 | Product Subclass 5: OR¹/ON Acetals: 1,3,4-Dioxazolidines and Related Cyclic Compounds | 749 |
| 29.11.5.1 | Synthesis of Product Subclass 5 | 749 |
| 29.11.5.1.1 | Method 1: Synthesis from N—O Containing Compounds | 749 |
| 29.11.5.2 | Applications of Product Subclass 5 in Organic Synthesis | 752 |
| 29.11.5.2.1 | Method 1: Use as Protecting Groups | 752 |
| 29.11.6 | Product Subclass 6: OR¹/OS Acetals: 1-Alkoxyulfonates | 754 |
| 29.11.6.1 | Synthesis of Product Subclass 6 | 754 |
| 29.11.6.1.1 | Method 1: Synthesis from Sulfonyl Derivatives | 754 |

| | | |
|---------------|--|-----|
| 29.11.6.2 | Applications of Product Subclass 6 in Organic Synthesis | 758 |
| 29.11.7 | Product Subclass 7: OR¹/OO Acetals: 1,2,4-Trioxolanes | 760 |
| 29.11.7.1 | Synthesis of Product Subclass 7 | 760 |
| 29.11.7.1.1 | Method 1: Ozonolysis | 760 |
| 29.11.7.1.1.1 | Variation 1: In Protic and Nonparticipating Solvents | 760 |
| 29.11.7.1.1.2 | Variation 2: In the Presence of Carbonyl Compounds | 764 |
| 29.11.7.1.1.3 | Variation 3: In Unconventional Media | 767 |
| 29.11.7.1.2 | Method 2: Photooxygenation | 769 |
| 29.11.7.1.3 | Method 3: Cyclization of Hydroperoxides | 771 |
| 29.11.7.1.4 | Method 4: Synthesis of Artemisinin and Related Compounds | 773 |
| 29.11.7.2 | Applications of Product Subclass 7 in Organic Synthesis | 776 |
| 29.11.7.2.1 | Method 1: Synthesis of Carbonyl Compounds | 776 |
| 29.11.7.2.2 | Methods 2: Other Synthetic Applications | 777 |
| 29.11.8 | Product Subclass 8: OR¹/OSi Acetals: Alkyl Silyl Acetals | 779 |
| 29.11.8.1 | Synthesis of Product Subclass 8 | 779 |
| 29.11.8.1.1 | Method 1: Direct Silylation of Alcohols | 779 |
| 29.11.8.1.2 | Method 2: Synthesis from Enolates and Related Compounds | 781 |
| 29.11.8.1.3 | Methods 3: Other Methods | 784 |
| 29.11.8.2 | Applications of Product Subclass 8 in Organic Synthesis | 787 |
| 29.11.8.2.1 | Method 1: Use as Protecting Groups | 787 |
| 29.11.9 | Product Subclass 9: OR¹/OSi Acetals: Oxasilacycles and Related Compounds | 788 |
| 29.11.9.1 | Synthesis of Product Subclass 9 | 788 |
| 29.11.9.1.1 | Method 1: Synthesis from Carbonyl Compounds | 788 |
| 29.11.9.2 | Applications of Product Subclass 9 in Organic Synthesis | 790 |
| 29.11.9.2.1 | Method 1: Synthesis of 1,3-Diols | 790 |
| 29.12 | Product Class 12: O/S, O/Se, and O/Te Acetals F. Chemla, F. Ferreira, and B. Roy | |
| 29.12 | Product Class 12: O/S, O/Se, and O/Te Acetals | 801 |
| 29.12.1 | Product Subclass 1: OH/SR¹ Acetals | 801 |
| 29.12.1.1 | Synthesis of Product Subclass 1 | 801 |
| 29.12.1.1.1 | Method 1: Oxidation of 1,3-Thiazolidines | 801 |
| 29.12.1.1.2 | Method 2: Synthesis from OR ¹ /SR ² Acetals | 801 |
| 29.12.1.1.3 | Method 3: Synthesis from Vinyl Thioethers | 802 |
| 29.12.1.1.4 | Method 4: Synthesis from Aldehydes or Ketones | 803 |
| 29.12.1.1.5 | Method 5: Pummerer Reaction | 804 |
| 29.12.1.1.6 | Method 6: Synthesis from Thiolactones | 804 |
| 29.12.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 805 |
| 29.12.2 | Product Subclass 2: OR¹/SH Acetals | 806 |

| | | |
|----------------|---|-----|
| 29.12.2.1 | Synthesis of Product Subclass 2 | 806 |
| 29.12.2.1.1 | Method 1: Synthesis from Aldehydes and Ketones | 806 |
| 29.12.3 | Product Subclass 3: OR¹/SR² Acetals | 806 |
| 29.12.3.1 | Synthesis of Product Subclass 3 | 806 |
| 29.12.3.1.1 | Method 1: Oxidation of Sulfides | 806 |
| 29.12.3.1.2 | Method 2: Synthesis from Ethers | 807 |
| 29.12.3.1.3 | Method 3: Synthesis from Hal/Hal, Hal/O, Hal/S, O/O, S/S, or O/S Acetals | 809 |
| 29.12.3.1.3.1 | Variation 1: From Hal/Hal Acetals | 809 |
| 29.12.3.1.3.2 | Variation 2: From Hal/O Acetals | 809 |
| 29.12.3.1.3.3 | Variation 3: From Hal/S Acetals | 810 |
| 29.12.3.1.3.4 | Variation 4: From O/O Acetals | 811 |
| 29.12.3.1.3.5 | Variation 5: From S/S Acetals | 813 |
| 29.12.3.1.3.6 | Variation 6: From O/S Acetals | 814 |
| 29.12.3.1.4 | Method 4: Synthesis from Vinyl Sulfides | 815 |
| 29.12.3.1.5 | Method 5: Synthesis from Aldehydes or Ketones | 817 |
| 29.12.3.1.6 | Method 6: Synthesis from Thiones | 820 |
| 29.12.3.1.7 | Method 7: Synthesis from Vinyl Ethers | 821 |
| 29.12.3.1.8 | Method 8: Synthesis from Thionolactones | 824 |
| 29.12.3.1.9 | Method 9: Synthesis from Oxathiolium Salts | 825 |
| 29.12.3.1.10 | Method 10: Synthesis through Cycloaddition Reactions | 825 |
| 29.12.3.1.10.1 | Variation 1: From Thiones through Dipolar Cycloadditions | 826 |
| 29.12.3.1.10.2 | Variation 2: From Thioketones through [4 + 2] Cycloadditions | 826 |
| 29.12.3.1.10.3 | Variation 3: From Vinyl Sulfides by Cycloaddition Reactions | 827 |
| 29.12.3.1.10.4 | Variation 4: From 2-(Alkylsulfanyl)- or 2-(Arylsulfanyl)furans through Cycloadditions | 829 |
| 29.12.3.1.11 | Method 11: Synthesis via the Pummerer Reaction | 830 |
| 29.12.3.1.12 | Method 12: Metalation of OR ¹ /SR ² Acetals | 836 |
| 29.12.3.1.13 | Method 13: Synthesis from Metalated OR ¹ /SR ² Acetals | 838 |
| 29.12.3.1.14 | Method 14: Reduction of OR ¹ /SOR ² Acetals Using Tebbe's Reagent | 839 |
| 29.12.3.2 | Applications of Product Subclass 3 in Organic Synthesis | 839 |
| 29.12.4 | Product Subclass 4: OR¹/SOR² Acetals | 844 |
| 29.12.4.1 | Synthesis of Product Subclass 4 | 844 |
| 29.12.4.1.1 | Method 1: Oxidation of OR ¹ /SR ² Acetals | 844 |
| 29.12.5 | Product Subclass 5: OH/SO₂R¹ Acetals | 846 |
| 29.12.5.1 | Synthesis of Product Subclass 5 | 846 |
| 29.12.5.1.1 | Method 1: Synthesis from Aldehydes or Ketones | 847 |
| 29.12.5.1.2 | Method 2: [4 + 1]-Cycloaddition Reactions | 847 |
| 29.12.6 | Product Subclass 6: OR¹/SO₂R² Acetals | 847 |
| 29.12.6.1 | Synthesis of Product Subclass 6 | 848 |
| 29.12.6.1.1 | Method 1: Synthesis from OH/SO ₂ R ¹ Acetals | 848 |
| 29.12.6.1.2 | Method 2: Synthesis from Hal/OR ¹ , Hal/SO ₂ R ¹ , or OR ¹ /OR ² Acetals | 849 |
| 29.12.6.1.2.1 | Variation 1: From Hal/OR ¹ Acetals | 849 |
| 29.12.6.1.2.2 | Variation 2: From Hal/SO ₂ R ¹ Acetals | 849 |
| 29.12.6.1.2.3 | Variation 3: From OR ¹ /OR ² Acetals | 850 |

| | | | |
|---------------|--------------|--|-----|
| 29.12.6.1.3 | Method 3: | Synthesis from Unsaturated Sulfones | 850 |
| 29.12.6.1.4 | Method 4: | Synthesis from Enol Ethers | 852 |
| 29.12.6.1.5 | Method 5: | Synthesis from OR ¹ /SR ² Acetals by Oxidation | 852 |
| 29.12.6.1.6 | Method 6: | Synthesis by [3 + 2]-Cycloaddition Reactions | 853 |
| 29.12.6.1.7 | Method 7: | Synthesis by Carbene Insertions | 854 |
| 29.12.6.1.8 | Method 8: | Metalation of OR ¹ /SO ₂ R ² Acetals | 854 |
| 29.12.6.1.9 | Method 9: | Reactions of Metalated OR ¹ /SO ₂ R ² Acetals | 856 |
| 29.12.6.1.9.1 | Variation 1: | With Alkylating Agents | 856 |
| 29.12.6.1.9.2 | Variation 2: | With Carbonyl Compounds | 858 |
| 29.12.6.1.9.3 | Variation 3: | With Acid Derivatives | 859 |
| 29.12.6.2 | | Applications of Product Subclass 6 in Organic Synthesis | 859 |
| 29.12.7 | | Product Subclass 7: OR¹/SeR² Acetals | 862 |
| 29.12.7.1 | | Synthesis of Product Subclass 7 | 862 |
| 29.12.7.1.1 | Method 1: | Oxidation of Selenides | 862 |
| 29.12.7.1.2 | Method 2: | Synthesis from Ethers | 863 |
| 29.12.7.1.3 | Method 3: | Synthesis from Hal/O, Hal/Se, or O/O Acetals | 864 |
| 29.12.7.1.3.1 | Variation 1: | From Hal/OR ¹ Acetals | 864 |
| 29.12.7.1.3.2 | Variation 2: | From Hal/SeR ² Acetals | 864 |
| 29.12.7.1.3.3 | Variation 3: | From O/O Acetals | 864 |
| 29.12.7.1.4 | Method 4: | Synthesis from Vinyl Ethers | 866 |
| 29.12.7.1.5 | Method 5: | Synthesis by Cycloaddition Reactions | 868 |
| 29.12.7.1.5.1 | Variation 1: | From Tungsten-Coordinated Selenoaldehydes by [2 + 2] Cycloaddition | 868 |
| 29.12.7.1.6 | Method 6: | Synthesis from Selenoxides by Seleno-Pummerer-Type Reaction | 868 |
| 29.12.7.1.7 | Method 7: | Metalation of OR ¹ /SeR ² Acetals | 869 |
| 29.12.7.1.8 | Method 8: | Synthesis from Organometallic Compounds | 870 |
| 29.12.7.2 | | Applications of Product Subclass 7 in Organic Synthesis | 871 |
| 29.13 | | Product Class 13: Glycosyl Halides S. J. Gunn, S. L. Warriner, and J. W. White | |
| 29.13 | | Product Class 13: Glycosyl Halides | 889 |
| 29.13.1 | | Product Subclass 1: Glycosyl Fluorides | 889 |
| 29.13.1.1 | | Synthesis of Product Subclass 1 | 889 |
| 29.13.1.1.1 | Method 1: | Synthesis from Hemiacetals | 889 |
| 29.13.1.1.2 | Method 2: | Synthesis from O-Acyl Glycosides | 892 |
| 29.13.1.1.3 | Method 3: | Synthesis from Other O-Glycosides | 893 |
| 29.13.1.1.4 | Method 4: | Synthesis from Thio-, Seleno-, and Telluroglycosides | 894 |
| 29.13.1.1.5 | Method 5: | Synthesis with Migration | 895 |
| 29.13.1.1.6 | Method 6: | Synthesis from Other Glycosyl Halides | 897 |
| 29.13.1.1.7 | Method 7: | Synthesis from Glycals | 898 |
| 29.13.2 | | Product Subclass 2: Glycosyl Chlorides | 899 |
| 29.13.2.1 | | Synthesis of Product Subclass 2 | 899 |

| | | | |
|---------------|---|--|-----|
| 29.13.2.1.1 | Method 1: | Synthesis from Hemiacetals | 899 |
| 29.13.2.1.2 | Method 2: | Synthesis from <i>O</i> -Acyl Glycosides | 900 |
| 29.13.2.1.2.1 | Variation 1: | Synthesis Using Dichloromethyl Methyl Ether | 901 |
| 29.13.2.1.2.2 | Variation 2: | Synthesis Using Hydrogen Chloride | 902 |
| 29.13.2.1.2.3 | Variation 3: | Synthesis Using Lewis Acids or Chlorinating Agents | 903 |
| 29.13.2.1.3 | Method 3: | Synthesis from <i>O</i> -Alkyl Glycosides | 904 |
| 29.13.2.1.4 | Method 4: | Synthesis from Thioglycosides | 905 |
| 29.13.2.1.5 | Method 5: | Synthesis from Other Glycosyl Halides | 907 |
| 29.13.2.1.6 | Method 6: | Synthesis from Glycals | 908 |
| 29.13.3 | Product Subclass 3: Glycosyl Bromides | | 908 |
| 29.13.3.1 | Synthesis of Product Subclass 3 | | 908 |
| 29.13.3.1.1 | Method 1: | Synthesis from Hemiacetals | 908 |
| 29.13.3.1.2 | Method 2: | Synthesis from <i>O</i> -Acyl Glycosides | 909 |
| 29.13.3.1.3 | Method 3: | Synthesis from <i>O</i> -Glycosides | 912 |
| 29.13.3.1.4 | Method 4: | Synthesis from Thio-, Seleno-, and Telluroglycosides | 914 |
| 29.13.3.1.5 | Method 5: | Synthesis from Glycals | 915 |
| 29.13.4 | Product Subclass 4: Glycosyl Iodides | | 916 |
| 29.13.4.1 | Synthesis of Product Subclass 4 | | 916 |
| 29.13.4.1.1 | Method 1: | Synthesis from <i>O</i> -Acyl Glycosides | 916 |
| 29.13.4.1.2 | Methods 2: | Miscellaneous Methods | 917 |
| 29.14 | Product Class 14: Glycosyl Sulfur, Selenium, and Tellurium Compounds | | |
| | W. B. Turnbull, M. A. Fascione, and S. A. Stalford | | |
| 29.14 | Product Class 14: Glycosyl Sulfur, Selenium, and Tellurium Compounds | | 923 |
| 29.14.1 | Product Subclass 1: Glycosyl Thiols, Glycosyl Selenols, and Glycosyl Tellurools | | 923 |
| 29.14.1.1 | Synthesis of Product Subclass 1 | | 924 |
| 29.14.1.1.1 | Method 1: | Formation of the S—H Bond by Substitution of Metals | 924 |
| 29.14.1.1.2 | Method 2: | Formation of the S/Se—H Bond by Substitution of Carbon | 924 |
| 29.14.1.1.3 | Method 3: | Formation of the Glycosyl—S Bond by Substitution of Oxygen | 925 |
| 29.14.1.1.4 | Method 4: | Reduction of Dichalcogenides | 926 |
| 29.14.2 | Product Subclass 2: <i>O</i>-Alkyl <i>S</i>-Glycosyl Dithiocarbonates and <i>S</i>-Glycosyl <i>N,N</i>-Dialkyldithiocarbamates | | 927 |
| 29.14.2.1 | Synthesis of Product Subclass 2 | | 927 |
| 29.14.2.1.1 | Method 1: | Formation of the Glycosyl—Sulfur Bond by Substitution of Halides | 927 |
| 29.14.2.1.2 | Method 2: | Formation of the Glycosyl—Sulfur Bond by Substitution of Oxygen: In Situ Activation of Anomeric Alcohols | 928 |
| 29.14.3 | Product Subclass 3: Glycosyl Isothiuronium and Isoselenouronium Salts | | 928 |
| 29.14.3.1 | Synthesis of Product Subclass 3 | | 928 |
| 29.14.3.1.1 | Method 1: | Formation of the Glycosyl—Sulfur/Selenium Bond by Substitution of Halides | 928 |

| | | |
|---------------|---|-----|
| 29.14.3.1.2 | Method 2: Formation of the Glycosyl–Sulfur/Selenium Bond by Substitution of <i>O</i> -Esters | 929 |
| 29.14.4 | Product Subclass 4: Glycosyl Thioesters and Selenoesters | 930 |
| 29.14.4.1 | Synthesis of Product Subclass 4 | 930 |
| 29.14.4.1.1 | Method 1: Formation of the Glycosyl–Sulfur/Selenium Bond by Substitution of Halides | 930 |
| 29.14.4.1.2 | Method 2: Formation of the Acyl–Sulfur/Selenium Bond by Substitution of Carbon | 931 |
| 29.14.4.1.3 | Method 3: Formation of the Glycosyl–Sulfur/Selenium Bond by Addition of Selenocarboxylic <i>Se</i> -Acids to Glycals | 931 |
| 29.14.5 | Product Subclass 5: 4,5-Dihydroglycopyranoso[2,1-<i>d</i>]-1,3-thiazoles | 932 |
| 29.14.5.1 | Synthesis of Product Subclass 5 | 932 |
| 29.14.5.1.1 | Method 1: Intramolecular Substitution of Oxygen by a Thioacetamido Group | 932 |
| 29.14.6 | Product Subclass 6: Glycosyl Sulfones | 933 |
| 29.14.6.1 | Synthesis of Product Subclass 6 | 933 |
| 29.14.6.1.1 | Method 1: Oxidation of Thioglycosides | 933 |
| 29.14.7 | Product Subclass 7: Glycosyl Sulfoxides and Selenoxides | 934 |
| 29.14.7.1 | Synthesis of Product Subclass 7 | 934 |
| 29.14.7.1.1 | Method 1: Oxidation of Thioglycosides and Selenoglycosides | 934 |
| 29.14.7.1.2 | Method 2: Substitution of Alkyl with Alkenyl Substituents | 936 |
| 29.14.8 | Product Subclass 8: Glycosylsulfimides | 937 |
| 29.14.8.1 | Synthesis of Product Subclass 8 | 937 |
| 29.14.8.1.1 | Method 1: Oxidation of Thioglycosides with Chloramine-T | 937 |
| 29.14.9 | Product Subclass 9: Alkyl/Aryl Thioglycosides, Selenoglycosides, and Telluroglycosides | 938 |
| 29.14.9.1 | Synthesis of Product Subclass 9 | 938 |
| 29.14.9.1.1 | Method 1: Formation of the <i>S</i> –Aglycone Bond by Substitution of Hydrogen | 939 |
| 29.14.9.1.1.1 | Variation 1: Reactions with Aryl Fluorides | 939 |
| 29.14.9.1.1.2 | Variation 2: Palladium(0)-Catalyzed Allylation | 939 |
| 29.14.9.1.1.3 | Variation 3: From Alkyl Alcohols by the Mitsunobu Reaction | 940 |
| 29.14.9.1.2 | Method 2: Formation of the <i>S/Se</i> –Aglycone Bond by Substitution of Carbon | 941 |
| 29.14.9.1.3 | Method 3: Formation of the <i>S/Se/Te</i> –Aglycone Bond by Reduction of Dichalcogenides and Alkylation of the Products In Situ | 943 |
| 29.14.9.1.4 | Method 4: Formation of the <i>S/Se/Te</i> –Aglycone Bond by Additions to Alkenes | 943 |
| 29.14.9.1.4.1 | Variation 1: Michael-Type Conjugate Addition | 943 |
| 29.14.9.1.4.2 | Variation 2: Free-Radical Additions | 944 |
| 29.14.9.1.5 | Method 5: Formation of the Glycosyl– <i>S/Se/Te</i> Bond by Substitution of Halides | 945 |

| | | | |
|---------------|--|--|-----|
| 29.14.9.1.5.1 | Variation 1: | With Thiols and Selenols under Biphasic Conditions | 945 |
| 29.14.9.1.5.2 | Variation 2: | With (Alkylsulfanyl)- and (Arylsulfanyl)tributylstannanes and Trimethylsilanes | 945 |
| 29.14.9.1.5.3 | Variation 3: | With Reduction of Dichalcogenides In Situ | 946 |
| 29.14.9.1.6 | Method 6: | Formation of the Glycosyl–S/Se/Te Bond by Substitution of Oxygen | 947 |
| 29.14.9.1.6.1 | Variation 1: | Reactions of Reducing Sugars with Tertiary Alkanethiols in 90% Trifluoroacetic Acid | 947 |
| 29.14.9.1.6.2 | Variation 2: | Reactions of Glycosyl Esters or Thioesters in the Presence of Lewis Acids | 948 |
| 29.14.9.1.6.3 | Variation 3: | Reactions of <i>O</i> -Glycosylphosphine Oxides Generated In Situ | 950 |
| 29.14.9.1.7 | Method 7: | Formation of the Glycosyl–S/Se/Te Bond by Addition to Glycals | 950 |
| 29.14.9.1.7.1 | Variation 1: | Via 1,2-Anhydroglycopyranoses | 950 |
| 29.14.9.1.7.2 | Variation 2: | Azidophenylselenylation | 951 |
| 29.14.10 | Product Subclass 10: Glycosylsulfenyl Halides | | 952 |
| 29.14.10.1 | Synthesis of Product Subclass 10 | | 952 |
| 29.14.10.1.1 | Method 1: | Formation of the Sulfur–Halogen Bond by Substitution of Carbon | 952 |
| 29.14.11 | Product Subclass 11: Glycosylsulfonates and Glycosylsulfonates | | 953 |
| 29.14.11.1 | Synthesis of Product Subclass 11 | | 953 |
| 29.14.11.1.1 | Method 1: | Oxidation of 4,5-Dihydroglycopyranoso[2,1- <i>d</i>]-1,3-thiazoles and Thioacetates | 953 |
| 29.14.12 | Product Subclass 12: S-Glycosyl/Alkyl Glycosylthiosulfonates and S-Glycosyl Alkane-/Arene-/Glycosylthiosulfonates | | 954 |
| 29.14.12.1 | Synthesis of Product Subclass 12 | | 955 |
| 29.14.12.1.1 | Method 1: | Formation of the Glycosyl–Sulfur Bond by Displacement of Halides | 955 |
| 29.14.12.1.2 | Method 2: | Formation of the S–S Bond: Reactions between Glycosylsulfenyl Bromides and Water | 956 |
| 29.14.12.1.3 | Method 3: | Oxidation of Glycosyl Disulfides | 956 |
| 29.14.13 | Product Subclass 13: Glycosyl Dichalcogenides | | 957 |
| 29.14.13.1 | Synthesis of Product Subclass 13 | | 958 |
| 29.14.13.1.1 | Method 1: | Air Oxidation of Thiols, Selenols, and Tellurols | 958 |
| 29.14.13.1.2 | Method 2: | Reactions of Sulfenyl/Selenenyl Halides with Thiols/Thiolates | 958 |
| 29.14.13.1.3 | Method 3: | Substitution of Thiosulfonates | 959 |
| 29.14.13.1.4 | Method 4: | Reductive Elimination of Tungsten/Molybdenum Disulfides | 960 |
| 29.14.13.1.5 | Method 5: | Dichalcogenide Exchange | 961 |
| 29.14.14 | Product Subclass 14: Glycosylsulfenamides and Glycosylsulfonamides | | 962 |
| 29.14.14.1 | Synthesis of Product Subclass 14 | | 962 |
| 29.14.14.1.1 | Method 1: | Oxidation of Glycosylsulfenamides | 962 |
| 29.14.15 | Product Subclass 15: Glycosylsulfenamides | | 963 |
| 29.14.15.1 | Synthesis of Product Subclass 15 | | 963 |

| | | |
|---------------|---|-----|
| 29.14.15.1.1 | Method 1: Substitution of Halide Ion from Glycosylselenenyl Halides Generated In Situ | 963 |
| 29.14.15.1.2 | Method 2: Substitution of Sulfur in Disulfides and Thiosulfonates | 964 |
| 29.14.16 | Product Subclass 16: O,O-Dialkyl S-/Se-/Te-Glycosyl Phosphorothioates/-selenoates/-telluroates/-thioselenoates/-dithioates | 964 |
| 29.14.16.1 | Synthesis of Product Subclass 16 | 964 |
| 29.14.16.1.1 | Method 1: Formation of the Glycosyl–S/Se/Te Bond | 964 |
| 29.14.16.1.2 | Method 2: Formation of the S/Se/Te–P Bond | 965 |
| 29.15 | Product Class 15: Glycosyl Oxygen Compounds (Except Di- and Oligosaccharides) B. Kryczka, J. Lewkowski, and A. Zawisza | |
| 29.15 | Product Class 15: Glycosyl Oxygen Compounds (Except Di- and Oligosaccharides) | 971 |
| 29.15.1 | Product Subclass 1: 1-O-Methyl Glycosides | 972 |
| 29.15.1.1 | Synthesis of Product Subclass 1 | 972 |
| 29.15.1.1.1 | Method 1: Synthesis from Free Sugars | 972 |
| 29.15.1.1.2 | Method 2: Synthesis from Glycosyl Halides | 973 |
| 29.15.1.1.3 | Method 3: Synthesis from 1-O-Acetyl Glycosides | 975 |
| 29.15.1.1.4 | Method 4: Synthesis from 1,2-Epoxides | 976 |
| 29.15.1.1.5 | Method 5: Synthesis from Glycals | 976 |
| 29.15.1.1.6 | Method 6: Synthesis from 1-Thioglycosides | 977 |
| 29.15.1.1.7 | Method 7: Synthesis from 1-Phosphoramidates | 978 |
| 29.15.1.1.8 | Method 8: Synthesis from 1-Selenopyranoses | 979 |
| 29.15.1.2 | Applications of Product Subclass 1 in Organic Synthesis | 979 |
| 29.15.1.2.1 | Method 1: Hydrolysis | 979 |
| 29.15.1.2.1.1 | Variation 1: Acid Hydrolysis | 979 |
| 29.15.1.2.1.2 | Variation 2: Enzymatic Hydrolysis | 980 |
| 29.15.1.2.2 | Method 2: Conversion of Methyl Glycosides into Glycosyl Halides | 981 |
| 29.15.1.2.3 | Method 3: Thiolysis of 1-O-Methyl Glycosides | 981 |
| 29.15.1.2.4 | Method 4: Transglycosidation | 981 |
| 29.15.2 | Product Subclass 2: 1-O-Nitro Glycosides | 982 |
| 29.15.2.1 | Synthesis of Product Subclass 2 | 982 |
| 29.15.2.1.1 | Method 1: Nitration of 1,2-Deoxy Pyranoses with Ammonium Cerium(IV) Nitrate | 982 |
| 29.15.2.1.2 | Method 2: Nitration of 1-Bromo Pyranoses with Silver(I) Nitrate | 984 |
| 29.15.2.2 | Applications of Product Subclass 2 in Organic Synthesis | 984 |
| 29.15.2.2.1 | Method 1: 1-O-Alkylation of 1-O-Nitro Glycosides | 984 |
| 29.15.2.2.2 | Method 2: 1-O-Acetylation of 1-O-Nitro Glycosides | 985 |
| 29.15.2.2.3 | Method 3: 1-Halogenation of 2-Azido-1-O-nitro Glycosides | 986 |
| 29.15.2.2.4 | Method 4: 1-O-Phosphorylation of 1-O-Nitro Glycosides | 987 |
| 29.15.2.2.5 | Method 5: 1-O-Denitration of 1-O-Nitro Glycosides | 988 |
| 29.15.2.2.6 | Method 6: Formation of 1-S-Glycosides from Azido Nitrates | 988 |

| | | |
|----------------------|--|------|
| 29.15.3 | Product Subclass 3: 1-O-Acetyl Glycosides | 989 |
| 29.15.3.1 | Synthesis of Product Subclass 3 | 989 |
| 29.15.3.1.1 | Method 1: Acetylation of Pyranoses with Acetic Anhydride | 989 |
| 29.15.3.1.1.1 | Variation 1: O-Acetylation of 1-Hydroxy Pyranoses | 989 |
| 29.15.3.1.1.2 | Variation 2: Acetylation of 1-O-Methyl Pyranoses | 990 |
| 29.15.3.1.2 | Method 2: Acetylation of 1-Halo Pyranoses with Metal Acetates | 991 |
| 29.15.3.1.3 | Method 3: Acetylation of 1-O-Nitro Glycosides | 991 |
| 29.15.3.2 | Applications of Product Subclass 3 in Organic Synthesis | 992 |
| 29.15.3.2.1 | Method 1: Hydrolysis of 1-O-Acetyl Glycosides | 992 |
| 29.15.3.2.2 | Method 2: 1-Halogenation of 1-O-Acetyl Glycosides | 992 |
| 29.15.3.2.3 | Method 3: 1-O-Alkylation/Arylation of 1-O-Acetyl Glycosides | 993 |
| 29.15.3.2.3.1 | Variation 1: Formation of 1-O-Phenyl Glycosides | 993 |
| 29.15.3.2.3.2 | Variation 2: Formation of 1-O-Allyl Glycosides | 994 |
| 29.15.3.2.4 | Method 4: Synthesis of 1-Thioglycosides from 1-O-Acetyl Glycosides | 995 |
| 29.15.3.2.5 | Method 5: Synthesis of <i>N</i> -Glycosides from 1-O-Acetyl Glycosides | 996 |
| 29.15.3.2.6 | Method 6: Synthesis of <i>C</i> -Glycosides from 1-O-Acetyl Glycosides | 997 |
| 29.15.3.2.7 | Method 7: Synthesis of 1,2-Ortho Esters from 1-O-Acetyl Glycosides | 997 |
| 29.15.3.2.8 | Method 8: Cyclization Reactions | 998 |
| 29.15.3.2.9 | Method 9: Formation of 1-Azido Pyranoses | 999 |
| 29.15.3.2.10 | Method 10: Synthesis of 1-Selenopyranoses from 1-O-Acetyl Glycosides | 1000 |
| 29.15.4 | Product Subclass 4: 1-O-Vinyl Glycosides | 1000 |
| 29.15.4.1 | Synthesis of Product Subclass 4 | 1000 |
| 29.15.4.1.1 | Method 1: Transesterification and Related Reactions | 1001 |
| 29.15.4.1.2 | Method 2: Reactions of Pyranoses with Organometallic Vinyl Group Carriers | 1002 |
| 29.15.4.1.3 | Method 3: Isomerization of 1-O-Allyl Glycosides | 1003 |
| 29.15.4.2 | Applications of Product Subclass 4 in Organic Synthesis | 1003 |
| 29.15.4.2.1 | Method 1: Additions to the Vinylic Double Bond | 1003 |
| 29.15.4.2.2 | Method 2: Substitution Reactions Using the Oxyvinyl Unit as a Leaving Group | 1004 |
| 29.15.5 | Product Subclass 5: 1-O-Allyl Glycosides | 1004 |
| 29.15.5.1 | Synthesis of Product Subclass 5 | 1004 |
| 29.15.5.1.1 | Method 1: Reactions of Free Pyranoses | 1004 |
| 29.15.5.1.2 | Method 2: Reactions of 1-Halo Pyranoses with Allyl Alcohol | 1005 |
| 29.15.5.1.3 | Method 3: Reactions of 1-O-Trichloroacetimidyl Pyranoses with Allyl Alcohol | 1006 |
| 29.15.5.1.4 | Method 4: Reactions of 1-Azido Pyranoses with Allyl Alcohol | 1007 |
| 29.15.5.1.5 | Method 5: Reactions of 1,3-Dioxolanes | 1008 |
| 29.15.5.1.6 | Method 6: Reactions of 1,6-Anhydro Pyranoses with Allyl Alcohol Derivatives | 1008 |
| 29.15.5.1.7 | Method 7: Reactions of Dihydrooxazole Derivatives | 1009 |
| 29.15.5.1.8 | Method 8: Alkenylation of Free Pyranoses in the Presence of Palladium(0) Complexes | 1009 |
| 29.15.5.2 | Applications of Product Subclass 5 in Organic Synthesis | 1010 |

| | | | |
|---------------|---|--|------|
| 29.15.5.2.1 | Method 1: | Hydrogenation of the Double Bond of an Allyl Group | 1010 |
| 29.15.5.2.2 | Method 2: | Removal of the Allyl Group and the Synthesis of 1-Hydroxy Pyranoses | 1010 |
| 29.15.5.2.3 | Methods 3: | Other Transformations | 1011 |
| 29.15.6 | Product Subclass 6: 1-O-Phenyl Glycosides | | 1013 |
| 29.15.6.1 | Synthesis of Product Subclass 6 | | 1013 |
| 29.15.6.1.1 | Method 1: | Reactions of 1-Hydroxy Pyranoses with Phenols | 1013 |
| 29.15.6.1.2 | Method 2: | Reactions of 1-Halo Pyranoses with Phenol | 1014 |
| 29.15.6.1.3 | Method 3: | Reactions of 1-O-Acetyl Pyranoses with Phenoxides | 1015 |
| 29.15.6.1.4 | Method 4: | Reactions of 1,2-Anhydro Pyranoses with Phenols | 1016 |
| 29.15.6.1.5 | Method 5: | Reactions of 1,6-Lactones with Either Phenol or Trimethylsilyl Phenoxide | 1017 |
| 29.15.6.1.6 | Method 6: | Reactions of 1-O-Silyl Pyranoses with Silyl Ethers | 1017 |
| 29.15.6.2 | Applications of Product Subclass 6 in Organic Synthesis | | 1018 |
| 29.15.6.2.1 | Method 1: | Hydrolysis of 1-O-Phenyl Glycosides | 1018 |
| 29.15.6.2.2 | Method 2: | Formation of 1,6-Anhydro Pyranoses | 1018 |
| 29.15.6.2.3 | Method 3: | Substitution Reactions of the Phenyl Group | 1019 |
| 29.15.6.2.4 | Method 4: | Transglycosidation | 1019 |
| 29.15.7 | Product Subclass 7: 1-O-Pent-4-enyl Glycosides | | 1020 |
| 29.15.7.1 | Synthesis of Product Subclass 7 | | 1020 |
| 29.15.7.1.1 | Method 1: | Reactions of Pyranoses with Pent-4-en-1-ol | 1020 |
| 29.15.7.1.2 | Method 2: | Reactions of 1-O-Acetyl Pyranoses with Pent-4-en-1-ol | 1022 |
| 29.15.7.1.3 | Method 3: | Reactions of 1-Halo Pyranoses with Pent-4-en-1-ol | 1023 |
| 29.15.7.1.4 | Method 4: | Reactions of 2-Deoxy Pyranoses with Pent-4-en-1-ol | 1023 |
| 29.15.7.1.5 | Method 5: | Reactions of 1-O-Nitro Pyranoses with Pent-4-en-1-ol | 1024 |
| 29.15.7.1.6 | Method 6: | Reactions of 1-O-Trichloroacetimidyl Pyranoses with Pent-4-en-1-ol | 1024 |
| 29.15.7.2 | Applications of Product Subclass 7 in Organic Synthesis | | 1025 |
| 29.15.7.2.1 | Method 1: | Substitutions in which the Pent-4-enyloxy Unit Acts as a Leaving Group | 1025 |
| 29.15.7.2.1.1 | Variation 1: | Formation of Disaccharides | 1025 |
| 29.15.7.2.1.2 | Variation 2: | Miscellaneous Reactions | 1026 |
| 29.15.7.2.2 | Method 2: | Reactions at the Double Bond of 1-O-Pent-4-enyl Glycosides | 1027 |
| 29.15.8 | Product Subclass 8: 1-O-Trichloroacetimidyl Glycosides | | 1027 |
| 29.15.8.1 | Synthesis of Product Subclass 8 | | 1027 |
| 29.15.8.1.1 | Method 1: | Reactions of 1-Hydroxy Pyranoses with Trichloroacetonitrile | 1027 |
| 29.15.8.1.2 | Method 2: | Reactions of 1-O-Acetyl Pyranoses with Trichloroacetonitrile | 1028 |
| 29.15.8.1.3 | Method 3: | Reactions of 1-Thioglycosides with Trichloroacetonitrile | 1029 |
| 29.15.8.2 | Applications of Product Subclass 8 in Organic Synthesis | | 1030 |
| 29.15.8.2.1 | Method 1: | Reactions with Alcohols | 1030 |
| 29.15.8.2.2 | Method 2: | Reactions with Phenols | 1031 |
| 29.15.8.2.3 | Method 3: | Reactions with Phosphoric Acid Derivatives | 1032 |
| 29.15.8.2.4 | Method 4: | Reactions with Silyl Enol Ethers | 1033 |

| | | |
|---------------|--|------|
| 29.15.8.2.5 | Method 5: Reactions with Thiols | 1033 |
| 29.15.9 | Product Subclass 9: 1,2-O-Methylene Pyranoses | 1033 |
| 29.15.9.1 | Synthesis of Product Subclass 9 | 1033 |
| 29.15.9.1.1 | Method 1: Synthesis from Pyranoses | 1033 |
| 29.15.9.1.2 | Method 2: Synthesis from 1-Halo-2-O-acyl Pyranoses | 1034 |
| 29.15.9.1.3 | Method 3: Synthesis from 3,4,6-Tri-O-acetyl-2-O-(alkoxycarbonyl)- α -D-glucopyranosyl Bromides | 1036 |
| 29.15.9.1.4 | Method 4: Synthesis from 1,2-Unsaturated Pyranoses | 1037 |
| 29.15.9.1.5 | Method 5: Synthesis from 1-O-Trichloroacetimidyl Pyranoses | 1037 |
| 29.15.9.1.6 | Method 6: Synthesis from Glycosyl Phosphites | 1038 |
| 29.15.9.2 | Applications of Product Subclass 9 in Organic Synthesis | 1039 |
| 29.15.9.2.1 | Method 1: Cleavage of 1,2-O-Methylene Pyranoses | 1039 |
| 29.15.9.2.1.1 | Variation 1: Formation of 1-Hydroxy Pyranoses | 1039 |
| 29.15.9.2.1.2 | Variation 2: Formation of 1-O-Acetyl Pyranoses | 1040 |
| 29.15.9.2.1.3 | Variation 3: Reactions with Carboxylic Acids | 1040 |
| 29.15.9.2.1.4 | Variation 4: Formation of 1-Halo Pyranoses | 1041 |
| 29.15.9.2.1.5 | Variation 5: Formation of 1-Cyano Pyranoses | 1041 |
| 29.15.9.2.1.6 | Variation 6: Formation of 1-Azido Pyranoses | 1042 |
| 29.15.9.2.1.7 | Variation 7: Formation of 1-Thioglycosides | 1042 |
| 29.16 | Product Class 16: Glycosyl Oxygen Compounds (Di- and Oligosaccharides) A. V. Demchenko and C. De Meo | |
| 29.16 | Product Class 16: Glycosyl Oxygen Compounds (Di- and Oligosaccharides) | 1057 |
| 29.16.1 | Product Subclass 1: Disaccharides | 1057 |
| 29.16.1.1 | Synthesis of Product Subclass 1 | 1059 |
| 29.16.1.1.1 | Method 1: Synthesis from Anomeric Halides | 1059 |
| 29.16.1.1.1.1 | Variation 1: From Fluorides | 1059 |
| 29.16.1.1.1.2 | Variation 2: From Chlorides and Bromides | 1060 |
| 29.16.1.1.1.3 | Variation 3: From Iodides | 1064 |
| 29.16.1.1.2 | Method 2: Synthesis from 1-Oxygen-Substituted Derivatives | 1064 |
| 29.16.1.1.2.1 | Variation 1: From Hemiacetals | 1064 |
| 29.16.1.1.2.2 | Variation 2: From O-Acyl, O-Carbonyl, and Related Compounds | 1067 |
| 29.16.1.1.2.3 | Variation 3: From O-Imidates | 1068 |
| 29.16.1.1.2.4 | Variation 4: From Phosphites, Phosphates, and Other O–P Derivatives .. | 1070 |
| 29.16.1.1.2.5 | Variation 5: From O-Sulfonyl Derivatives | 1073 |
| 29.16.1.1.2.6 | Variation 6: By O-Transglycosidation | 1073 |
| 29.16.1.1.3 | Method 3: Synthesis from 1-Sulfur-Substituted Derivatives | 1077 |
| 29.16.1.1.3.1 | Variation 1: From Alkylsulfanyl and Arylsulfanyl Glycosides (Thioglycosides) | 1077 |
| 29.16.1.1.3.2 | Variation 2: From Thioimidates | 1081 |
| 29.16.1.1.3.3 | Variation 3: From Sulfoxides, Sulfinimides, and Sulfones | 1083 |
| 29.16.1.1.3.4 | Variation 4: From Xanthates and Related Derivatives | 1084 |

| | | | |
|----------------|---|---|------|
| 29.16.1.1.3.5 | Variation 5: | From Thiocyanates and Other Thio Derivatives | 1086 |
| 29.16.1.1.4 | Method 4: | Synthesis from Miscellaneous Glycosyl Donors | 1087 |
| 29.16.1.1.4.1 | Variation 1: | From Ortho Esters and Dihydrooxazoles | 1087 |
| 29.16.1.1.4.2 | Variation 2: | From 1,2-Dehydro and 1,2-Anhydro Derivatives | 1090 |
| 29.16.1.1.4.3 | Variation 3: | From Seleno- and Telluroglycosides | 1092 |
| 29.16.1.1.4.4 | Variation 4: | From 1-Diazirine Derivatives | 1094 |
| 29.16.1.1.5 | Method 5: | Synthesis by Intramolecular and Indirect Methods | 1095 |
| 29.16.2 | Product Subclass 2: Oligosaccharides | | 1098 |
| 29.16.2.1 | Synthesis of Product Subclass 2 | | 1099 |
| 29.16.2.1.1 | Method 1: | Linear Synthesis | 1099 |
| 29.16.2.1.2 | Method 2: | Block Synthesis | 1102 |
| 29.16.2.1.3 | Method 3: | Synthesis by Selective Activation | 1104 |
| 29.16.2.1.4 | Method 4: | Synthesis by Two-Step Activation and In Situ Preactivation | 1106 |
| 29.16.2.1.5 | Method 5: | Armed–Disarmed and Related Chemoselective Approaches | 1110 |
| 29.16.2.1.6 | Method 6: | The Active–Latent Approach | 1112 |
| 29.16.2.1.7 | Method 7: | Steric Hindrance and Temporary Deactivation | 1115 |
| 29.16.2.1.8 | Method 8: | Orthogonal and Semi-Orthogonal Strategies | 1118 |
| 29.16.2.1.9 | Method 9: | One-Pot Strategies | 1120 |
| 29.16.2.1.10 | Method 10: | Regioselective and Other Acceptor-Reactivity-Based Concepts | 1125 |
| 29.16.2.1.11 | Method 11: | Polymer-Supported Synthesis | 1131 |
| 29.16.2.1.12 | Method 12: | Enzymatic Synthesis | 1137 |
| 29.16.2.1.12.1 | Variation 1: | Using Glycosyltransferases | 1137 |
| 29.16.2.1.12.2 | Variation 2: | Using Glycosidases (Hydrolases) | 1141 |
| | Keyword Index | | 1149 |
| | Author Index | | 1203 |
| | Abbreviations | | 1281 |

