

Multicomponent Reactions 1

General Discussion and Reactions Involving a Carbonyl Compound as Electrophilic Component

	Preface	V
	Volume Editor's Preface	VII
	Abstracts	XI
	Table of Contents	XXI
	Introduction	
	T. J. J. Müller	1
1.1	Relative Reactivities of Functional Groups as the Key to Multicomponent Reactions	
	T. J. J. Müller	5
1.2	Reactions Involving a Carbonyl Compound as Electrophilic Component ..	29
1.2.1	With an Amine or Analogue as One Nucleophilic Component	29
1.2.1.1	Third Component 1,3-Dicarbonyl Compound (with Ureas: Biginelli Reaction)	
	V. A. Chebanov, N. Yu. Gorobets, and Yu. V. Sedash	29
1.2.1.2	Third Component 1,3-Dicarbonyl Compound (with Ammonia or Amines: Hantzsch Pyridine Synthesis)	
	J. J. Vanden Eynde and A. Mayence	67
1.2.1.3	Third Component Cyanide (Strecker and Strecker-Type Reactions)	
	M. Ayaz, F. De Moliner, G. A. Morales, and C. Hulme	99
1.2.1.4	Third Component Enolizable Carbonyl Compound (Mannich Reaction)	
	L. Bernardi and A. Ricci	123
1.2.1.5	Third Component Metal Alkyl or Aryl	
	E. Le Gall	165
1.2.1.6	Third Component Alkyne	
	W.-J. Yoo, L. Zhao, and C.-J. Li	189
1.2.1.7	Third Component Boronic Acid (Petasis Reaction)	
	B. Carboni and F. Berrée	219

1.2.1.8	Third Component Sulfur (Willgerodt–Kindler Reaction) Y. Huang and A. Dömling	261
1.2.1.9	Third Component Phosphonate (Kabachnik–Fields Reaction) N. S. Zefirov, E. D. Matveeva, and M. V. Shuvalov	273
1.2.2	With an Enamine as One Component M. J. Arévalo and R. Lavilla	297
1.2.3	With an Isocyanide as One Component	327
1.2.3.1	Third Component Carboxylic Acid (Passerini Reaction) R. Riva, L. Banfi, and A. Basso	327
1.2.3.2	Further Components Carboxylic Acid and Amine (Ugi Reaction) L. A. Wessjohann, G. N. Kaluđerović, R. A. W. Neves Filho, M. C. Morejon, G. Lemanski, and T. Ziegler	415
1.2.3.3	Modifications of the Ugi Reaction R. S. Menon and V. Nair	503
1.2.4	Using a Nitrile and Sulfur as Nucleophiles (Gewald Reaction) Y. Huang and A. Dömling	531
	Keyword Index	553
	Author Index	589
	Abbreviations	615

Table of Contents

Introduction

T. J. J. Müller

Introduction	1
---------------------------	---

1.1 Relative Reactivities of Functional Groups as the Key to Multicomponent Reactions

T. J. J. Müller

1.1	Relative Reactivities of Functional Groups as the Key to Multicomponent Reactions	5
1.1.1	Organic Reactivity	7
1.1.2	Selected Reactive Functionalities in Multicomponent Reactions	9
1.1.2.1	The Carbonyl Group: Gradual Transformations of an Electrophile	9
1.1.2.2	The Isocyanide: A Perfectly Suited Electronic Amphiphile	13
1.1.2.3	Generation and Transformation of Pericyclic Intermediates	15
1.1.2.4	Insertions Guide the Way to Catalytic Transition-Metal-Catalyzed Multicomponent Reactions	19
1.1.3	Types of Multicomponent Reactions	21
1.1.4	Diversity of Multicomponent Reactions	23

1.2 Reactions Involving a Carbonyl Compound as Electrophilic Component

1.2.1 With an Amine or Analogue as One Nucleophilic Component

1.2.1.1 Third Component 1,3-Dicarbonyl Compound (with Ureas: Biginelli Reaction)

V. A. Chebanov, N. Yu. Gorobets, and Yu. V. Sedash

1.2.1.1	Third Component 1,3-Dicarbonyl Compound (with Ureas: Biginelli Reaction)	29
1.2.1.1.1	Biginelli Heterocyclizations Catalyzed by Brønsted Acids	31
1.2.1.1.1.1	Classical Reaction	31
1.2.1.1.1.2	Reaction with Fluorinated β -Dicarbonyl Compounds	36
1.2.1.1.2	Application of Lewis Acid Catalysis	37
1.2.1.1.3	Organosilicon Compounds as Biginelli Reaction Promoters	41
1.2.1.1.4	Application of Ionic Liquids	43

1.2.1.1.4.1	Ionic Liquid Mediated or Catalyzed Biginelli Reaction	43
1.2.1.1.4.2	Ionic Liquid Supported Biginelli Reaction	46
1.2.1.1.5	Application of Ultrasonication	48
1.2.1.1.6	Application of Microwave Irradiation	50
1.2.1.1.7	Polymer-Supported Biginelli-Type Heterocyclizations	52
1.2.1.1.8	Solvent-Free Biginelli-Type Heterocyclizations	54
1.2.1.1.9	Stereoselective Biginelli Heterocyclizations	56
1.2.1.1.9.1	Application of Chiral Metal Complexes	56
1.2.1.1.9.2	Application of Organocatalysts	57
1.2.1.2	Third Component 1,3-Dicarbonyl Compound (with Ammonia or Amines: Hantzsch Pyridine Synthesis) J. J. Vanden Eynde and A. Mayence	
<hr/>		
1.2.1.2	Third Component 1,3-Dicarbonyl Compound (with Ammonia or Amines: Hantzsch Pyridine Synthesis)	67
1.2.1.2.1	Mechanism, Relevant Modifications, and Scope	70
1.2.1.2.2	Preparation of Symmetrical 1,4-Dihydropyridines	71
1.2.1.2.2.1	Variations in the Solvent	73
1.2.1.2.2.1.1	Reactions in an Ionic Liquid	73
1.2.1.2.2.1.2	Reactions in a Fluorinated Solvent	74
1.2.1.2.2.1.3	Reactions in Water	75
1.2.1.2.2.1.4	Reactions in the Absence of Solvent	76
1.2.1.2.2.2	Variations in the Nitrogen Component	77
1.2.1.2.2.3	Variations in the Aldehyde Component and Use of Alternative Reagents	78
1.2.1.2.3	Preparation of Unsymmetrical 1,4-Dihydropyridines	79
1.2.1.2.3.1	Preparation of Diastereomeric Mixtures	79
1.2.1.2.3.1.1	Reactions in an Organic Solvent	80
1.2.1.2.3.1.2	Reactions in an Ionic Liquid	83
1.2.1.2.3.1.3	Reactions in Water	84
1.2.1.2.3.1.4	Reactions in the Absence of Solvent	85
1.2.1.2.3.2	Preparation of Enantiopure 1,4-Dihydropyridines	86
1.2.1.2.3.2.1	By Recrystallization or Chromatography	86
1.2.1.2.3.2.2	Using a Chiral Reagent	87
1.2.1.2.3.2.3	Using a Chiral Catalyst	89
1.2.1.2.3.2.4	By Enzymatic Resolution	90
1.2.1.2.4	Preparation of Isotopically Labeled 1,4-Dihydropyridines	90
1.2.1.2.5	Assisted Syntheses	90

1.2.1.2.5.1	Ultrasound-Assisted Syntheses	90
1.2.1.2.5.2	Microwave-Assisted Syntheses	90
1.2.1.2.5.3	Use of Immobilized Reagents and Combinatorial Approaches	91
1.2.1.2.5.4	Use of Baker's Yeast	93
1.2.1.3	Third Component Cyanide (Strecker and Strecker-Type Reactions) M. Ayaz, F. De Moliner, G. A. Morales, and C. Hulme	
1.2.1.3	Third Component Cyanide (Strecker and Strecker-Type Reactions)	99
1.2.1.3.1	Classic Strecker Procedure	101
1.2.1.3.2	Strecker Reactions Employing Trimethylsilyl Cyanide	102
1.2.1.3.2.1	Uncatalyzed Strecker Reactions Employing Trimethylsilyl Cyanide	102
1.2.1.3.2.2	Lewis Acid Catalyzed Strecker Reactions Employing Trimethylsilyl Cyanide ...	103
1.2.1.3.2.3	Brønsted Acid Catalyzed Strecker Reactions Employing Trimethylsilyl Cyanide	103
1.2.1.3.2.4	Strecker Reactions Employing Trimethylsilyl Cyanide under Combined Brønsted/Lewis Acid Catalysis	104
1.2.1.3.3	Strecker Reactions Employing Other Cyanide Ion Sources	105
1.2.1.3.4	Asymmetric Strecker Reactions	106
1.2.1.3.4.1	Auxiliary-Controlled Asymmetric Strecker Reactions	107
1.2.1.3.4.2	Chiral Pool Approach	109
1.2.1.3.4.3	Metal 1,1'-Bi-2-naphtholate Catalysis	110
1.2.1.3.4.4	Organocatalytic Asymmetric Strecker Reactions	111
1.2.1.3.4.4.1	Brønsted Acids as Organocatalysts	112
1.2.1.3.4.4.2	Chiral Thioureas as Organocatalysts	112
1.2.1.3.4.5	Summary and Outlook of Asymmetric Strecker Reactions	113
1.2.1.3.5	Strecker-Type Reactions	114
1.2.1.3.5.1	Oxidative Strecker Reactions	114
1.2.1.3.5.2	Porta Radical-Type Strecker Reactions	115
1.2.1.3.5.3	Three-Center Five-Component Sequential Strecker-like/Strecker Reactions ...	116
1.2.1.3.5.4	Bucherer–Bergs Hydantoin Synthesis	118
1.2.1.3.5.5	Reissert Reactions	119
1.2.1.4	Third Component Enolizable Carbonyl Compound (Mannich Reaction) L. Bernardi and A. Ricci	
1.2.1.4	Third Component Enolizable Carbonyl Compound (Mannich Reaction) ...	123
1.2.1.4.1	Indirect Mannich Reactions	125
1.2.1.4.1.1	Lewis Acid Catalyzed Indirect Mannich Reaction	125

1.2.1.4.1.2	Lewis Acid Catalyzed Indirect Vinylogous Mannich Reaction	129
1.2.1.4.1.3	Brønsted Acid Catalyzed Indirect Mannich Reaction	130
1.2.1.4.1.4	Brønsted Acid Catalyzed Indirect Enantioselective Mannich Reaction	132
1.2.1.4.1.5	Brønsted Acid Catalyzed Indirect Enantioselective Vinylogous Mannich Reaction	133
1.2.1.4.2	Direct Mannich Reaction	135
1.2.1.4.2.1	Lewis Acid Catalyzed Direct Mannich Reaction	135
1.2.1.4.2.2	Brønsted Acid Catalyzed Direct Mannich Reaction	138
1.2.1.4.2.3	Brønsted Acid Catalyzed Direct Enantioselective Mannich Reaction	140
1.2.1.4.2.4	α -Amino Acid Catalyzed Direct Enantioselective Mannich Reaction with Acetone as Donor	141
1.2.1.4.2.5	α -Amino Acid Catalyzed Direct Enantioselective Mannich Reaction with Hydroxyacetone as Donor	142
1.2.1.4.2.6	α -Amino Acid Catalyzed Direct Enantioselective Mannich Reaction with Cyclic Ketones as Donors	145
1.2.1.4.2.7	α -Amino Acid Catalyzed Direct Enantioselective Mannich Reaction with Aldehydes as Donors	147
1.2.1.4.2.8	α -Amino Acid Catalyzed Direct α -Aminomethylation of Ketones	148
1.2.1.4.2.9	α -Amino Acid Catalyzed Direct Enantioselective α -Aminomethylation of Cyclic Enones Followed by Ring Closure	149
1.2.1.4.3	Mannich Reactions Using Unconventional Methodologies	150
1.2.1.4.3.1	Ionic Liquid Catalyzed Mannich Reaction	151
1.2.1.4.3.2	Ultrasound-Promoted Mannich Reaction	152
1.2.1.4.3.3	Water-Promoted Mannich Reaction	153
1.2.1.4.3.4	Mannich Reaction in Ammonia Solution	153
1.2.1.4.4	Mannich-Type Addition of Naphthols: The Betti Reaction	154
1.2.1.4.4.1	Betti Reaction in Alcoholic Solvents	155
1.2.1.4.4.2	Solvent-Free Betti Reaction	157
1.2.1.4.4.3	Betti Reaction in Water	159
1.2.1.4.4.4	Lewis Acid Catalyzed Betti Reaction	161
1.2.1.5	Third Component Metal Alkyl or Aryl E. Le Gall	
1.2.1.5	Third Component Metal Alkyl or Aryl	165
1.2.1.5.1	Reactions of Arylmetal Reagents	166
1.2.1.5.1.1	Arylmagnesium and Aryllithium Reagents	166
1.2.1.5.1.2	Arylzinc Reagents	166
1.2.1.5.1.2.1	Reactions with Aromatic Aldehydes	167

1.2.1.5.1.2.2	Reactions with Paraformaldehyde	168
1.2.1.5.2	Reactions of Benzylmetal Reagents	170
1.2.1.5.2.1	Benzylmagnesium Reagents	170
1.2.1.5.2.2	Benzylzinc Reagents	170
1.2.1.5.2.2.1	Preformed Benzylzinc Reagents	170
1.2.1.5.2.2.2	In Situ Generated Benzylzinc Reagents	172
1.2.1.5.3	Reactions of Allylmetal Reagents	173
1.2.1.5.3.1	Allylzinc Reagents	173
1.2.1.5.3.2	Allylindium Reagents	174
1.2.1.5.3.2.1	Reaction with Primary Amines	174
1.2.1.5.3.2.2	Reaction with Secondary Amines	175
1.2.1.5.3.3	Allyltin Reagents	176
1.2.1.5.4	Reactions of Alkynylmetal Reagents	177
1.2.1.5.4.1	Alkynylcopper Reagents	178
1.2.1.5.4.2	Alkynylgold Reagents	179
1.2.1.5.4.3	Alkynylmetal Reagent and Chiral Ligand	180
1.2.1.5.5	Reactions of Alkylmetal Reagents	181
1.2.1.5.5.1	Alkylzinc Reagents	181
1.2.1.5.5.2	Alkylindium Reagents	183
1.2.1.5.6	Reactions of α -Metalated Carbonyl Compounds	184
1.2.1.5.6.1	Organozinc Reagents	184
1.2.1.5.6.2	Organoindium Reagents	185
1.2.1.6	Third Component Alkyne W.-J. Yoo, L. Zhao, and C.-J. Li	
1.2.1.6	Third Component Alkyne	189
1.2.1.6.1	Alkynylation Involving Primary Amines	190
1.2.1.6.2	Alkynylation Involving Secondary Amines	193
1.2.1.6.3	Asymmetric Coupling Reactions	198
1.2.1.6.4	Coupling in Tandem Processes	203
1.2.1.7	Third Component Boronic Acid (Petasis Reaction) B. Carboni and F. Berrée	
1.2.1.7	Third Component Boronic Acid (Petasis Reaction)	219
1.2.1.7.1	Reaction of Glyoxylic Acid and Derivatives	220
1.2.1.7.1.1	With Alkyl-, Aryl-, and Hetarylamines	220

1.2.1.7.1.2	With 2-Amino Alcohols and 1,2-Diamines	223
1.2.1.7.1.3	With Carboxylic Amino Acids, Amino Acid Esters, and Phosphonic Analogues	224
1.2.1.7.1.4	With Hydroxylamines, Hydrazines, and Derivatives	225
1.2.1.7.1.5	With <i>N</i> -Sulfinyl-Protected Amines	227
1.2.1.7.2	Reaction of Glyoxal and Derivatives	228
1.2.1.7.2.1	With 2-Amino Alcohols	229
1.2.1.7.2.2	With Diamines	231
1.2.1.7.3	Reaction of Glycolaldehyde and Other α -Hydroxyaldehydes	232
1.2.1.7.3.1	With Alkyl- and Arylamines	232
1.2.1.7.3.2	With Amino Acids and Derivatives	236
1.2.1.7.3.3	With Hydrazides	238
1.2.1.7.4	Reaction of Salicylaldehyde and Derivatives	240
1.2.1.7.5	Solid-Supported Synthesis	244
1.2.1.7.6	Related Reactions	248
1.2.1.7.7	Catalytic Enantioselective Reactions	254
1.2.1.8	Third Component Sulfur (Willgerodt–Kindler Reaction) Y. Huang and A. Dömling	
1.2.1.8	Third Component Sulfur (Willgerodt–Kindler Reaction)	261
1.2.1.8.1	The Willgerodt–Kindler Reaction	261
1.2.1.9	Third Component Phosphonate (Kabachnik–Fields Reaction) N. S. Zefirov, E. D. Matveeva, and M. V. Shuvalov	
1.2.1.9	Third Component Phosphonate (Kabachnik–Fields Reaction)	273
1.2.1.9.1	Standard Kabachnik–Fields Reaction	274
1.2.1.9.2	Catalytic Variants of the Kabachnik–Fields Reaction	275
1.2.1.9.2.1	Mechanistic Details and General Scope	275
1.2.1.9.2.2	Catalysts Used in the Kabachnik–Fields Reaction	276
1.2.1.9.3	Scope of the Carbonyl Component	277
1.2.1.9.4	Scope of the Phosphorus-Containing Component	280
1.2.1.9.5	Scope of the Amino Component	282
1.2.1.9.6	Enantioselective Kabachnik–Fields Reactions	288
1.2.1.9.7	Biological Activity of α -Amino Phosphonic Acids	291
1.2.1.9.8	Conclusion	291

1.2.2	With an Enamine as One Component M. J. Arévalo and R. Lavilla	
<hr/>		
1.2.2	With an Enamine as One Component	297
1.2.2.1	Divergence in the Reaction by the Carbonyl Compound	299
1.2.2.1.1	Non-enolizable Aldehydes: Synthesis of Povarov-Type 4-Aminotetrahydroquinolines	299
1.2.2.1.2	Aldehydes and Ketones with α -Protons: Synthesis of Doebner–von Miller Type 2-Alkyl-4-aminotetrahydroquinolines	302
1.2.2.2	Divergence in the Reaction by the Enamine Nucleophile	306
1.2.2.2.1	Acyclic Enamide Derivatives	306
1.2.2.2.2	Encarbamates: Regio- and Enantioselective Studies Using Chiral Catalysts ..	307
1.2.2.2.3	Vinyl-Substituted Nitrogen Heterocycles	311
1.2.2.2.3.1	<i>N</i> -Vinyl Lactams	311
1.2.2.2.3.2	2-Vinylindoles	312
1.2.2.2.4	Cyclic Enamines	313
1.2.2.2.4.1	Pyrrole and Indole Derivatives	313
1.2.2.2.4.2	Dihydropyridines	316
1.2.2.2.4.3	Unsaturated Lactams	320
1.2.2.2.4.4	Oxazolones, Thiazolones, and Imidazolones	322
1.2.2.3	Variation of the Amine Component	324
1.2.3	With an Isocyanide as One Component	
<hr/>		
1.2.3.1	Third Component Carboxylic Acid (Passerini Reaction) R. Riva, L. Banfi, and A. Basso	
<hr/>		
1.2.3.1	Third Component Carboxylic Acid (Passerini Reaction)	327
1.2.3.1.1	Scope of the Classical Passerini Reaction	328
1.2.3.1.1.1	Typical Reaction Conditions and Compatibility	328
1.2.3.1.1.2	Passerini Reactions under Unconventional Conditions	329
1.2.3.1.1.2.1	Passerini Reactions under High Pressure	329
1.2.3.1.1.2.2	Passerini Reactions in Water	330
1.2.3.1.1.2.3	Passerini Reactions without Solvent	331
1.2.3.1.1.2.4	Passerini Reactions in Ionic Liquids or Poly(ethylene glycol)	331
1.2.3.1.1.2.5	Passerini Reactions on Solid Phase	332
1.2.3.1.1.3	Side Reactions Involving Only Two Components	332
1.2.3.1.1.4	Use of “Convertible” Isocyanides	337

1.2.3.1.1.5	In Situ Generation of One of the Passerini Components	339
1.2.3.1.1.5.1	In Situ Generation of the Aldehyde	339
1.2.3.1.1.5.2	In Situ Generation of the Carboxylic Acid	341
1.2.3.1.1.5.3	In Situ Generation of the Isocyanide	342
1.2.3.1.2	Variants of the Classical Passerini Reaction	342
1.2.3.1.2.1	“Truncated” Passerini Reaction	342
1.2.3.1.2.1.1	“Truncated” Passerini Reaction without Any Other Reagent	342
1.2.3.1.2.1.2	“Truncated” Passerini Reaction with Lewis Acids	343
1.2.3.1.2.1.3	“Truncated” Passerini Reaction with Carboxylic Acids	345
1.2.3.1.2.1.4	“Truncated” Passerini Reaction with Other Protic Acids	346
1.2.3.1.2.2	Passerini Reaction Using an Alternative Reactant to the Carboxylic Acid	348
1.2.3.1.2.2.1	Use of Thiocarboxylic Acids	348
1.2.3.1.2.2.2	Use of Amines	350
1.2.3.1.2.2.3	Use of Azides	352
1.2.3.1.2.2.4	Use of Phenols (Passerini–Smiles Reaction)	353
1.2.3.1.2.2.5	Use of Alcohols	356
1.2.3.1.2.2.6	Use of Isocyanoacetates, Isocyanoacetamides, or Other Isocyanides Containing Internal Nucleophiles	358
1.2.3.1.2.2.7	Use of Phenanthroline	361
1.2.3.1.2.2.8	Use of 1,3-Dicarbonyl Compounds or Other Active Methylene Compounds	361
1.2.3.1.2.3	Intramolecular Classical Passerini Reactions	365
1.2.3.1.2.3.1	Intramolecular Passerini Reaction of Oxo Acids	365
1.2.3.1.2.3.2	Intramolecular Passerini Reaction of Homo-bifunctional Reagents	366
1.2.3.1.3	Passerini Reaction Followed by Secondary Transformations	368
1.2.3.1.3.1	Transformations Not Involving Additional Functional Groups	368
1.2.3.1.3.2	Transformations Involving One Additional Functional Group	372
1.2.3.1.3.2.1	Passerini Reaction–Amine Deprotection–Acyl Migration (PADAM)	372
1.2.3.1.3.2.2	Formation of Heterocycles through an Intramolecular Process	374
1.2.3.1.3.2.3	Intermolecular Post-condensation Transformations	379
1.2.3.1.3.3	Transformations Involving Two Additional Functional Groups	380
1.2.3.1.3.3.1	Condensations Leading to a C–C Bond	380
1.2.3.1.3.3.2	Condensations Leading to a C=C Bond	381
1.2.3.1.3.3.3	Passerini Reaction Coupled with Cycloadditions	386
1.2.3.1.3.3.4	Passerini Reaction Coupled with Another Multicomponent Reaction	389
1.2.3.1.4	Asymmetric Passerini Reactions	393
1.2.3.1.4.1	Diastereoselective Passerini and Passerini-Type Reactions	393
1.2.3.1.4.1.1	Diastereoselective Passerini Reactions	393

1.2.3.1.4.1.2	Diastereoselective Passerini-Type Reactions	394
1.2.3.1.4.2	Enantioselective Passerini and Passerini-Type Reactions	394
1.2.3.1.4.2.1	Enantioselective Passerini Reactions	395
1.2.3.1.4.2.2	Enantioselective Passerini-Type Reactions	398
1.2.3.1.5	Application of the Passerini Reaction in the Synthesis of Complex Molecules	403
1.2.3.1.5.1	Formal Syntheses of Cyclotheonamide C and α -Oxo Carbonyl Calpain Inhibitors through a Passerini–Amine Deprotection–Acyl Migration Strategy	403
1.2.3.1.5.2	Synthesis of Telaprevir by Coupling Two Multicomponent Reactions (Passerini and Ugi Reaction) with a Chemoenzymatic Process	405
1.2.3.1.5.3	Synthesis of (\pm)-Bicalutamide through a “Truncated” Passerini Reaction	407
1.2.3.1.5.4	Passerini Reaction in Polymer Science	407
1.2.3.1.6	Conclusions	409
1.2.3.2	Further Components Carboxylic Acid and Amine (Ugi Reaction) L. A. Wessjohann, G. N. Kaluđerović, R. A. W. Neves Filho, M. C. Morejon, G. Lemanski, and T. Ziegler	
1.2.3.2	Further Components Carboxylic Acid and Amine (Ugi Reaction)	415
1.2.3.2.1	Classical Ugi Reactions	416
1.2.3.2.1.1	Variation of Solvents for Ugi Reactions	416
1.2.3.2.1.2	Acid-Catalyzed Ugi Reactions	421
1.2.3.2.1.3	Variation of the Reaction Temperature	422
1.2.3.2.2	Ugi Reactions Run under Special Conditions	423
1.2.3.2.2.1	Microwave-Assisted Ugi Reactions	423
1.2.3.2.2.1.1	Ugi Reactions under Microwave Heating in Solution	423
1.2.3.2.2.1.2	Microwave-Assisted Solvent-Free Ugi Reactions	425
1.2.3.2.2.1.3	Selenocysteine-Containing Peptides	425
1.2.3.2.2.2	Ugi Reactions in Water	426
1.2.3.2.2.3	Ugi Reactions in Ionic Liquids	427
1.2.3.2.2.4	Ugi Reactions on Solid Phase	429
1.2.3.2.2.5	Ugi Reactions Catalyzed by Lewis Acids or Enzymes	432
1.2.3.2.2.5.1	Metal-Ion-Catalyzed Ugi Reactions	432
1.2.3.2.2.5.2	Biocatalyzed Ugi Reactions	434
1.2.3.2.3	Variation of the Components of Ugi Reactions	435
1.2.3.2.3.1	Variation of Acid Components	435
1.2.3.2.3.2	Variation of Amine Components	439
1.2.3.2.3.3	Variation of Oxo Components	441

1.2.3.2.3.4	Variation of the Isocyanide: Ugi Reactions Involving Convertible Isocyanides	442
1.2.3.2.3.4.1	Armstrong Isocyanide	442
1.2.3.2.3.4.2	Ugi's Convertible Isocyanides	445
1.2.3.2.3.4.3	Linderman Isocyanide	447
1.2.3.2.3.4.4	Isocyano-4-methoxy-2-nitrobenzene (Martens Isocyanide)	449
1.2.3.2.3.4.5	Pirrung Isocyanides	450
1.2.3.2.3.4.6	1-(2,2-Dimethoxyethyl)-2-isocyanobenzene (Indole Isocyanide; Kobayashi–Wessjohann Isocyanide)	451
1.2.3.2.3.4.7	2-Nitrophenyl Isocyanide (Kobayashi Isocyanide)	454
1.2.3.2.3.4.8	4-Isocyano-1,1,3-trimethoxybutane (IPB)	455
1.2.3.2.3.5	Bifunctional Components in the Ugi Reaction To Form Macrocycles	457
1.2.3.2.3.5.1	Unidirectional Ugi Four Component Reaction Based Macrocyclization	459
1.2.3.2.3.5.1.1	Ugi Three-Component, Four-Center Condensation	459
1.2.3.2.3.5.1.1.1	Synthesis of Cyclopeptide Analogues	459
1.2.3.2.3.5.1.1.2	Synthesis of Cyclopeptoids	460
1.2.3.2.3.5.1.1.3	Macrocyclization Using an Aziridinecarbaldehyde	462
1.2.3.2.3.5.1.2	Unidirectional Double Ugi Four Component Reaction Based Macrocyclization	463
1.2.3.2.3.5.2	Bidirectional Ugi Four Component Reaction Based Macrocyclization	464
1.2.3.2.3.5.2.1	Macrocyclizations of the Diacid/Diamine Combination	464
1.2.3.2.3.5.2.2	Macrocyclizations of the Diacid/Diisocyanide and Diamino/Diisocyanide Combination	465
1.2.3.2.3.5.2.3	Combinatorial Libraries of Macrocycles	466
1.2.3.2.3.5.2.4	Ugi Four Component Reaction Based Threefold Macrocyclization (Cages)	469
1.2.3.2.3.5.2.5	Sequential Multiple Ugi Reactions for the Assembly of Macromulticycles	470
1.2.3.2.4	Other Aspects of Ugi Reactions	473
1.2.3.2.4.1	Asymmetric Ugi Reactions	473
1.2.3.2.4.2	Ugi Reactions in Polymer Science	478
1.2.3.2.4.3	Ugi Reactions Applied in the Total Synthesis of Natural Products and Related Compounds	480
1.2.3.2.4.3.1	Total Synthesis of (+)-Furanomycin and (±)-Isowillardine	480
1.2.3.2.4.3.2	Total Synthesis of Plumbemycins A and B	482
1.2.3.2.4.3.3	Total Synthesis of (-)-Muraymycin D2	483
1.2.3.2.4.3.4	Studies toward the Total Synthesis of Bottromycins	484
1.2.3.2.4.3.5	Total Synthesis of Mutoporin	485
1.2.3.2.4.3.6	Synthesis of Tubulysin Mimics: "Tubugis"	486
1.2.3.2.4.3.7	Total Synthesis of Viridic Acid	487
1.2.3.2.4.3.8	Studies toward the Total Synthesis of (+)-Naphthyridinomycin	488

1.2.3.2.4.3.9	Total Synthesis of Ecteinascin 743	489
1.2.3.2.4.3.10	Studies toward the Total Synthesis of FR901483	490
1.2.3.2.4.3.11	Studies toward the Total Synthesis of Lapidilectine-Type Kopsia Alkaloids	491
1.2.3.2.4.3.12	Ugi Four-Component Reaction in the Synthesis of a Core Fragment of Massadine	492
1.2.3.2.4.3.13	Cyclative Ugi Three-Component Reaction: Total Synthesis of Omuralide and (-)-Dysibetaine	493
1.2.3.2.4.3.14	Ugi-Joullié Synthesis of Fructigenine A, Okaramine M, and 5- <i>N</i> -Acetylardeemin	495
1.2.3.3	Modifications of the Ugi Reaction R. S. Menon and V. Nair	
1.2.3.3	Modifications of the Ugi Reaction	503
1.2.3.3.1	Multicomponent Reactions of Isocyanides and Electron-Deficient Alkynes ...	504
1.2.3.3.1.1	Reaction of Isocyanides and Dimethyl Acetylenedicarboxylate with either Aldehydes or <i>N</i> -Tosyl Aldimines	504
1.2.3.3.1.2	Three-Component Reaction of Diisopropylamino Isocyanide, Dimethyl Acetylenedicarboxylate, and Aldehydes	505
1.2.3.3.1.3	Synthesis of Highly Substituted Cyclopentadienes via a Three-Component Reaction	506
1.2.3.3.1.4	Three-Component Reactions of Isocyanides, Dimethyl Acetylenedicarboxylate, and Active Methylene Compounds	507
1.2.3.3.2	Multicomponent Reactions of Isocyanides and Arynes	509
1.2.3.3.2.1	Reaction of Isocyanides and Arynes with either Aldehydes or <i>N</i> -Tosyl Aldimines	510
1.2.3.3.2.2	Reaction of Isocyanides and Arynes with Esters	515
1.2.3.3.2.3	Reaction of Isocyanides and Arynes with Alkynes	517
1.2.3.3.2.3.1	Three-Component Reaction of Isocyanides, Arynes, and Alkynes To Give Iminoindenes	517
1.2.3.3.2.3.2	Three-Component Reaction of Isocyanides, Arynes, and Terminal Alkynes To Give Substituted Pyridines	518
1.2.3.3.2.3.3	Three-Component Reaction of Isocyanides, Arynes, and Terminal Alkynes To Give Isoquinoline Derivatives	519
1.2.3.3.2.3.4	Three-Component Reaction of Isocyanides, Arynes, and Alkynyl Halides	520
1.2.3.3.2.4	Three-Component Reaction of Isocyanides, Arynes, and Bromofluoroarenes ·	522
1.2.3.3.3	Multicomponent Reactions of Isocyanides Involving Formal [4 + 1] Annulations	522
1.2.3.3.3.1	Reaction of Isoquinoline, Electrophilic Alkenes, and Isocyanides	523
1.2.3.3.3.2	Four-Component Synthesis of 3-(2-Amino-2-oxoethyl)-4,5-dihydroisoxazoles	524
1.2.3.3.3.3	[4 + 1] Annulation of Heterocyclic Quinone Methides for the Synthesis of 2-Aminofurans	525

1.2.3.3.3.4	Four-Component Synthesis of 2-Amino-3-arylpyrroles	526
1.2.3.3.3.5	Synthesis of 5-Aminopyrrole-2-carbonitriles via Consecutive Multicomponent Reaction	527
1.2.4	Using a Nitrile and Sulfur as Nucleophiles (Gewald Reaction) Y. Huang and A. Dömling	
<hr/>		
1.2.4	Using a Nitrile and Sulfur as Nucleophiles (Gewald Reaction)	531
1.2.4.1	The Gewald Reaction	532
1.2.4.2	Microwave-Assisted Synthesis	538
1.2.4.3	Synthesis Using a Solid or Ionic Liquid Support	542
1.2.4.4	Applications in the Synthesis of Focused Libraries	547
	Keyword Index	553
	Author Index	589
	Abbreviations	615