

Table of Contents

Volume 3: Compounds of Groups 12 and 11 (Zn, Cd, Hg, Cu, Ag, Au)

3.6	Product Class 6: Organometallic Complexes of Gold	
3.6.11	Organometallic Complexes of Gold (Update 1)	2011
	V. López-Carrillo and A. M. Echavarren	
3.6.11	Organometallic Complexes of Gold (Update 1)	1
3.6.11.1	Gold-Catalyzed Cycloisomerizations of Enynes	1
3.6.11.1.1	Method 1: Cycloisomerization of 1,6-Enynes	3
3.6.11.1.1.1	Variation 1: Formation of 1,3-Dienes	3
3.6.11.1.1.2	Variation 2: Formation of Cyclobutenes or Cyclobutanones	8
3.6.11.1.1.3	Variation 3: Formation of Cyclopropyl Rings	10
3.6.11.1.1.4	Variation 4: Formation of Fused Rings by Cycloisomerization of Substituted 1,6-Enynes by Friedel–Crafts-Type Processes	12
3.6.11.1.2	Method 2: Cycloisomerization of Dienynes	15
3.6.11.1.3	Method 3: Cycloisomerization of Oxo-1,6-enynes	18
3.6.11.1.3.1	Variation 1: Applications of the Cycloisomerization of Oxo-1,6-enynes in Total Synthesis	22
3.6.11.1.4	Method 4: Inter- and Intramolecular Addition of Nucleophiles to 1,6-Enynes	24
3.6.11.1.5	Method 5: Cycloisomerization of 1,5-Enynes	33
3.6.11.1.6	Method 6: Inter- and Intramolecular Addition of Nucleophiles to 1,5-Enynes	45
3.6.11.1.7	Method 7: Cycloisomerization of 1,n-Enynes via Migration of Propargyl Groups	49
3.6.11.1.8	Method 8: Cycloisomerization of 1,7- and Higher Enynes	59
3.6.12	Organometallic Complexes of Gold (Update 2)	2011
	L. Zhang	
3.6.12	Organometallic Complexes of Gold (Update 2)	71
3.6.12.1	Gold-Catalyzed Propargylic Rearrangements	71
3.6.12.1.1	Synthetic Method Development Based on Gold-Catalyzed 3,3-Rearrangements of Propargylic Carboxylates	71
3.6.12.1.1.1	Reactions via Gold-Containing Oxocarbenium Intermediates	75
3.6.12.1.1.1.1	Method 1: Reactions Using Indole-3-acetyl as the Acyl Group	76
3.6.12.1.1.1.2	Method 2: Reactions of Substrates with Functionality at the Alkyne Terminus of the Propargylic Group	78

3.6.12.1.1.1.2.1	Variation 1:	Using Enyne Substrates	79
3.6.12.1.1.1.2.2	Variation 2:	Using 4-(Trimethylsilyl)but-2-ynyl Substrates	81
3.6.12.1.1.1.3	Method 3:	Reactions of 1-Arylpropargylic Carboxylates	81
3.6.12.1.1.1.4	Method 4:	Reactions with Hydrolytic Treatment	82
3.6.12.1.1.1.4.1	Variation 1:	Formation of α -Unsubstituted Enones	82
3.6.12.1.1.1.4.2	Variation 2:	Formation of α -Iodo- or α -Bromo-enones	83
3.6.12.1.1.1.5	Method 5:	Intramolecular Acyl Migration	84
3.6.12.1.1.1.6	Method 6:	Reactions Incorporating Gold(I)/Gold(III) Catalysis	86
3.6.12.1.1.1.6.1	Variation 1:	Gold-Catalyzed Oxidative Homocoupling	86
3.6.12.1.1.1.6.2	Variation 2:	Gold-Catalyzed Oxidative Cross-Coupling Reaction	87
3.6.12.1.1.1.6.3	Variation 3:	Gold-Catalyzed Oxidative C—O Bond Formation	88
3.6.12.1.1.2		Nucleophilic Attack on the (Acyloxy)allene at the β - or γ -Position	90
3.6.12.1.1.2.1	Method 1:	Nucleophilic Attack at the γ -Position	91
3.6.12.1.1.2.2	Method 2:	Nucleophilic Attack at the β -Position	94
3.6.12.1.1.3		(Acyloxy)allenes as Nucleophiles	95
3.6.12.1.1.4		(Acyloxy)allenes as All-Carbon 1,3-Dipoles	98
3.6.13	Organometallic Complexes of Gold (Update 3)		2011
	M. N. Hopkinson and V. Gouverneur		
3.6.13	Organometallic Complexes of Gold (Update 3)		101
3.6.13.1		Gold-Catalyzed Coupling Reactions	101
3.6.13.1.1		Oxidative Coupling with Gold(III) as a Stoichiometric Oxidant	101
3.6.13.1.1.1	Method 1:	Reductive Elimination from Stoichiometric Organogold(III) Complexes	101
3.6.13.1.1.2	Method 2:	Oxidative Chlorination of Nonactivated Arenes	102
3.6.13.1.1.3	Method 3:	Oxidative Alkynylation of Nonactivated Arenes	103
3.6.13.1.1.4	Method 4:	Oxidative Amination of Nonactivated Arenes	104
3.6.13.1.1.5	Method 5:	Oxidative Homocoupling via C—H Bond Functionalization	104
3.6.13.1.1.6	Method 6:	Homocoupling as a Side Reaction in Cyclizations Catalyzed by Gold(III)	106
3.6.13.1.2		Gold-Catalyzed Cross Coupling with Substrates as Oxidants	108
3.6.13.1.2.1	Method 1:	Gold-Catalyzed Suzuki Reactions	108
3.6.13.1.2.2	Method 2:	Gold-Catalyzed Sonogashira Reactions	109
3.6.13.1.2.3	Method 3:	Gold-Catalyzed Alkynylation of Heterocycles Using Alkynyliodine(III) Reagents	111
3.6.13.1.3		Gold-Catalyzed Oxidative Homocoupling with External Oxidants	115
3.6.13.1.3.1	Method 1:	Homocoupling of Nonactivated Arenes Using (Diacetoxyiodo)benzene	116
3.6.13.1.3.2	Method 2:	Synthesis of Dicoumarins via Cyclization–Homocoupling Using <i>tert</i> -Butyl Hydroperoxide	117
3.6.13.1.3.3	Method 3:	Cyclization–Homocoupling of 2-Alkynylphenols with (Diacetoxyiodo)benzene	118
3.6.13.1.3.4	Method 4:	Homocoupling of Propargyl Acetates Using Selectfluor	119

3.6.13.1.3.5	Method 5:	Homocoupling from Stoichiometric Organogold(I) Complexes Using Electrophilic Fluorinating Reagents	121
3.6.13.1.4	Gold-Catalyzed	Oxidative Cross Coupling with External Oxidants	122
3.6.13.1.4.1	Method 1:	Oxidative Alkynylation of Nonactivated Arenes Using (Diacetoxyiodo)benzene	122
3.6.13.1.4.2	Method 2:	Oxidative Diamination of Alkenes Using (Diacetoxyiodo)benzene	124
3.6.13.1.4.3	Method 3:	Synthesis of 1-Carboxyvinyl Ketones via Oxidative C—O Bond Formation Using Selectfluor	126
3.6.13.1.4.4	Method 4:	Oxidative Arylation with Arylboronic Acids Using Selectfluor	128
3.6.13.1.4.4.1	Variation 1:	Synthesis of α -Aryl Enones from Propargyl Acetates	128
3.6.13.1.4.4.2	Variation 2:	Oxidative Carboheterofunctionalization of Alkenes	130
3.6.13.1.4.4.3	Variation 3:	Synthesis of α -Aryl α -Fluoro Ketones via Oxidative Functionalization of Alkynes	134
3.6.13.1.4.5	Method 5:	Oxidative Arylation with Arylsilanes Using Selectfluor	135
3.6.13.1.4.6	Method 6:	Oxidative Aminoxygenation and Aminoamidation of Alkenes Using Selectfluor or (Diacetoxyiodo)benzene	136
3.6.13.1.4.7	Method 7:	Cascade Cyclization—Intramolecular Arylation with Nonactivated Arenes Using External Oxidants	140
3.6.13.1.4.7.1	Variation 1:	Cascade Cyclization—Intramolecular Arylation of Benzyl-Substituted Allenates Using Selectfluor	140
3.6.13.1.4.7.2	Variation 2:	Cascade Cyclization—Intramolecular Arylation of Alkenes	144
3.6.13.1.4.8	Method 8:	Cascade Cyclization—Oxidative Alkynylation of Allenates Using Selectfluor	147
3.6.13.1.4.9	Method 9:	Isolation of a Gold(III) Fluoride Complex and Its Use in Cross Coupling	149

Volume 5: Compounds of Group 14 (Ge, Sn, Pb)

5.2	Product Class 2: Tin Compounds		
5.2.27	Product Subclass 27: Benzylstannanes	2011	
	J. S. Snaitth		
5.2.27	Product Subclass 27: Benzylstannanes	153	
	Synthesis of Product Subclass 27	153	
5.2.27.1	Method 1:	Synthesis from (Trialkylstannyl)- or (Triarylstannyl)lithiums	153
5.2.27.1.1	Variation 1:	From (Trialkylstannyl)- or (Triarylstannyl)lithiums and Benzyl Halides	153
5.2.27.1.2	Variation 2:	From (Trialkylstannyl)lithiums or (Trialkylstannyl)sodiums and α,β -Unsaturated Esters	154
5.2.27.2	Method 2:	Synthesis from Organomagnesium Derivatives and Organotin Halides	155
5.2.27.2.1	Variation 1:	From Benzyl Halides by Barbier Reactions	155
5.2.27.2.2	Variation 2:	Sonication-Promoted Barbier Reactions	156

5.2.27.2.3	Variation 3:	From Benzyl Halides by Grignard Reactions	157
5.2.27.3	Method 3:	Synthesis from Benzylolithiums and Stannyl Halides	158
5.2.27.3.1	Variation 1:	From Benzylolithiums without Directing Groups	158
5.2.27.3.2	Variation 2:	From Benzylolithiums with Directing Groups	160
5.2.27.3.3	Variation 3:	From Benzylolithiums Prepared by Carbolithiation	161
5.2.27.3.4	Variation 4:	From Diastereomerically Enriched Benzylolithiums Containing a Rotationally Restricted Amide	162
5.2.27.3.5	Variation 5:	From Diastereomerically Enriched Benzylolithiums Prepared from Enantioenriched Sulfoxides	163
5.2.27.3.6	Variation 6:	From Enantiomerically Enriched Benzylolithiums Prepared by Enantioselective Deprotonation	164
5.2.27.4	Method 4:	Synthesis from Benzylzincs and Stannyl Halides	166
5.2.27.4.1	Variation 1:	From Benzyl Halides by Barbier Reactions	166
5.2.27.4.2	Variation 2:	From Benzylzincs via Transmetalation to Benzylcuprates	167
5.2.27.5	Method 5:	Synthesis from Arylzincs and (Iodomethyl)stannanes	169
5.2.27.6	Method 6:	Synthesis from Stannyl Anion Equivalents and Carbonyl Derivatives	170
5.2.27.6.1	Variation 1:	Addition of Stannylolithiums to Aldehydes	170
5.2.27.6.2	Variation 2:	Addition of Tributyl(trimethylsilyl)stannane to Aldehydes	170
5.2.27.6.3	Variation 3:	Addition of Stannylolithiums or Stannylzincs to Enantiomerically Enriched <i>N</i> -Sulfinylimines	171
5.2.27.7	Method 7:	Palladium-Catalyzed Insertion of Benzyl Halides into Hexaalkyldistannanes	173
5.2.27.8	Method 8:	Synthesis by Silicon–Tin Transmetalation	174
5.2.27.9	Method 9:	Hydrostannylation of Alkenes	174
5.2.27.9.1	Variation 1:	Radical Hydrostannylation of Alkenes	174
5.2.27.9.2	Variation 2:	Palladium-Catalyzed Hydrostannylation of Alkenes	175
5.2.27.10	Method 10:	Palladium-Catalyzed Distannylation of <i>o</i> -Quinodimethanes	176
5.2.27.11	Method 11:	Synthesis by Sommelet–Hauser Rearrangement of Tetraalkylammonium Salts	177
		Applications of Product Subclass 27 in Organic Synthesis	179
5.2.27.12	Method 12:	Transmetalation	179
5.2.27.12.1	Variation 1:	Transmetalation To Afford Alkali Metal Derivatives	179
5.2.27.12.2	Variation 2:	Transmetalation To Afford Other Metal Derivatives	181
5.2.27.13	Method 13:	Stille Couplings	181
5.2.27.13.1	Variation 1:	Coupling to Aryl Bromides	181
5.2.27.13.2	Variation 2:	Coupling to Vinyl Trifluoromethanesulfonates	182
5.2.27.13.3	Variation 3:	Coupling to Acyl Chlorides	183
5.2.27.14	Method 14:	Palladium-Free Coupling to α -Oxo Acid Chlorides	184
5.2.27.15	Method 15:	Nucleophilic Addition to <i>N</i> -(Alkoxy carbonyl)pyridinium Salts	184
5.2.27.16	Method 16:	Three-Component Coupling of Imines, Acid Chlorides, and Benzylstannanes	185

5.2.28	Product Subclass 28: Allylstannanes	2011
	J. S. Snaith	
<hr/>		
5.2.28	Product Subclass 28: Allylstannanes	189
	Synthesis of Product Subclass 28	189
5.2.28.1	Method 1: Synthesis from Allylmagnesium Reagents and Stannyl Halides	189
5.2.28.1.1	Variation 1: Via Preformed Allyl Grignards	190
5.2.28.1.2	Variation 2: Via Barbier Reaction	191
5.2.28.1.3	Variation 3: Sonication-Promoted Barbier Reactions	192
5.2.28.1.4	Variation 4: Sonication-Promoted Barbier Reactions with Hexabutyldi- stannoxane	193
5.2.28.2	Method 2: Synthesis from Allyllithium Derivatives and Stannyl Halides ..	194
5.2.28.2.1	Variation 1: Via Alkene Deprotonation	194
5.2.28.2.2	Variation 2: Via Lithium–Halogen Exchange	196
5.2.28.2.3	Variation 3: From Allyl Thioethers	197
5.2.28.2.4	Variation 4: From Enantiomerically Enriched Allyllithiums Prepared by Enantioselective Deprotonation	198
5.2.28.3	Method 3: Synthesis from Allylzincs and Stannyl Halides	199
5.2.28.4	Method 4: Synthesis by Silicon–Tin Transmetalation	201
5.2.28.5	Method 5: Synthesis from Stannyl Anion Equivalents and Allylic Halides, Sulfides, and Methanesulfonates	202
5.2.28.5.1	Variation 1: Via Stannyllithiums	202
5.2.28.5.2	Variation 2: Via Stannylcopper Compounds	205
5.2.28.5.3	Variation 3: Via Stannylpalladium Species	207
5.2.28.6	Method 6: Synthesis from Allylic Acetates, Benzoates, and Phosphates ·	207
5.2.28.6.1	Variation 1: Palladium-Catalyzed Reaction of Diethyl(tributylstannyl)alu- minum and Allylic Acetates	207
5.2.28.6.2	Variation 2: Palladium-Catalyzed Reaction of Diethyl(tributylstannyl)alu- minum and Allylic Phosphates	208
5.2.28.6.3	Variation 3: Palladium-Catalyzed Reduction of Allylic Acetates	210
5.2.28.6.4	Variation 4: Copper-Catalyzed Reaction of Bis(tributylstannyl)zinc and Al- lylic Benzoates	210
5.2.28.6.5	Variation 5: Palladium-Catalyzed Reaction between Samarium(II) Iodide, Stannyl Halides, and Allylic Acetates	212
5.2.28.7	Method 7: Synthesis from Allylic Sulfur Derivatives	213
5.2.28.7.1	Variation 1: Via Sulfides	213
5.2.28.7.2	Variation 2: Via Allylic Sulfones	214
5.2.28.7.3	Variation 3: Via Allylic S-Substituted S-Methyl Dithiocarbonates	217
5.2.28.8	Method 8: Synthesis via Wittig Reaction	219
5.2.28.9	Method 9: Synthesis of α -Substituted Allylstannanes by Selenoxide Elim- ination	221
5.2.28.10	Method 10: Synthesis from Stannyl Anion Equivalents and α,β -Unsaturat- ed Carbonyl Derivatives	222
5.2.28.10.1	Variation 1: 1,2-Addition to α,β -Unsaturated Aldehydes and Ketones ···	222
5.2.28.10.2	Variation 2: 1,4-Addition to α,β -Unsaturated Ketones Followed by Enam- ine Formation	224

5.2.28.10.3	Variation 3:	Via β -Stannyl Enolate Esters Prepared by 1,4-Addition to α,β -Unsaturated Esters	226
5.2.28.11	Method 11:	Synthesis from Allenes	228
5.2.28.11.1	Variation 1:	Via Stannylcupration of Allenes	228
5.2.28.11.2	Variation 2:	Palladium-Catalyzed Addition of Distannanes and Silastannanes to Allenes	230
5.2.28.11.3	Variation 3:	Hydrostannylation of Allenes	232
5.2.28.11.4	Variation 4:	Palladium-Catalyzed Acylstannylation of Allenes	234
5.2.28.11.5	Variation 5:	Palladium-Catalyzed Distannylation of In Situ Generated Allenes	235
5.2.28.12	Method 12:	Synthesis from Vinylstannanes	235
5.2.28.12.1	Variation 1:	From Vinylstannanes and Ethene	235
5.2.28.12.2	Variation 2:	Via Lewis Acid Catalyzed Addition of Alkylcuprates to Vinylstannane Acetals	236
5.2.28.13	Method 13:	Synthesis from 1,3-Dienes	238
5.2.28.13.1	Variation 1:	Platinum-Catalyzed Silylstannylation of 1,3-Dienes	238
5.2.28.13.2	Variation 2:	Nickel-Catalyzed Acylstannylation of 1,3-Dienes	238
5.2.28.14	Method 14:	Synthesis from Allylstannanes	239
5.2.28.14.1	Variation 1:	Addition of Organometallic Species to Allylstannyl Halides	239
5.2.28.14.2	Variation 2:	Rearrangement of Allylstannanes	240
5.2.28.15	Method 15:	Synthesis by the Hydrolysis of Borylallylic Stannanes	241
5.2.28.16	Method 16:	Additional Methods	241
		Applications of Product Subclass 28 in Organic Synthesis	243
5.2.28.17	Method 17:	Radical Reactions	243
5.2.28.18	Method 18:	Cross-Coupling Reactions	247
5.2.28.19	Method 19:	Transmetalations	248
5.2.28.20	Method 20:	Reactions with Aldehydes, Ketones, and Their Derivatives	250
5.2.28.21	Method 21:	Catalytic Enantioselective Addition to Aldehydes	254
5.2.28.22	Method 22:	Nucleophilic Addition to <i>N</i> -Acyliminium Ions	256

Volume 9: Fully Unsaturated Small Ring Heterocycles and Monocyclic Five-Membered Heteroarenes with One Heteroatom

9.9 Product Class 9: Furans

9.9.5	Furans	2011
	X.-L. Hou, X.-S. Peng, K.-S. Yeung, and H. N. C. Wong	
9.9.5	Furans	261
9.9.5.1	Synthesis by Ring-Closure Reactions	263
9.9.5.1.1	By Formation of One O—C and One C—C Bond	263
9.9.5.1.1.1	Fragments O—C—C and C—C	263
9.9.5.1.1.1.1	From α -Heterofunctionalized Ketones or Aldehydes	263

9.9.5.1.1.1.1	Method 1:	From α -Halo Ketones and 1,3-Dicarbonyl Compounds (Feist-Benary Reaction)	263
9.9.5.1.1.1.2	Method 2:	Rhodium-Catalyzed Reaction of α -Diazocarbonyl Compounds with Alkynes	264
9.9.5.1.1.1.3	Method 3:	From α -Oxy Ketones or Aldehydes and Dicarbonyl Compounds	265
9.9.5.1.1.1.4	Method 4:	From α -Oxyaldehydes and Enones	265
9.9.5.1.1.2		From 1,3-Dicarbonyl Compounds	266
9.9.5.1.1.2.1	Method 1:	From 1,3-Dicarbonyl Compounds and Aldose Sugars	266
9.9.5.1.1.2.2	Method 2:	From 1,3-Dicarbonyl Compounds and Propargyl Alcohols ..	268
9.9.5.1.1.2.3	Method 3:	From 1,3-Dicarbonyl Compounds and But-2-ene-1,4-diones ..	269
9.9.5.1.1.2.4	Method 4:	From 1,3-Dicarbonyl Compounds and 1,4-Diphenylbut-2-yne-1,4-dione	269
9.9.5.1.1.2.5	Method 5:	From 1,3-Dicarbonyl Compounds and Bromoallenes	270
9.9.5.1.1.2.6	Method 6:	From 1,3-Dicarbonyl Compounds and Nitroalkenes	270
9.9.5.1.1.2.7	Method 7:	From 1,3-Dicarbonyl Compounds and Alkynoates	271
9.9.5.1.1.3		From Functionalized Alkenes and Alkynes with C—C—O Building Blocks	272
9.9.5.1.1.3.1	Method 1:	From Diethyl Acetylenedicarboxylate and Propargyl Alcohols ..	272
9.9.5.1.1.3.2	Method 2:	From Dimethyl Acetylenedicarboxylate, Aldehydes, and Thiazolium Salts	272
9.9.5.1.2		Fragments C—C—C and O—C	273
9.9.5.1.2.1	Method 1:	Cyclization between 2,3-Bis(trimethylsilyl)buta-1,3-diene and Acyl Chlorides	273
9.9.5.1.2.2	Method 2:	From Ketene <i>S,S</i> -Acetals and Aldehydes	274
9.9.5.1.2.3	Method 3:	Reaction between Isocyanides, Dialkyl Acetylenedicarboxylates, and 1-Aryl-2-(arylamino)-2-hydroxyethanones	275
9.9.5.1.2.4	Method 4:	Cyclization between Propargylic Dithioacetals and Aldehydes ..	276
9.9.5.1.3		Fragments O—C—C—C and C	277
9.9.5.1.3.1	Method 1:	From Terminal Ynones and Aldehydes	277
9.9.5.1.3.2	Method 2:	From Enones, Aldehydes, and Isocyanides	278
9.9.5.1.3.3	Method 3:	From 1,3-Dicarbonyl Compounds and Cyclohexyl Isocyanide ..	279
9.9.5.1.3.4	Method 4:	From α,β -Unsaturated Carbonyl Compounds and Chromium Carbenes	279
9.9.5.1.3.5	Method 5:	From Alkynyl Ketones and Diazoacetates	280
9.9.5.1.3.6	Method 6:	Rhodium-Catalyzed Hydroformylation of Propargyl Alcohols ..	281
9.9.5.1.3.7	Method 7:	From Dialkyl Acetylenedicarboxylates, Isocyanides, and Carbonyl Compounds	281
9.9.5.1.2		By Formation of Two C—C Bonds	283
9.9.5.1.2.1		Fragments C—O—C and C—C	283
9.9.5.1.2.1.1	Method 1:	Condensation of Dimethyl Diglycolate with Aryl(oxo)acetates ..	283
9.9.5.1.2.1.2	Method 2:	Reaction of Carbonyl Ylides and Alkynes	284
9.9.5.1.3		By Formation of One O—C Bond	284
9.9.5.1.3.1		Fragment O—C—C—C—C	284
9.9.5.1.3.1.1		By Cyclization of 1,4-Diheterofunctional C ₄ Compounds	284

9.9.5.1.3.1.1.1	Method 1:	1,4-Diazabicyclo[2.2.2]octane-Catalyzed Reaction of α -Halo Carbonyl Compounds with Dimethyl Acetylenedicarboxylate	285
9.9.5.1.3.1.1.2	Method 2:	Reactions Involving N-Heterocyclic Carbenes, Activated Alkynes, and Aldehydes	285
9.9.5.1.3.1.1.3	Method 3:	Cyclization of 1,4-Dicarbonyl Compounds	286
9.9.5.1.3.1.1.4	Method 4:	Cyclization of γ -Ketoamides	287
9.9.5.1.3.1.1.5	Method 5:	Cyclization of 4-Hydroxybut-2-enals and 4-Hydroxybut-2-enones	288
9.9.5.1.3.1.1.6	Method 6:	Cyclization of But-2-ene-1,4-diones	289
9.9.5.1.3.1.1.7	Method 7:	Cyclization of Alk-2-yne-1,4-diols	290
9.9.5.1.3.1.1.8	Method 8:	From Alkenyl Aryl Ketones and Dichloromethyl Phenyl Sulfoxide	291
9.9.5.1.3.1.1.9	Method 9:	From Baylis–Hillman Adducts of Alkyl Vinyl Ketones	292
9.9.5.1.3.1.1.10	Method 10:	From γ,δ -Epoxyacrylates	293
9.9.5.1.3.1.2		By Cyclization of Monofunctionalized C ₄ Compounds	294
9.9.5.1.3.1.2.1	Method 1:	Cyclization of (Z)-2-En-4-yn-1-ols	294
9.9.5.1.3.1.2.2	Method 2:	Cyclization of 2-En-4-yn-1-ones	295
9.9.5.1.3.1.2.3	Method 3:	Cyclization of Pent-4-ynones	297
9.9.5.1.3.1.2.4	Method 4:	Cyclization of But-3-yn-1-ols and 2-Alkynylcycloalk-2-enols	299
9.9.5.1.3.1.2.5	Method 5:	Cyclization of But-3-yn-1-ones	300
9.9.5.1.3.1.2.6	Method 6:	Cyclization of 2-(Alk-1-ynyl)alk-2-en-1-ones	301
9.9.5.1.3.1.2.7	Method 7:	Cyclization of Allenols	303
9.9.5.1.3.1.2.8	Method 8:	Cyclization of Allenones	305
9.9.5.1.3.1.2.9	Method 9:	Cyclization of Alk-3-yne-1,2-diols	311
9.9.5.1.3.1.2.10	Method 10:	Electrophilic Cyclization of Propargylic Oxirane Derivatives	313
9.9.5.1.3.1.2.11	Method 11:	Cyclization of 1-Alkynyl-2,3-epoxy Alcohols	314
9.9.5.1.3.1.2.12	Method 12:	Electrophilic Cyclization of 1-(Alk-1-ynyl)cyclopropyl Ketones	315
9.9.5.1.3.1.2.13	Method 13:	Cyclization of Cyclopropylidene and Cyclopropenyl Ketones	316
9.9.5.1.3.1.2.14	Method 14:	Wacker-Type Oxidative Cyclization of Alkenones	318
9.9.5.1.3.1.2.15	Method 15:	Cyclization of 1,3-Dienyl Ethers or 1,3-Dien-1-ols	318
9.9.5.1.3.1.2.16	Method 16:	Michael-Type Cyclization of 2,4-Unsaturated 1,6-Dicarbonyl Systems	320
9.9.5.1.3.1.2.17	Method 17:	Methylsulfanylation of γ -Disulfanyl Carbonyl Compounds	320
9.9.5.1.3.1.2.18	Method 18:	Electrophilic Cyclization of 4-Sulfanylbut-2-yn-1-ols via [1,2]-Migration of the Sulfanyl Group	321
9.9.5.1.3.1.2.19	Method 19:	Cycloisomerization of α -Sulfanyl Allenes	322
9.9.5.1.3.1.2.20	Method 20:	Cyclization of Acetylene–Cobalt Complexes with (Vinylxy)silanes	323
9.9.5.1.4		By Formation of One C—C Bond	323
9.9.5.1.4.1		Fragment C—O—C—C	323
9.9.5.1.4.1.1	Method 1:	Cyclization of (2-Cyanovinyloxy)malonates	323
9.9.5.1.4.1.2	Method 2:	Ring-Closing Metathesis of Homoallylic Enol Ethers	324
9.9.5.1.4.2		Fragment C—C—O—C—C	324
9.9.5.1.4.2.1	Method 1:	Intramolecular Michael-Type Addition of a 3-Oxa-1,5-enyne	324
9.9.5.1.4.2.2	Method 2:	Cyclization of 2'-Bromoallylic Propargyl Ethers	325

9.9.5.1.4.2.3	Method 3:	Palladium-Catalyzed Cycloisomerization of Allyl Propargyl Ethers	325
9.9.5.1.4.2.4	Method 4:	Reductive Cyclization of Propargyl 2,2,2-Trichloroethyl Ethers	326
9.9.5.1.4.2.5	Method 5:	Radical Cyclization of Divinyl Ethers	326
9.9.5.1.4.2.6	Method 6:	Ring-Closing Metathesis of Diallylic Ethers	327
9.9.5.2	Synthesis by Ring Transformation		328
9.9.5.2.1	Ring Enlargement		328
9.9.5.2.1.1	Method 1:	Ring-Opening Cycloisomerization of Methylene- or Alkyldenecyclopropyl Ketones	329
9.9.5.2.2	From Five-Membered Heterocycles		330
9.9.5.2.2.1	Method 1:	Ring Opening of 7-Oxabicycles	330
9.9.5.2.2.2	Method 2:	Retro-Diels–Alder Reaction of 7-Oxabicyclo[2.2.1]heptadienes	330
9.9.5.2.2.3	Method 3:	Intermolecular Cycloaddition of Alkynes to Oxazoles Followed by Retro-Diels–Alder Reaction	331
9.9.5.2.2.4	Method 4:	Cycloaddition of 5-Aminopentynoates with Aldehydes and α -Isocyanoacetamides Followed by Retro-Diels–Alder Reaction	332
9.9.5.2.2.5	Method 5:	Synthesis from (7-Oxabicyclo[2.2.1]hept-5-en-2-ylidene)-amines by Grob Fragmentation	333
9.9.5.2.3	Ring Contraction		334
9.9.5.2.3.1	Method 1:	Synthesis from Furo[3,4-c]pyranones	334
9.9.5.2.3.2	Method 2:	Synthesis from 3,6-Dihydro-1,2-dioxins	335
9.9.5.2.3.3	Method 3:	Synthesis from Sugar Derivatives	335
9.9.5.3	Aromatization		336
9.9.5.3.1	Method 1:	Synthesis by Elimination	336
9.9.5.3.2	Method 2:	Oxidation of Dihydrofurans	338
9.9.5.4	Synthesis by Substituent Modification		338
9.9.5.4.1	Substitution of Hydrogen		338
9.9.5.4.1.1	Method 1:	Introduction of Aminoalkyl Groups with <i>N</i> -Sulfinyl-4-toluenesulfonamide and Zinc(II) Chloride	338
9.9.5.4.1.2	Method 2:	Introduction of a Hydroxymethyl Group by Friedel–Crafts Reaction	339
9.9.5.4.1.3	Method 3:	Introduction of Aryl, Alkynyl, Alkyl, or Hydroxymethyl Groups by Addition/Oxidative Rearrangement	340
9.9.5.4.1.4	Method 4:	Introduction of Alk-1-enyl Groups by Coupling with Alkenes or Alkynes	342
9.9.5.4.1.5	Method 5:	Introduction of Alkyl Groups by Reaction with Activated Alkenes	343
9.9.5.4.1.6	Method 6:	Introduction of Aryl Groups by Coupling with Aryl Halides	345
9.9.5.4.1.7	Method 7:	Introduction of Alkyl Groups by Lewis Acid or Metal-Catalyzed Reactions	346
9.9.5.4.1.8	Method 8:	Introduction of <i>exo</i> -Methylene Groups by Catalytic Inter- or Intramolecular Hydroarylation of Unactivated Triple Bonds ..	347
9.9.5.4.1.9	Method 9:	Introduction of Halogen Substituents	348

9.9.5.4.1.10	Method 10: Ammonium Cerium(IV) Nitrate Catalyzed Radical Dimerization	348
9.9.5.4.2	Substitution of Metals	348
9.9.5.4.2.1	Method 1: Replacement of Lithium by a Hydroxymethyl Group	348
9.9.5.4.2.2	Method 2: Replacement of Lithium by a Carbonyl Group	349
9.9.5.4.2.3	Method 3: Replacement of Lithium by Alkynyl Groups via Intermediate (Butyltellanyl)furans	350
9.9.5.4.2.4	Method 4: Replacement of Lithium by an Alkyl Group via Intermediate Stannanes (Stille Coupling)	351
9.9.5.4.2.5	Method 5: Replacement of Lithium by an Aryl or Alkynyl Group via Intermediate Boronates (Suzuki Coupling)	351
9.9.5.4.2.6	Method 6: Replacement of Lithium by Deuterium	353
9.9.5.4.2.7	Method 7: Replacement of Lithium or Magnesium by Carbonyl, Aryl, or Alkenyl Groups via Intermediate Furylzinc Compounds	353
9.9.5.4.2.8	Method 8: Replacement of Lithium by an Allyl Group	354
9.9.5.4.2.9	Method 9: Replacement of Lithium by a Silyl Group	354
9.9.5.4.2.10	Method 10: Replacement of Lithium by a Carbonyl Group via a Furyltitanium	355
9.9.5.4.3	Substitution of Carbon Functionalities	355
9.9.5.4.3.1	Method 1: Curtius Rearrangement of Furan-2-carboxylic Acids	356
9.9.5.4.4	Substitution of Heteroatoms	357
9.9.5.4.4.1	Method 1: Reaction of Halofurans with Heteroatom Nucleophiles	357
9.9.5.4.4.2	Method 2: Reaction of Halofurans with Carbonyl Electrophiles	357
9.9.5.4.4.3	Method 3: Reactions of Halofurans with Alkenes	358
9.9.5.4.4.4	Method 4: Nucleophilic Aromatic Substitution of Activated 2-Methoxyfurans with Grignard Reagents	358
9.9.5.4.5	Modification of α -Substituents	359
9.9.5.4.5.1	Method 1: Multicomponent Type II Anion Relay Chemistry of 2-(<i>tert</i> -Butyldimethylsilyl)furan-3-carbaldehyde	359
9.9.5.4.5.2	Method 2: Wittig Rearrangement of 3-Furylmethyl Ethers	359
9.9.5.4.5.3	Method 3: Ene Reaction of 2-Methylene-2,3-dihydrofurans	360
9.9.5.4.5.4	Method 4: Pummerer-Type Reaction of (Phenylsulfinyl)furans	361
9.9.5.4.5.5	Method 5: 1,5-Electrocyclization of Carbene-Derived Ylides from <i>N</i> -(2-Furylmethylene)anilines	362
9.10	Product Class 10: Thiophenes, Thiophene 1,1-Dioxides, and Thiophene 1-Oxides	
9.10.4	Thiophenes, Thiophene 1,1-Dioxides, and Thiophene 1-Oxides (2011) J. Schatz and M. Seßler	
9.10.4	Thiophenes, Thiophene 1,1-Dioxides, and Thiophene 1-Oxides	371
9.10.4.1	Thiophenes	371
9.10.4.1.1	Synthesis by Ring-Closure Reactions	371

9.10.4.1.1.1	By Formation of Two S—C Bonds and One C—C Bond	371
9.10.4.1.1.1.1	Fragment S and Two C—C Fragments	371
9.10.4.1.1.1.1.1	Method 1: Synthesis from a Diphosphorylacetylene and Sodium Hydro-sulfide Hydrate	371
9.10.4.1.1.2	By Formation of Two S—C Bonds	372
9.10.4.1.1.2.1	Fragments C—C—C and S	372
9.10.4.1.1.2.1.1	Method 1: Reaction of α,β -Unsaturated Nitriles with Sulfur (The Gewald Synthesis)	372
9.10.4.1.1.3	By Formation of Two C—C Bonds	373
9.10.4.1.1.3.1	Fragments C—S—C and C—C	373
9.10.4.1.1.3.1.1	Method 1: Reaction of 3-Thia-1,5-dicarbonyl Compounds or Equivalents with 1,2-Dicarbonyl Compounds (The Hinsberg Synthesis)	373
9.10.4.1.2	Synthesis by Substituent Modification	375
9.10.4.1.2.1	Substitution of Hydrogen	375
9.10.4.1.2.1.1	Method 1: Hydrogen–Deuterium Exchange	375
9.10.4.1.2.1.2	Method 2: Introduction of Formyl Groups	375
9.10.4.1.2.1.2.1	Variation 1: Formylation with Hexamethylenetetramine in Polyphosphoric Acid	375
9.10.4.1.2.1.2.2	Variation 2: Metalation of Thiophenes Followed by Formylation with <i>N</i> -Formylpiperidine	376
9.10.4.1.2.1.3	Method 3: Introduction of Acyl Groups	377
9.10.4.1.2.1.3.1	Variation 1: Acylation of Thiophene with Anhydrides	377
9.10.4.1.2.1.3.2	Variation 2: Acylation of Thiophene with Acyl Chlorides	378
9.10.4.1.2.1.3.3	Variation 3: Acylation of Thiophene with an Ester	379
9.10.4.1.2.1.3.4	Variation 4: Acylation of Thiophene with Carboxylic Acids	379
9.10.4.1.2.1.4	Method 4: Introduction of Chloromethyl Groups	380
9.10.4.1.2.1.5	Method 5: Introduction of Alkylamino Groups	381
9.10.4.1.2.1.6	Method 6: Introduction of Allyl, Alk-1-enyl, or Alk-1-ynyl Groups	382
9.10.4.1.2.1.7	Method 7: Introduction of Aryl Groups	383
9.10.4.1.2.1.7.1	Variation 1: One-Pot C—H Borylation/Suzuki–Miyaura Cross Coupling	383
9.10.4.1.2.1.7.2	Variation 2: Palladium-Catalyzed Direct Arylation	385
9.10.4.1.2.1.8	Method 8: Introduction of Alkyl Groups	386
9.10.4.1.2.1.8.1	Variation 1: Gold(III)-Catalyzed Intermolecular Hydroarylation	386
9.10.4.1.2.1.8.2	Variation 2: Dichlorobis(η^5 -cyclopentadienyl)zirconium(IV)-Catalyzed Alkylation	386
9.10.4.1.2.1.8.3	Variation 3: Friedel–Crafts Alkylation of Thiophenes	387
9.10.4.1.2.1.9	Method 9: Halogenation	388
9.10.4.1.2.1.10	Method 10: Nitration	389
9.10.4.1.2.2	Substitution of Metals	390
9.10.4.1.2.2.1	Method 1: Substitution Reactions Involving Organostannanes (The Stille Reaction)	390
9.10.4.1.2.2.2	Method 2: Substitution Reactions Involving Organozinc Derivatives (The Negishi Reaction)	391

9.10.4.1.2.2.3	Method 3:	Substitution Reactions Involving Organoboron Derivatives (The Suzuki Reaction)	392
9.10.4.1.2.2.4	Method 4:	Substitution Reactions Involving Organomagnesium Derivatives (The Kumada Reaction)	394
9.10.4.1.2.3		Substitution of Heteroatoms	395
9.10.4.1.2.3.1	Method 1:	Substitution of Halogens by Hydrogen	395
9.10.4.1.2.3.2	Method 2:	Substitution of Halogens by Alkoxy Groups	396
9.10.4.1.2.3.3	Method 3:	Metal-Assisted Cross Coupling of Halothiophenes with Alkenes	396
9.10.4.1.2.3.3.1	Variation 1:	Cross Coupling of Halothiophenes with Alkenes in the Presence of a Palladium/Tetrakisphosphine Catalyst	396
9.10.4.1.2.3.3.2	Variation 2:	Cross Coupling of Halothiophenes with Alkenes in the Presence of Palladium-Containing Nanostructured Silica Functionalized with Pyridine Sites	397
9.10.4.1.2.3.3.3	Variation 3:	Palladium-Catalyzed Heck Reactions of Halothiophenes with Electron-Rich Alkenes in an Ionic Liquid	398
9.10.4.1.2.3.4	Method 4:	Metal-Assisted Cross Coupling of Halothiophenes with Arenes	399
9.10.4.1.2.3.4.1	Variation 1:	Suzuki Cross Coupling of Halothiophenes with Arenes in the Presence of a Palladium/Tetrakisphosphine Catalyst	399
9.10.4.1.2.3.4.2	Variation 2:	Suzuki Cross Coupling of Halothiophenes with Arenes in the Presence of a Biarylmonophosphine Ligand	400
9.10.4.1.2.3.4.3	Variation 3:	Site-Selective Suzuki–Miyaura Reactions of 2,3,5-Tribromothiophene	401
9.10.4.1.2.3.4.4	Variation 4:	Suzuki-Type Cross Coupling of Halothiophenes with Arenes in the Presence of Boronates	403
9.10.4.1.2.3.4.5	Variation 5:	Stille Cross Coupling of Halothiophenes with Organostannanes in the Presence of a β -Oxoimate(phosphine)palladium Catalyst	404
9.10.4.1.2.3.5	Method 5:	Metal-Assisted Cross Coupling of Halothiophenes with Alkynes	405
9.10.4.1.2.3.6	Method 6:	Palladium-Catalyzed Cyanation Reactions of Halothiophenes	406
9.10.4.1.2.3.7	Method 7:	Copper-Catalyzed Amination of Halothiophenes	408
9.10.4.1.2.3.8	Method 8:	Substitution of Diaryliodonium Bromides	409
9.10.4.1.2.4		Modification of α -Substituents	409
9.10.4.1.2.4.1	Method 1:	Mitsunobu Reaction of Thiophenones	409
9.10.4.1.2.4.2	Method 2:	Decarboxylation	411
9.10.4.2		Oligothiophenes	412
9.10.4.2.1		Synthesis by Ring-Closure Reactions	412
9.10.4.2.1.1		By Formation of Two S—C Bonds	412
9.10.4.2.1.1.1		Fragments C—C—C and S	412
9.10.4.2.1.1.1.1	Method 1:	Reaction of Buta-1,3-diyne with Sulfides as Sulfuration Reagents	412
9.10.4.2.1.1.1.2	Method 2:	Reaction of 1,4-Diketones with Sulfur Reagents and Cyclization	413
9.10.4.2.2		Synthesis by Ring Transformation	414

9.10.4.2.2.1	Ring Contraction	414
9.10.4.2.2.1.1	Method 1: Synthesis from 1,2-Dithiins by Oxidative Coupling/Dehalogenation with Copper Nanopowder	414
9.10.4.2.3	Synthesis by Substituent Modification	416
9.10.4.2.3.1	Substitution of Hydrogen	416
9.10.4.2.3.1.1	Method 1: Oxidative Coupling Reactions	416
9.10.4.2.3.1.2	Method 2: Direct Arylation Methods Involving Metal Catalysis	420
9.10.4.2.3.1.2.1	Variation 1: Aryl—Aryl Bond Formation via Coupling of Two C—H Bonds ..	420
9.10.4.2.3.2	Substitution of Metals	420
9.10.4.2.3.2.1	Method 1: Substitution Reactions Involving Organostannanes (The Stille Reaction)	420
9.10.4.2.3.2.1.1	Variation 1: Palladium-Catalyzed Stille Cross-Coupling Reactions	420
9.10.4.2.3.2.1.2	Variation 2: Palladium-Catalyzed, Copper(II) Oxide Modified Stille Cross-Coupling Reactions	423
9.10.4.2.3.2.1.3	Variation 3: Palladium-Catalyzed, Solid-Phase Stille Cross-Coupling Reactions	424
9.10.4.2.3.2.2	Method 2: Substitution Reactions Involving Organozinc Derivatives	425
9.10.4.2.3.2.3	Method 3: Substitution Reactions Involving Organoboron Derivatives (The Suzuki Reaction)	427
9.10.4.2.3.2.3.1	Variation 1: Tetrakis(triphenylphosphine)palladium(0)-Assisted Suzuki Cross Coupling under Basic Conditions	427
9.10.4.2.3.2.3.2	Variation 2: Microwave-Assisted Palladium Catalysis Using Silica- and Chitosan-Supported Palladium Complexes	429
9.10.4.2.3.2.3.3	Variation 3: A “Base-Free” Tetrakis(triphenylphosphine)palladium(0)-Assisted Suzuki Cross-Coupling Protocol Involving a Triethylborate Salt	430
9.10.4.2.3.2.4	Method 4: Substitution Reactions Involving Organomagnesium Derivatives	432
9.10.4.2.3.3	Substitution of Heteroatoms	433
9.10.4.2.3.3.1	Method 1: Introduction of Aryl Groups	433
9.10.4.2.3.3.2	Method 2: Palladium-Assisted Coupling Reactions	434
9.10.4.3	Thiophene 1,1-Dioxides	435
9.10.4.3.1	Synthesis by Ring Transformation	435
9.10.4.3.1.1	Oxidation	435
9.10.4.3.1.1.1	Method 1: Oxidation of Thiophenes	435
9.10.4.3.2	Aromatization	437
9.10.4.3.2.1	Method 1: Synthesis from 3-Hydroxy-2,3-dihydrothieno[3,2- <i>b</i>]thiophene 1,1-Dioxides by Dehydration	437

Volume 20: Three Carbon—Heteroatom Bonds: Acid Halides; Carboxylic Acids and Acid Salts; Esters and Lactones; Peroxy Acids and R(CO)OX Compounds; R(CO)X, X = S, Se, Te

20.5	Product Class 5: Carboxylic Acid Esters	
20.5.1.7.15	Synthesis with Retention of the Functional Group	2011
	G. Landelle and J.-F. Paquin	
20.5.1.7.15	Synthesis with Retention of the Functional Group	445
20.5.1.7.15.1	Conjugate Addition to α,β -Unsaturated Esters	445
20.5.1.7.15.1.1	Method 1: Conjugate Addition of Organometallic Reagents	445
20.5.1.7.15.1.1.1	Variation 1: Conjugate Addition of Organocopper Reagents	445
20.5.1.7.15.1.1.2	Variation 2: Conjugate Addition of Grignard Reagents	447
20.5.1.7.15.1.1.3	Variation 3: Conjugate Addition of Organolithium Reagents	450
20.5.1.7.15.1.2	Method 2: Conjugate Addition of Other Carbon Nucleophiles	452
20.5.1.7.15.1.2.1	Variation 1: Conjugate Addition of Enolates	452
20.5.1.7.15.1.2.2	Variation 2: Conjugate Addition of Malonates and Derivatives	453
20.5.1.7.15.1.2.3	Variation 3: Conjugate Addition of Terminal Alkynes	454
20.5.1.7.15.1.3	Method 3: Conjugate Addition of Organosilane Reagents	454
20.5.1.7.15.1.4	Method 4: Conjugate Addition of Organoborane Reagents	455
20.5.1.7.15.1.5	Method 5: Conjugate Addition of Boronate Derivatives	459
20.5.1.7.15.1.6	Method 6: Conjugate Addition of Amines	460
20.5.1.7.15.1.7	Method 7: Conjugate Addition of O- and S-Nucleophiles	463

Volume 39: Sulfur, Selenium, and Tellurium

39.1	Product Class 1: Alkanesulfonic Acids and Acyclic Derivatives	
39.1.15	Alkanesulfonic Acids and Acyclic Derivatives	2011
	P. Łyżwa	
39.1.15	Alkanesulfonic Acids and Acyclic Derivatives	469
39.1.15.1	Applications of Alkanesulfonyl Halides in Organic Synthesis	469
39.1.15.1.1	Method 1: Protection of Alcohols	469
39.1.15.1.2	Method 2: Protection of Amines	470
39.1.15.1.3	Method 3: Synthesis of Alkanethiols	470
39.1.15.1.4	Method 4: Synthesis of Dialkyl Disulfides	470
39.1.15.1.5	Method 5: Synthesis of Sulfinic Acids and Salts	471
39.1.15.1.6	Method 6: Synthesis of Alkanesulfinate Esters	471

39.1.15.1.7	Method 7:	Synthesis of Alkanethiosulfonic Acids and Alkanethiosulfinate Esters	471
39.1.15.1.8	Method 8:	Synthesis of Sulfoxes	471
39.1.15.1.8.1	Variation 1:	Reactions of Alkanesulfonyl Chlorides with Organometallic Compounds	471
39.1.15.1.8.2	Variation 2:	Synthesis of Alkyl Aryl Sulfoxes	473
39.1.15.1.8.3	Variation 3:	Addition of Sulfonyl Halides to Multiple Bonds	474
39.1.15.1.8.4	Variation 4:	Synthesis of β -Substituted Sulfoxes	475
39.1.15.1.9	Method 9:	Synthesis of Sulfur Heterocycles	480
39.1.15.1.10	Method 10:	Formation of C—C Bonds Using Alkanesulfonyl Halides	486
39.1.15.1.11	Method 11:	Formation of C=C Bonds Using Alkanesulfonyl Halides	490
39.1.15.1.12	Method 12:	Transformation of Alcohols into Alkyl Chlorides and Chlorination Reactions	493
39.1.15.1.13	Method 13:	Cyclization Reactions via Acyliminium Ion Formation	495
39.1.15.1.14	Method 14:	Pyrrrolidine Ring Formation	496
39.1.15.1.15	Method 15:	Epoxide Ring Formation	496
39.1.15.1.16	Method 16:	Lactone Inversion	497
39.1.15.1.17	Method 17:	Formation of Aldehydes via Rearrangement of Thioacetals	497