

Table of Contents

Volume 1: Compounds with Transition Metal–Carbon π -Bonds and Compounds of Groups 10 – 8 (Ni, Pd, Pt, Co, Rh, Ir, Fe, Ru, Os)

1.7	Product Class 7: Organometallic Complexes of Iron	2014
	G. R. Stephenson	
1.7	Product Class 7: Organometallic Complexes of Iron	1
1.7.1	Product Subclass 1: Iron–Arene Complexes	6
	Synthesis of Product Subclass 1	6
1.7.1.1	Method 1: Direct Complexation of Arenes	6
1.7.1.2	Method 2: Iron-Catalyzed Cycloaromatization	8
1.7.1.3	Method 3: Modification of η^6 -Complexes	8
1.7.1.3.1	Variation 1: Replacement of Chloride in Chlorobenzene Complexes by Nucleophiles	9
1.7.1.3.2	Variation 2: Use of Palladium-Catalyzed Coupling in the Presence of Cationic Iron–Cyclopentadienyl Complexes	10
1.7.1.3.3	Variation 3: Use of Nucleophilic Complexes Obtained by Deprotonation of Arene–Cyclopentadienyliron Complexes	11
1.7.1.3.4	Variation 4: Ligand Modification by Ring-Closing Metathesis	11
1.7.1.3.5	Variation 5: Nucleophile Addition to a Carbonyl Ligand	12
1.7.1.3.6	Variation 6: Modification of Functional Groups in the Presence of Cationic Iron–Cyclopentadienyl Complexes	12
	Applications of Product Subclass 1 in Organic Synthesis	12
1.7.1.4	Method 4: Metal Removal To Give Organic Products	12
1.7.2	Product Subclass 2: Iron–Dienyl Complexes	14
	Synthesis of Product Subclass 2	14
1.7.2.1	Method 1: Direct Complexation	14
1.7.2.1.1	Variation 1: Reaction of Cyclopentadienyl Anions with Iron Salts	14
1.7.2.1.2	Variation 2: Transfer of Cyclopentadienyliron	16
1.7.2.1.3	Variation 3: From Neutral Cyclopentadiene Derivatives	17
1.7.2.2	Method 2: Modification of η^5 -Cyclopentadienyl Complexes	17
1.7.2.2.1	Variation 1: Friedel–Crafts Acylation of Ferrocene Complexes	17
1.7.2.2.2	Variation 2: Metalation of Ferrocene Complexes	18
1.7.2.2.3	Variation 3: Modification of Functional Groups on Ferrocene Complexes ..	19
1.7.2.2.4	Variation 4: Redox Chemistry at the Metal of Ferrocene Complexes	20
1.7.2.2.5	Variation 5: Protonation at Iron	20

1.7.2.2.6	Variation 6:	Manipulation of Di- μ -carbonyldicarbonylbis(η^5 -cyclopentadienyl)diiron	20
1.7.2.3	Method 3:	Preparation by Hydride Abstraction	21
1.7.2.3.1	Variation 1:	Regioisomer Preparation without Rearrangement	22
1.7.2.3.2	Variation 2:	Regioisomer Preparation with Rearrangement	24
1.7.2.4	Method 4:	Preparation from η^4 -Triene Complexes with Electrophiles	24
1.7.2.5	Method 5:	Preparation from Dienol Complexes with Acid	26
1.7.2.5.1	Variation 1:	Without Rearrangement	26
1.7.2.5.2	Variation 2:	With Rearrangement	27
1.7.2.6	Method 6:	Preparation by Demethoxylation in Acid	28
1.7.2.7	Method 7:	Preparation by Oxidation with Thallium(III) Salts	30
1.7.2.8	Method 8:	Preparation from Dienone Complexes	30
1.7.2.9	Method 9:	Preparation from η^6 -Complexes	32
1.7.2.9.1	Variation 1:	Nucleophile Addition to η^6 -Complexes at the π -System	32
1.7.2.9.2	Variation 2:	Dealkoxylation of η^6 -Complexes	33
1.7.2.10	Method 10:	Nucleophile Addition to η^5 -Complexes	33
1.7.2.10.1	Variation 1:	Addition at the π -System	33
1.7.2.10.2	Variation 2:	Addition next to the π -System	33
1.7.2.10.3	Variation 3:	Addition at a Carbonyl Group	34
1.7.2.11	Method 11:	Access to Salts by a Sequence of Nucleophile Addition and Leaving-Group Removal	35
1.7.2.11.1	Variation 1:	Without Rearrangement	35
1.7.2.11.2	Variation 2:	With Rearrangement	37
1.7.2.12	Method 12:	Preparation by Opening Cyclopropane Rings	38
1.7.2.13	Method 13:	Preparation of Nonracemic Complexes	38
1.7.2.13.1	Variation 1:	From Ferrocene Complexes by Asymmetric Induction	39
1.7.2.13.2	Variation 2:	From Complexes Originating from Resolution or Asymmetric Induction	39
1.7.2.13.3	Variation 3:	From Complexes Originating from Biological Sources	40
		Applications of Product Subclass 2 in Organic Synthesis	41
1.7.2.14	Method 14:	Metal Removal To Give Organic Products	41
1.7.2.14.1	Variation 1:	From Ferrocene Complexes	41
1.7.2.14.2	Variation 2:	From Cationic η^5 -Ligated Tricarbonyliron Complexes	42
1.7.2.14.3	Variation 3:	From η^5 -Cyclopentadienyl-Iron Complexes Formed by Nucleophilic Addition to η^6 -Complexes	42
1.7.3	Product Subclass 3: Iron-Diene Complexes		42
		Synthesis of Product Subclass 3	43
1.7.3.1	Method 1:	Preparation by Complexation	43
1.7.3.1.1	Variation 1:	From Dienes without Rearrangement	43
1.7.3.1.2	Variation 2:	From Dienes with Rearrangement	45
1.7.3.1.3	Variation 3:	From Arenes by In Situ Reduction	46
1.7.3.1.4	Variation 4:	From Dienes and Alkynes by Reaction with η^1 -Complexes ...	46
1.7.3.1.5	Variation 5:	From Chromium Fischer Carbene Complexes	47
1.7.3.1.6	Variation 6:	From Cycloheptatrienes and Cyclohexadienones by Reduction	47
1.7.3.1.7	Variation 7:	From Dihydrothiophene 1,1-Dioxides	48

1.7.3.1.8	Variation 8:	From Allyl Alcohols	48
1.7.3.1.9	Variation 9:	From Dihalides, Allyl Halides, and Phosphate Esters	48
1.7.3.1.10	Variation 10:	From Pyrones	49
1.7.3.1.11	Variation 11:	From Dimethylcyclopropenes	49
1.7.3.1.12	Variation 12:	From Vinylcyclopropanes	50
1.7.3.1.13	Variation 13:	From Allenes via Trimethylenemethane Lactones	50
1.7.3.2	Method 2:	Preparation from η^3, η^1 -Complexes	51
1.7.3.2.1	Variation 1:	From Ferralactone Complexes	51
1.7.3.2.2	Variation 2:	From η^3, η^1 -Complexes	52
1.7.3.2.3	Variation 3:	Nucleophile Addition to Cationic η^3, η^1 -Carbene Complexes	52
1.7.3.3	Method 3:	Cyclodimerization of η^2 -Ligands	53
1.7.3.4	Method 4:	Nucleophile Addition to η^5 -Complexes at the π -System	54
1.7.3.4.1	Variation 1:	Cyclohexadienyl Complexes	54
1.7.3.4.2	Variation 2:	Cycloheptadienyl Complexes	64
1.7.3.4.3	Variation 3:	Cyclooctadienyl Complexes	65
1.7.3.4.4	Variation 4:	Acyclic Dienyl Complexes	65
1.7.3.4.5	Variation 5:	In Situ Generation of Acyclic Dienyl Complexes	67
1.7.3.4.6	Variation 6:	Cyclopentadienyl Complexes	69
1.7.3.5	Method 5:	Metal-Centered Reduction of η^5 -Complexes at the π -System	69
1.7.3.6	Method 6:	Modification of η^4 -Complexes	69
1.7.3.6.1	Variation 1:	By Acylation	70
1.7.3.6.2	Variation 2:	By Lithiation and Addition of Electrophiles	70
1.7.3.6.3	Variation 3:	By Palladium Coupling	72
1.7.3.6.4	Variation 4:	Cyclization Reactions of η^4 -Diene Complexes	73
1.7.3.6.5	Variation 5:	Oxidative Cyclization of η^4 -Diene Complexes	74
1.7.3.6.6	Variation 6:	Nucleophile Addition to η^4 -Complexes at the π -System	75
1.7.3.6.7	Variation 7:	Nucleophile Addition to η^4 -Complexes at a Carbonyl Ligand	76
1.7.3.6.8	Variation 8:	Nucleophile Addition to η^4 -Complexes next to the π -System	76
1.7.3.6.9	Variation 9:	Reactions of Enolates and Silyl Enol Ethers	80
1.7.3.6.10	Variation 10:	Epoxide Formation and Cyclopropanation next to the π -System	81
1.7.3.6.11	Variation 11:	Diol Synthesis next to the π -System	82
1.7.3.6.12	Variation 12:	Epoxide Opening next to the π -System	83
1.7.3.6.13	Variation 13:	Cycloaddition Reactions next to the π -System	83
1.7.3.6.14	Variation 14:	By 1,3-Migration of a Tricarbonyliron Group	85
1.7.3.6.15	Variation 15:	Functionalization of Cycloheptatriene Complexes	86
1.7.3.7	Method 7:	Complexation of Heterodienes	87
1.7.3.8	Method 8:	Additional Methods for the Formation of η^4 -Complexes	88
1.7.3.8.1	Variation 1:	Alkylation of η^3 -Anions	88
1.7.3.8.2	Variation 2:	From Pentacarbonyliron by Nucleophile Addition at Carbonyl	88
1.7.3.8.3	Variation 3:	Exchange of Carbonyl for Phosphines, Phosphites, and Nitrosonium	89
1.7.3.8.4	Variation 4:	Radical and Carbene Methods in the Presence of Iron Complexes	90
1.7.3.9	Method 9:	Preparation of Nonracemic Complexes	90
1.7.3.9.1	Variation 1:	Asymmetric Complexation	90

1.7.3.9.2	Variation 2:	Asymmetric Modification and Kinetic Resolution of η^4 -Complexes	94
1.7.3.9.3	Variation 3:	By Asymmetric Induction and Kinetic Resolution with η^5 -Complexes	95
1.7.3.9.4	Variation 4:	Classical Resolution of Chiral η^4 -Complexes	95
1.7.3.9.5	Variation 5:	Kinetic Resolution of Chiral η^4 -Complexes	97
		Applications of Product Subclass 3 in Organic Synthesis	98
1.7.3.10	Method 10:	Metal Removal To Give Organic Products	98
1.7.3.10.1	Variation 1:	Decomplexation without Ligand Modification	98
1.7.3.10.2	Variation 2:	Decomplexation with Ligand Modification	103
1.7.3.11	Method 11:	Reactions next to η^3 -Complexes, Followed by Rearrangement	110
1.7.4		Product Subclass 4: Iron–Allyl Complexes	110
		Synthesis of Product Subclass 4	110
1.7.4.1	Method 1:	Protonation of Diene Complexes	110
1.7.4.1.1	Variation 1:	From η^2 -Complexes	110
1.7.4.1.2	Variation 2:	From η^4 -Complexes	111
1.7.4.1.3	Variation 3:	During Direct Complexation of Allyl Alcohols and Dienes in the Presence of Acid	111
1.7.4.2	Method 2:	Preparation by Leaving-Group Displacement from η^2 -Complexes	111
1.7.4.3	Method 3:	Preparation by Opening Vinyl Epoxides and Cyclopropanes	112
1.7.4.3.1	Variation 1:	From Epoxides	112
1.7.4.3.2	Variation 2:	From Aziridines	114
1.7.4.3.3	Variation 3:	From Cyclopropanes	114
1.7.4.3.4	Variation 4:	From Cyclobutanes	115
1.7.4.4	Method 4:	Nucleophile Addition at a Complexed π -System	115
1.7.4.4.1	Variation 1:	Nucleophile Addition to η^4 -Complexes	115
1.7.4.4.2	Variation 2:	Nucleophile Addition to η^5 -Complexes	116
1.7.4.4.3	Variation 3:	Modification of Functionality and Ligand Exchange	117
1.7.4.5	Method 5:	Nucleophile Addition to η^3 -Complexes next to the π -System	118
1.7.4.6	Method 6:	Nucleophile Addition at a Carbonyl Ligand	119
1.7.4.6.1	Variation 1:	Nucleophile Addition to η^4 -Complexes	119
1.7.4.6.2	Variation 2:	Nucleophile Addition to η^2, η^2 -Complexes	119
1.7.4.7	Method 7:	Additional Methods for the Formation of η^3 -Complexes	119
1.7.4.7.1	Variation 1:	Anionic η^3 -Complexes	119
1.7.4.7.2	Variation 2:	Modification by Carbonyl Insertion	120
1.7.4.7.3	Variation 3:	Modification by Alkene Insertion	120
1.7.4.7.4	Variation 4:	From η^4 -Vinylketene Complexes	120
1.7.4.7.5	Variation 5:	Reductive Methods To Make Anionic η^3 -Complexes	121
1.7.4.7.6	Variation 6:	Exchange of Carbonyl for Nitrosonium	121
1.7.4.8	Method 8:	Preparation of Nonracemic Complexes	121
		Applications of Product Subclass 4 in Organic Synthesis	122
1.7.4.9	Method 9:	Metal Removal To Give Organic Products	122

1.7.5	Product Subclass 5: Iron–Alkene Complexes	126
	Synthesis of Product Subclass 5	126
1.7.5.1	Method 1: Direct Complexation of Alkenes	126
1.7.5.1.1	Variation 1: Ligand Exchange with a Butene Complex	126
1.7.5.1.2	Variation 2: Reaction with Nonacarbonyldiiron	126
1.7.5.1.3	Variation 3: Reaction with Pentacarbonyliron	127
1.7.5.2	Method 2: Preparation by Hydride Abstraction from η^1 -Complexes	127
1.7.5.3	Method 3: Preparation by Protonation of η^1 -Complexes	128
1.7.5.3.1	Variation 1: Protonation of η^1 -Allyl Complexes	128
1.7.5.3.2	Variation 2: Removal of Leaving Groups from η^1 -Alkyl Complexes	129
1.7.5.3.3	Variation 3: Protonation at Iron	129
1.7.5.4	Method 4: Reactions of η^1 -Allyl Complexes with Electrophiles	129
1.7.5.4.1	Variation 1: Reaction with Aldehydes and Ketones in the Presence of a Lewis Acid	129
1.7.5.4.2	Variation 2: Reaction with Activated Alkenes	130
1.7.5.4.3	Variation 3: Reaction with η^2 -Alkene Complexes	131
1.7.5.4.4	Variation 4: Reaction with η^5 -Dienyl Complexes	131
1.7.5.5	Method 5: Nucleophile Addition to a Complexed π -System	131
1.7.5.5.1	Variation 1: Nucleophile Addition to η^2 -Complexes	131
1.7.5.5.2	Variation 2: Nucleophile Addition to η^3 -Complexes	132
1.7.5.5.3	Variation 3: Nucleophile Addition to η^4 -Complexes	132
1.7.5.5.4	Variation 4: Nucleophile Addition to η^5 -Complexes	133
1.7.5.6	Method 6: Preparation of Nonracemic Complexes	133
	Applications of Product Subclass 5 in Organic Synthesis	134
1.7.5.7	Method 7: Metal Removal To Give Organic Products	134
1.7.6	Product Subclass 6: Iron–Carbene Complexes	135
	Synthesis of Product Subclass 6	135
1.7.6.1	Method 1: Preparation by the Fischer Carbene Method	135
1.7.6.2	Method 2: From Azadiene Iron Complexes	136
1.7.6.3	Method 3: Removal of Leaving Groups from Metal–Alkyl Complexes	137
1.7.6.4	Method 4: Formation of Iron–N-Heterocyclic Carbene Complexes	137
1.7.6.5	Method 5: Modification of Other Carbene Complexes	138
1.7.6.5.1	Variation 1: Exchange of Substituents at the Carbene Complex	138
1.7.6.5.2	Variation 2: Reaction at Functional Groups Adjacent to the Carbene Complex	138
1.7.6.5.3	Variation 3: Photolysis of Carbene Complexes	139
1.7.6.6	Method 6: Preparation by Ring Expansion	139
1.7.6.7	Method 7: Preparation of Bridging Carbene Complexes	139
1.7.6.8	Method 8: Reduction of Cationic μ -CH Bridging Carbyne Complexes	142
1.7.6.9	Method 9: Preparation of Nonracemic Complexes	142
	Applications of Product Subclass 6 in Organic Synthesis	142
1.7.6.10	Method 10: Cyclopropanation by Transfer of Diazo Esters	142
1.7.6.11	Method 11: C–H Insertion Reactions	143
1.7.6.12	Method 12: Cyclization with Alkynes To Form Naphthols and Furans	143
1.7.6.13	Method 13: Removal of the Metal by Oxidation	144

1.7.7	Product Subclass 7: Iron-η^1-Alkyl, -Alkenyl, -Alkynyl, and -Heteroatom-Bound Complexes	144
	Synthesis of Product Subclass 7	144
1.7.7.1	Method 1: Metal Addition to Electrophiles	144
1.7.7.2	Method 2: Metal Addition to Nucleophiles/Lewis Bases	145
1.7.7.3	Method 3: Nucleophile Addition and Deprotonation Reactions	145
1.7.7.4	Method 4: Additional Methods for the Formation of η^1 -Alkyl Complexes	146
1.7.7.4.1	Variation 1: Nucleophile Addition to η^1 -Carbene Complexes	146
1.7.7.4.2	Variation 2: Nucleophile Addition to η^2 -Alkyne Complexes	147
1.7.7.4.3	Variation 3: Nucleophile Addition to Dicarbonyl(η^5 -cyclopentadienyl)iron Halides	147
1.7.7.4.4	Variation 4: Nucleophile Addition to Carbonyl Complexes	148
1.7.7.4.5	Variation 5: η^1 -Aryl and η^1 -Alkynyl Complexes by Catalyzed Coupling Reactions	149
1.7.7.4.6	Variation 6: η^1 -Alkynyl Complexes from Alkynes	149
1.7.7.4.7	Variation 7: Deprotonation of η^2 -Alkene Complexes	149
1.7.7.4.8	Variation 8: Introduction of Sulfur and Selenium to Di- μ -carbonyldicarbonylbis(η^5 -cyclopentadienyl)diiron	149
1.7.7.5	Method 5: Reactions of Allyl Complexes	149
1.7.7.5.1	Variation 1: η^1 -Allyl Complexes	150
1.7.7.5.2	Variation 2: η^3 -Allyl Complexes	150
1.7.7.6	Method 6: Modification of Ligands in η^1 -Complexes	150
1.7.7.7	Method 7: Preparation of Nonracemic Complexes	152
	Applications of Product Subclass 7 in Organic Synthesis	154
1.7.7.8	Method 8: Oxidation of η^1 -Products	154
1.7.7.8.1	Variation 1: Metal Removal To Generate a Carboxylic Acid	154
1.7.7.8.2	Variation 2: Metal Removal To Generate an Ester	154
1.7.7.8.3	Variation 3: Metal Removal To Generate an Amide	155
1.7.7.8.4	Variation 4: Metal Removal To Generate Alkyl Bromides or Epoxides	156
1.7.7.8.5	Variation 5: Metal Removal To Generate Ketones and Lactones	156
1.7.7.8.6	Variation 6: Reactions as Arylating Agents	158
1.7.7.8.7	Variation 7: Metal Removal with Transmetalation to Mercury	159
1.7.7.9	Method 9: Additional Methods for Decomplexation of η^1 -Alkyl Complexes	159
1.7.7.9.1	Variation 1: Disproportionation of η^1 -Products	159
1.7.7.9.2	Variation 2: Photochemical Dimerization	159
1.7.7.9.3	Variation 3: Asymmetric Cycloaddition	160
1.7.7.10	Method 10: Formation and Reaction of Oxyallyl Cation Complexes	160
1.7.7.10.1	Variation 1: [4 + 3] Cycloaddition	160
1.7.7.10.2	Variation 2: [2 + 3] Cycloaddition	160
1.7.7.10.3	Variation 3: Electrophilic Substitution	161
1.7.7.11	Method 11: Application of Collman's Reagent and Related Tetracarbonylferrate Salts	161
1.7.7.11.1	Variation 1: Cyclization to Alkenes	162
1.7.7.11.2	Variation 2: Reductions with the Tetracarbonylhydroferrate Complex	163

1.7.8.17	Ferrocenes	2014
	G. R. Stephenson	
<hr/>		
1.7.8.17	Ferrocenes	193
1.7.8.17.1	Synthesis of Ferrocenes	193
1.7.8.17.1.1	Method 1: Monosubstituted and 1,1'-Disubstituted Ferrocenes by Metal-Mediated Procedures	193
1.7.8.17.1.1.1	Variation 1: Synthesis of Halogenated Ferrocenes	193
1.7.8.17.1.1.2	Variation 2: Synthesis of Hydroxy- and Alkoxyferrocenes and 1,1'-Dihydroxyferrocene	195
1.7.8.17.1.1.3	Variation 3: Synthesis of Aminoferrocenes and 1,1'-Diaminoferrocenes ..	196
1.7.8.17.1.1.4	Variation 4: Synthesis of Carboxyferrocene, Formylferrocene, 1,1'-Dicarboxyferrocene, and 1,1'-Diformylferrocene	197
1.7.8.17.1.1.5	Variation 5: Synthesis of 1'-Formyl-2,5-dimethylazaferrocene	199
1.7.8.17.1.2	Method 2: Acyl- and Alkenylferrocenes under Friedel–Crafts Conditions ·	199
1.7.8.17.1.2.1	Variation 1: Synthesis of Alkenylferrocenes and 1,1'-Dialkenylferrocenes ·	200
1.7.8.17.1.3	Method 3: Chiral Ferrocenylalkyl Alcohols and Ferrocenylalkylamines ···	200
1.7.8.17.1.3.1	Variation 1: Via Stereoselective Alkylation and Arylation of Formylferrocene	201
1.7.8.17.1.3.2	Variation 2: Via Stereoselective Reduction of Acyl Intermediates	203
1.7.8.17.1.3.3	Variation 3: Via Enzymatic Methods	204
1.7.8.17.1.4	Method 4: Oxazol-2-ylferrocenes	205
1.7.8.17.1.5	Method 5: Chiral Ferrocenyl Aminals	206
1.7.8.17.1.6	Method 6: Chiral Ferrocenyl Sulfoxides	206
1.7.8.17.1.7	Method 7: Chiral 1,2-Disubstituted Ferrocenes by Diastereoselective Functionalization	207
1.7.8.17.1.7.1	Variation 1: From 1-Ferrocenyl- <i>N,N</i> -dimethylethylamine	207
1.7.8.17.1.7.2	Variation 2: From (4,5-Dihydrooxazol-2-yl)ferrocenes	209
1.7.8.17.1.7.3	Variation 3: From Chiral Ferrocenyl Acetals and Aminals	210
1.7.8.17.1.7.4	Variation 4: From Chiral Ferrocenyl Sulfoxides	211
1.7.8.17.1.8	Method 8: C–C Bond Formation by Substitution of Ferrocenyl Alcohols ·	211
1.7.8.17.1.9	Method 9: Cross-Coupling Reactions of Iodoferrocene and Ferrocenylboronic Acid	212
1.7.8.17.1.10	Method 10: Chiral 1,2-Disubstituted Ferrocenes via Enantioselective Sparteine-Mediated Lithiation	213
1.7.8.17.1.11	Method 11: 1,1',2-Trisubstituted Ferrocenes (BPPF-Type Ligands)	213
1.7.8.17.1.12	Method 12: Tetrasubstituted Ferrocenes from 1,1'-Bis(1-methoxyalkyl)ferrocenes	213
1.7.8.17.1.13	Method 13: Chiral Biferrocenes	214
1.7.8.17.2	Applications of Ferrocenes in Organic Synthesis	214
1.7.8.17.2.1	Method 1: Catalytic Enantioselective Hydrogenation	215
1.7.8.17.2.2	Method 2: Catalytic Enantioselective Hydroboration	222
1.7.8.17.2.3	Method 3: Catalytic Enantioselective Hydrosilylation	223
1.7.8.17.2.4	Method 4: Catalytic Enantioselective Allylic Substitution	224
1.7.8.17.2.5	Method 5: Catalytic Enantioselective Aldol Reactions	226
1.7.8.17.2.6	Method 6: Diethylzinc Addition to Aldehydes	226
1.7.8.17.2.7	Method 7: Michael Addition Reactions	228

1.7.8.17.2.8	Method 8:	Asymmetric Arylation of Aldehydes	228
1.7.8.17.2.9	Method 9:	Metal-Catalyzed [3 + 2] Cycloaddition	228
1.7.8.17.2.10	Method 10:	Ring Opening of Azabenzonorbornadienes	230
1.7.8.17.2.11	Method 11:	Applications as Bioactives	230
1.7.8.17.2.12	Method 12:	Applications as Bioconjugates	233
1.7.8.17.2.13	Method 13:	Applications in Electron Reservoirs and in Nonlinear Optics (NLO)	235
1.7.8.17.2.14	Method 14:	Applications in Oligomers and Polymers	241
1.7.8.17.2.15	Method 15:	Applications as Functional Devices	243

Volume 3: Compounds of Groups 12 and 11 (Zn, Cd, Hg, Cu, Ag, Au)

3.1	Product Class 1: Organometallic Complexes of Zinc		
3.1.11	Organometallic Complexes of Zinc		2014
	X.-F. Wu		
3.1.11	Organometallic Complexes of Zinc		255
3.1.11.1	Zinc-Catalyzed Organic Transformations		255
3.1.11.1.1	Method 1:	Zinc-Catalyzed C—C Bond-Forming Reactions	255
3.1.11.1.1.1	Variation 1:	Zinc-Catalyzed Aldol Reaction	255
3.1.11.1.1.2	Variation 2:	Zinc-Catalyzed Henry Reaction	269
3.1.11.1.1.3	Variation 3:	Zinc-Catalyzed Mannich Reaction	274
3.1.11.1.1.4	Variation 4:	Zinc-Catalyzed Michael Reaction	279
3.1.11.1.1.5	Variation 5:	Zinc-Catalyzed Friedel–Crafts Reactions	284
3.1.11.1.1.6	Variation 6:	Zinc-Catalyzed Alkynylation Reactions	290
3.1.11.1.1.7	Variation 7:	Other Zinc-Catalyzed C—C Bond-Forming Reactions	294
3.1.11.1.2	Method 2:	Zinc-Catalyzed C—N Bond-Forming Reactions	302
3.1.11.1.3	Method 3:	Zinc-Catalyzed C—O Bond-Forming Reactions	323
3.1.11.1.4	Method 4:	Zinc-Catalyzed Reduction Reactions	328
3.1.11.1.5	Method 5:	Zinc-Catalyzed Oxidation Reactions	339

Volume 4: Compounds of Group 15 (As, Sb, Bi) and Silicon Com- pounds

4.4	Product Class 4: Silicon Compounds		
4.4.46	Product Subclass 46: Siloles		New
	J. Kobayashi and T. Kawashima		
4.4.46	Product Subclass 46: Siloles		351
	Synthesis of Product Subclass 46		352
4.4.46.1	Ring Synthesis from Acyclic Compounds		352
4.4.46.1.1	Method 1: Formation of One Si—C Bond of the Silole		352
4.4.46.1.1.1	Variation 1: Nucleophilic Addition of a Carbanion to the Silicon Atom		352
4.4.46.1.1.2	Variation 2: Intramolecular Hydrosilylation of Alkynes		352
4.4.46.1.1.3	Variation 3: Reductive Cyclization of Alkynes		353
4.4.46.1.1.4	Variation 4: Nucleophilic Addition of a Silyl Anion to Alkynes		354
4.4.46.1.1.5	Variation 5: Electrophilic Substitution of an Aromatic Ring with a Silyl Cation		355
4.4.46.1.1.6	Variation 6: Rhodium-Catalyzed Intramolecular <i>trans</i> -Bis-silylation of Alkynes		355
4.4.46.1.1.7	Variation 7: Gold-Catalyzed Intramolecular <i>trans</i> -Allylsilylation of Alkynes		356
4.4.46.1.1.8	Variation 8: Palladium-Catalyzed Intramolecular C(sp ²)—Si Coupling via Cleavage of a C(sp ³)—Si Bond		356
4.4.46.1.2	Method 2: Formation of C—C Bonds of the Silole		357
4.4.46.1.2.1	Variation 1: Reductive Cyclization of Dialkynylsilanes		357
4.4.46.1.2.2	Variation 2: Intramolecular Cross-Coupling Reaction of Diarylsilanes		359
4.4.46.1.2.3	Variation 3: Iridium-Catalyzed [2 + 2 + 2] Cycloaddition of Silicon-Bridged Diynes with Alkynes		360
4.4.46.1.2.4	Variation 4: Ring-Closing Metathesis of Alkenyl(2-alkenylphenyl)silanes		361
4.4.46.1.3	Method 3: Formation of Two Si—C Bonds of the Silole		362
4.4.46.1.3.1	Variation 1: Nucleophilic Attack of Dianions at the Silicon Atom		362
4.4.46.1.3.2	Variation 2: Transmetalation of Zirconium-Containing Metallacycles		364
4.4.46.1.3.3	Variation 3: Ruthenium-Catalyzed Double Hydrosilylation of Buta-1,3-diyne		365
4.4.46.1.4	Method 4: Formation of One Si—C and One C—C Bond of the Silole		365
4.4.46.1.4.1	Variation 1: Rhodium-Catalyzed Coupling of (2-Silylphenyl)boronic Acids with Alkynes		365
4.4.46.1.4.2	Variation 2: Palladium-Catalyzed Intermolecular Coupling of 2-Silylaryl Bromides with Alkynes		366
4.4.46.1.5	Method 5: Formation of Two Si—C Bonds and One C—C Bond of the Silole		366
4.4.46.1.5.1	Variation 1: Palladium-Catalyzed Coupling of Silylboronic Esters with Alkynes		366
4.4.46.1.6	Method 6: Rearrangement of a Rhodium–Alkene Complex		367
4.4.46.2	Ring Synthesis by Transformation from Another Ring System		368
4.4.46.2.1	Method 1: Ring Expansion of Silirenes		368

Volume 20:
Three Carbon—Heteroatom Bonds: Acid Halides; Car-
boxylic Acids and Acid Salts; Esters, and Lactones;
Peroxy Acids and R(CO)OX Compounds; R(CO)X, X = S,
Se, Te

20.5 **Product Class 5: Carboxylic Acid Esters**

20.5.9.2 **2,2-Diheteroatom-Substituted Alkanoic Acid Esters**

2014

T. L. March and P. J. Duggan

20.5.9.2	2,2-Diheteroatom-Substituted Alkanoic Acid Esters	371
20.5.9.2.1	Method 1: Formation from β,γ -Unsaturated α -Oxo Esters	371
20.5.9.2.2	Method 2: Formation from α -Sulfanyl and α -Thioxo Esters	375
20.5.9.2.2.1	Variation 1: Thia-Diels–Alder Reactions of Dithiooxalates	375
20.5.9.2.2.2	Variation 2: Desulfurizing Difluorination of 2-Sulfanylacetates	376
20.5.9.2.3	Method 3: Formation of 2,2-Dinitrogen-Substituted Esters	377
20.5.9.2.3.1	Variation 1: Formation of 2,2-Dinitrogen-Substituted Esters by Displacement of Halide	377
20.5.9.2.3.2	Variation 2: Formation of 2,2-Dinitrogen-Substituted Esters by Addition to α,β -Unsaturated Esters	378
20.5.9.2.3.3	Variation 3: Formation of 2,2-Dinitrogen-Substituted Esters by Addition to Imino- and Azocarboxylates	379
20.5.9.2.3.4	Variation 4: Formation of 2,2-Dinitrogen-Substituted Esters by α -Nitration of Esters	380
20.5.9.2.4	Method 4: Formation by Halogenation of β -Oxo Esters	381
20.5.9.2.5	Method 5: Formation by Nucleophilic Attack of the α -Carbon of Alkanoic Acid Esters	384
20.5.9.2.5.1	Variation 1: Metal-Mediated C—C Bond Formation from Trihaloacetates and 2,2-Difluoro-2-silylacetates	384
20.5.9.2.5.2	Variation 2: Nucleophilic Substitution at the α -Carbon of Dihaloacetates or Diheteroatom-Substituted Ketene Silyl Acetals	387
20.5.9.2.5.3	Variation 3: Nucleophilic Substitution of Alkyl Chloroformates	388
20.5.9.2.6	Method 6: Formation of α,α -Dihalo Esters by Radical-Mediated Transformations	389
20.5.9.2.7	Method 7: Difluorination of Acid Chlorides	392

Volume 26: Ketones

26.8	Product Class 8: Aryl Ketones	
26.8.4	Aryl Ketones	2014
	J. D. Sellars	
26.8.4	Aryl Ketones	397
26.8.4.1	Synthesis from Arenes	397
26.8.4.1.1	Friedel–Crafts Acylation	397
26.8.4.1.1.1	Method 1: Acylation Using Acid Chlorides or Anhydrides	398
26.8.4.1.1.1.1	Variation 1: With p-Block Metal Catalysts	398
26.8.4.1.1.1.2	Variation 2: With Transition-Metal Catalysts	400
26.8.4.1.1.1.3	Variation 3: With Lanthanides and Actinides	403
26.8.4.1.1.1.4	Variation 4: With Solid-Supported Catalysts	405
26.8.4.1.1.1.5	Variation 5: With Brønsted Acid Catalysts	406
26.8.4.1.1.2	Method 2: Acylation Using Carboxylic Acids	408
26.8.4.1.1.3	Method 3: Acylation Using Esters	410
26.8.4.2	Synthesis from Arylmetals	411
26.8.4.2.1	Method 1: Synthesis from Arenes via C–H Activation	412
26.8.4.2.2	Method 2: Synthesis from Arylboron Reagents	413
26.8.4.2.2.1	Variation 1: With Acid Chlorides or Anhydrides	413
26.8.4.2.2.2	Variation 2: With Esters	414
26.8.4.2.2.3	Variation 3: With Nitriles	415
26.8.4.2.2.4	Variation 4: With Aldehydes	416
26.8.4.2.3	Method 3: Synthesis from Carboxylic Acids	417
26.8.4.2.4	Method 4: Synthesis from Sulfinic Acids	417
26.8.4.3	Synthesis from Aryl Halides	418
26.8.4.3.1	Method 1: Synthesis via Organometallic Reagents	418
26.8.4.3.1.1	Variation 1: With Amides	418
26.8.4.3.1.2	Variation 2: With Acid Chlorides	420
26.8.4.3.1.3	Variation 3: With Vinyl Ethers/Acetates/Enamines/Enamides	422
26.8.4.3.1.4	Variation 4: With Hydrazones	424
26.8.4.3.2	Method 2: Carbonylation	425
26.8.4.4	Synthesis from Acyl Anion Equivalents	430
26.8.4.5	Synthesis via Oxidation	435
26.8.4.5.1	Method 1: Oxidation of Benzylic Alcohols	435
26.8.4.5.2	Method 2: Oxidation of Aryl Methylenes	438
26.8.4.6	Synthesis via Rearrangement	439
26.8.4.6.1	Method 1: Fries Rearrangement	439
26.8.4.6.2	Method 2: Alkyne Hydration/Rearrangement	440
26.8.4.7	Synthesis via Cycloaddition of Arynes	441

Author Index	449
Abbreviations	489