


## Science of Synthesis Knowledge Updates 2020/2

|            |   |     |
|------------|---|-----|
|            | <b>Preface</b> .....  | V   |
|            | <b>Abstracts</b> .....  | VII |
|            | <b>Table of Contents</b> .....  | XV  |
| 5.1.28     | <b>Product Subclass 28: Germoles</b><br>T. Müller    | 1   |
| 5.2.30     | <b>Product Subclass 30: Stannoles</b><br>I.-M. Ramirez y Medina  , W. Kipke, J. Makow, and A. Staubitz                  | 31  |
| 10.4       | <b>Product Class 4: Benzo[b]thiophenes</b><br>N. Yoshikai, C. M. Rayner, and M. A. Graham   | 53  |
| 16.12.5    | <b>Pyrimidines (Update 2020)</b><br>J. M. Campagne  and E. Leclerc    | 147 |
| 16.13.6    | <b>Quinazolines (Update 2020)</b><br>J. M. Campagne  and E. Leclerc   | 185 |
| 16.16.5    | <b>Phenazines (Update 2020)</b><br>N. B. Ambhaikar  | 193 |
| 21.1.8     | <b>Synthesis of Amides by Transamidation and Amidation of Activated Amides and Esters</b><br>G. Li  and M. Szostak  | 219 |
| 32.3.4.2   | <b>1-Nitrogen-Functionalized 2-Haloalkenes (Update 2020)</b><br>M. L. Tong, K. Kunz, M. Jaschinski, K. Holzschneider, I. E. Celik, and S. F. Kirsch   | 235 |
| 38.8.3.2   | <b>Stable and Unstable 1,2-Dioxolanes: Origin, Synthesis, and Biological Activities</b><br>V. M. Dembitsky and I. A. Yaremenko   | 277 |
| 40.1.1.4.3 | <b>Synthesis of Amines by Rearrangement (Update 2020)</b><br>C. I. Ochoa and U. K. Tambar   | 315 |

|        |  |     |
|--------|--|-----|
| 43.10  | <b>Cross-Dehydrogenative Coupling of Terminal Alkynes</b><br>T. Tian and Z. Li ..... | 375 |
| 48.5.5 | <b>Hydrocarbon Polymers (Update 2020)</b><br>X.-Y. Wang and X.-L. Sun .....          | 437 |
|        | <b>Author Index</b> .....  | 477 |
|        | <b>Abbreviations</b> .....   | 501 |

## Table of Contents

### Volume 5: Compounds of Group 14 (Ge, Sn, Pb)

|                |   |       |
|----------------|---|-------|
| 5.1            | <b>Product Class 1: Germanium Compounds</b>   |       |
| 5.1.28         | <b>Product Subclass 28: Gerroles</b>  | (New) |
|                | T. Müller  |       |
| 5.1.28         | <b>Product Subclass 28: Gerroles</b> .....  | 1     |
| 5.1.28.1       | Synthesis of Gerroles .....   | 3     |
| 5.1.28.1.1     | Synthesis from Acyclic Precursors .....   | 3     |
| 5.1.28.1.1.1   | Formation of One Ge—C Bond .....  | 3     |
| 5.1.28.1.1.1.1 | Method 1: Intramolecular <i>trans</i> Hydrogermylation .....                                | 3     |
| 5.1.28.1.1.1.2 | Method 2: Intramolecular Ge—C(sp <sup>3</sup> ) Bond Activation .....                       | 3     |
| 5.1.28.1.1.1.3 | Method 3: Dehydrogenative Germylation of C(sp <sup>2</sup> )—H Bonds .....                  | 4     |
| 5.1.28.1.1.2   | Formation of Two Ge—C Bonds .....   | 5     |
| 5.1.28.1.1.2.1 | Method 1: Salt Metathesis Reaction between Dianions and Germanium Dihalides .....           | 5     |
| 5.1.28.1.1.2.2 | Method 2: Double $\sigma$ -Bond Metathesis between Dihydrogermanes and Aryl Iodides .....   | 10    |
| 5.1.28.1.1.2.3 | Method 3: Metal–Germanium Exchange Reaction of Group 4 Metallacyclopentadienes .....        | 11    |
| 5.1.28.1.1.2.4 | Method 4: Double <i>trans</i> Hydrogermylation of Diynes .....                              | 14    |
| 5.1.28.1.1.3   | Formation of One Ge—C Bond and the C3—C4 Bond .....   | 15    |
| 5.1.28.1.1.3.1 | Method 1: Annulation Reaction between 2-Germylphenylboronic Esters and Alkynes .....        | 15    |
| 5.1.28.1.1.4   | Formation of the C3—C4 Bond .....   | 16    |
| 5.1.28.1.1.4.1 | Method 1: Twofold 1,1-Carboboration of Dialkynylgermanes .....                              | 16    |
| 5.1.28.1.1.5   | Formation of the C2=C3 Bond .....   | 19    |
| 5.1.28.1.1.5.1 | Method 1: Ring-Closing Metathesis of Alkenyl(2-alkenylphenyl)germanes .....                 | 19    |
| 5.1.28.1.1.6   | Formation of the Two Ge—C Bonds and the C3—C4 Bond .....                                    | 19    |
| 5.1.28.1.1.6.1 | Method 1: Cycloaddition of Alkynes with Germylenes .....                                    | 19    |
| 5.1.28.1.2     | Synthesis from Cyclic Precursors .....  | 20    |
| 5.1.28.1.2.1   | Method 1: Oxidation of 2,5-Dihydro-1 <i>H</i> -gerroles .....                               | 20    |
| 5.1.28.1.2.1.1 | Variation 1: By an Oxidation/Dehydration Sequence .....                                     | 20    |
| 5.1.28.1.2.1.2 | Variation 2: By Oxidation with Quinones .....   | 22    |
| 5.1.28.1.2.2   | Method 2: Ring Contraction .....  | 22    |
| 5.1.28.1.2.2.1 | Variation 1: By Extrusion of a Germylene Unit .....   | 22    |

|                |   |    |
|----------------|---|----|
| 5.1.28.1.3     | Synthesis of Anionic 1 <i>H</i> -1 $\lambda^3$ -Germales and Dianionic 1 <i>H</i> -1 $\lambda^2$ -Germales                              | 23 |
| 5.1.28.1.3.1   | Synthesis of Alkali-Metal Salts of 1 <i>H</i> -Germales-1-ides  | 23 |
| 5.1.28.1.3.1.1 | Method 1: Deprotonation of 1-Hydrido-1 <i>H</i> -germales   | 23 |
| 5.1.28.1.3.1.2 | Method 2: Cleavage of a Ge—Si Bond by Benzylpotassium   | 24 |
| 5.1.28.1.3.1.3 | Method 3: Reductive Cleavage of a Ge—Ge Bond  | 25 |
| 5.1.28.1.3.1.4 | Method 4: Halogen–Metal Exchange  | 25 |
| 5.1.28.1.3.2   | Synthesis of Alkali-Metal Salts of 1 <i>H</i> -Germales-1,1-diides  | 26 |
| 5.1.28.1.3.2.1 | Method 1: Chlorine–Metal Exchange from 1,1-Dichloro-1 <i>H</i> -germales  | 26 |
| 5.2            | <b>Product Class 2: Tin Compounds</b>   |    |
| 5.2.30         | <b>Product Subclass 30: Stannoies</b> <span style="float: right; border: 1px solid black; border-radius: 50%; padding: 2px;">New</span> |    |
|                | I.-M. Ramirez y Medina, W. Kipke, J. Makow, and A. Staubitz   |    |
| 5.2.30         | <b>Product Subclass 30: Stannoies</b>   | 31 |
| 5.2.30.1       | Ring Synthesis from Acyclic Compounds   | 32 |
| 5.2.30.1.1     | Formation of One Sn—C Bond  | 32 |
| 5.2.30.1.1.1   | Method 1: Nucleophilic Addition of a Carbanion to the Tin Atom  | 32 |
| 5.2.30.1.2     | Formation of C—C Bonds  | 33 |
| 5.2.30.1.2.1   | Method 1: Organoboration of Alkynyltin Compounds  | 33 |
| 5.2.30.1.3     | Formation of Two Sn—C Bonds   | 35 |
| 5.2.30.1.3.1   | Method 1: Hydrostannation of a Diyne with Dibutylstannane   | 35 |
| 5.2.30.1.3.2   | Method 2: Cyclization of 1,4-Dilithio Compounds by Tin Halides  | 35 |
| 5.2.30.1.3.3   | Method 3: Transmetalation of Zirconacyclopentadienes  | 43 |
| 5.2.30.1.3.4   | Method 4: Transmetalation of Titanacyclopentadienes   | 46 |
| 5.2.30.1.4     | Formation of Two Sn—C Bonds and One C—C Bond  | 48 |
| 5.2.30.1.4.1   | Method 1: Palladium-Catalyzed Reaction of an Alkyne with a Stannylene   | 48 |
| 5.2.30.1.5     | Formation of Two Sn—Heteroatom Bonds  | 49 |
| 5.2.30.1.5.1   | Method 1: Transamination of Amino Aldimines with Bis[bis(trimethylsilyl)amino]tin(II)   | 49 |
| 5.2.30.1.5.2   | Method 2: Reaction of a Dithiol with Tin(IV) Chloride   | 50 |

## Volume 10: Fused Five-Membered Heteroarenes with One Heteroatom

|                  |   |      |
|------------------|---|------|
| 10.4             | <b>Product Class 4: Benzo[<i>b</i>]thiophenes</b>   | 2020 |
|                  | N. Yoshikai, C. M. Rayner, and M. A. Graham   |      |
| 10.4             | <b>Product Class 4: Benzo[<i>b</i>]thiophenes</b> .....   | 53   |
| 10.4.1           | <b>Synthesis by Ring-Closure Reactions</b> .....  | 55   |
| 10.4.1.1         | By Annulation to an Arene .....   | 55   |
| 10.4.1.1.1       | By Formation of Two S—C Bonds and One C—C Bond .....  | 55   |
| 10.4.1.1.1.1     | With Formation of 7a—1, 1—2, and 3—3a Bonds .....   | 55   |
| 10.4.1.1.1.1.1   | Method 1: Zirconium-Mediated Coupling of Aryllithium Reagents with Alkynes and Sulfur Dichloride .....                  | 55   |
| 10.4.1.1.1.1.2   | Method 2: Cobalt-Catalyzed Coupling of Arylzinc Reagents with Alkynes and Sulfur .....                                  | 57   |
| 10.4.1.1.1.2     | With Formation of 7a—1, 1—2, and 2—3 Bonds .....  | 58   |
| 10.4.1.1.1.2.1   | Method 1: Condensation of 2-Bromobenzaldehydes with 2-Arylacetaes and Sulfur .....                                      | 58   |
| 10.4.1.1.2       | By Formation of Two S—C Bonds .....   | 59   |
| 10.4.1.1.2.1     | With Formation of 7a—1 and 1—2 Bonds .....  | 59   |
| 10.4.1.1.2.1.1   | Method 1: Annulation of Arylethenes with Sulfur Reagents .....  | 59   |
| 10.4.1.1.2.1.1.1 | Variation 1: From a Styrene and Sulfur .....  | 59   |
| 10.4.1.1.2.1.1.2 | Variation 2: From Cinnamionitriles and Thionyl Chloride or Disulfur Dichloride .....                                    | 60   |
| 10.4.1.1.2.1.1.3 | Variation 3: From (2-Iodoaryl)ethenes and Sulfur under Copper Catalysis ..  | 60   |
| 10.4.1.1.2.1.1.4 | Variation 4: From (2-Fluoroaryl)ethenes and Potassium Sulfide .....   | 61   |
| 10.4.1.1.2.1.1.5 | Variation 5: From $\beta$ -(2-Iodoaryl) $\alpha,\beta$ -Unsaturated Ketones and a Xanthate under Copper Catalysis ..... | 62   |
| 10.4.1.1.2.1.2   | Method 2: Condensation of 2-Alkynylaryl Bromides .....  | 63   |
| 10.4.1.1.2.1.2.1 | Variation 1: From 2-Alkynylaryl Bromides and Sodium Sulfide .....   | 63   |
| 10.4.1.1.2.1.2.2 | Variation 2: From 2-Alkynylaryl Bromides and Thiourea under Palladium Catalysis .....                                   | 64   |
| 10.4.1.1.2.1.3   | Method 3: Condensation of 2-(2-Bromoaryl)acetonitriles and Sodium Thiosulfate under Palladium Catalysis .....           | 65   |
| 10.4.1.1.3       | By Formation of One S—C and One C—C Bond .....  | 66   |
| 10.4.1.1.3.1     | With Formation of 1—2 and 2—3 Bonds .....   | 66   |
| 10.4.1.1.3.1.1   | Method 1: From a (2-Sulfanylbenzyl)phosphonium Salt and Acid Chlorides .....  | 66   |

|                  |   |    |
|------------------|---|----|
| 10.4.1.1.3.2     | With Formation of 7a—1 and 2—3 Bonds  | 67 |
| 10.4.1.1.3.2.1   | Method 1: Synthesis from (2-Iodobenzyl)triphenylphosphonium Bromide and a Thiocarboxylic Acid   | 67 |
| 10.4.1.1.3.2.2   | Method 2: Perkin Condensation   | 68 |
| 10.4.1.1.3.2.3   | Method 3: Condensation of Arylacetonitriles and Dithioesters  | 69 |
| 10.4.1.1.3.2.3.1 | Variation 1: From a 2-(2-Bromoaryl)acetonitrile and a Carbodithioate under Copper Catalysis   | 69 |
| 10.4.1.1.3.2.3.2 | Variation 2: From an Arylacetonitrile and a Carbodithioate under Palladium Catalysis  | 70 |
| 10.4.1.1.3.3     | With Formation of 1—2 and 3—3a Bonds  | 72 |
| 10.4.1.1.3.3.1   | Method 1: Annulation of Benzenethiol Derivatives with Alkynes   | 72 |
| 10.4.1.1.3.3.1.1 | Variation 1: From a 2-Sulfanylarenediazonium Salt and Alkynes under Photoredox Catalysis  | 72 |
| 10.4.1.1.3.3.1.2 | Variation 2: From 2-(Methylsulfanyl)aryl Bromides and Alkynes under Palladium Catalysis   | 73 |
| 10.4.1.1.3.3.1.3 | Variation 3: From Benzenethiols and Alkynes under Manganese Catalysis   | 74 |
| 10.4.1.1.3.3.1.4 | Variation 4: From Benzenethiols and Alkynes under Iodine Catalysis  | 75 |
| 10.4.1.1.3.3.1.5 | Variation 5: From <i>N</i> -(Arylsulfanyl)succinimides and Alkynes under Metal Catalysis  | 76 |
| 10.4.1.1.4       | By Formation of Two C—C Bonds   | 77 |
| 10.4.1.1.4.1     | With Formation of 2—3 and 3—3a Bonds  | 77 |
| 10.4.1.1.4.1.1   | Method 1: Lithiation of Thioanisole   | 77 |
| 10.4.1.1.5       | By Formation of One S—C Bond  | 78 |
| 10.4.1.1.5.1     | With Formation of the 1—2 Bond  | 78 |
| 10.4.1.1.5.1.1   | Method 1: Intramolecular Condensation of 2-Alkenylbenzenethiols   | 78 |
| 10.4.1.1.5.1.1.1 | Variation 1: From 2-Sulfanylacinnamic Acids   | 78 |
| 10.4.1.1.5.1.1.2 | Variation 2: From 2-(2,2-Dibromovinyl)benzenethiol under Copper or Palladium Catalysis  | 79 |
| 10.4.1.1.5.1.2   | Method 2: Cyclization of 2-Alkynylbenzenethiol Derivatives  | 81 |
| 10.4.1.1.5.1.2.1 | Variation 1: From 2-Alkynylthioanisoles and Halogen or Chalcogen Electrophiles  | 81 |
| 10.4.1.1.5.1.2.2 | Variation 2: From 2-Alkynylthioanisoles and <i>N</i> -Phenyl- <i>S</i> -(trifluoromethyl)thiohydroxylamine with Bismuth(III) Chloride | 82 |
| 10.4.1.1.5.1.2.3 | Variation 3: From 2-Alkynylaryl Sulfides under Gold Catalysis   | 83 |
| 10.4.1.1.5.1.3   | Method 3: Cyclization of 2-Propargylbenzenethiol Derivatives  | 84 |
| 10.4.1.1.5.1.3.1 | Variation 1: From a 1-(2-Sulfanylaryl)propargyl Alcohol   | 84 |
| 10.4.1.1.5.1.3.2 | Variation 2: From a 2-Propargylthioanisole  | 85 |
| 10.4.1.1.5.1.4   | Method 4: Cyclization of 2-[2-(Benzylsulfanyl)phenyl]acetonitrile   | 86 |
| 10.4.1.1.5.2     | With Formation of the 7a—1 Bond   | 87 |
| 10.4.1.1.5.2.1   | Method 1: Cyclization of 2-Arylethene-1-thiols  | 87 |
| 10.4.1.1.5.2.1.1 | Variation 1: From $\alpha$ -Sulfanylacinnamic Acids   | 87 |
| 10.4.1.1.5.2.1.2 | Variation 2: From <i>S</i> -[( <i>E</i> )-2-Chlorovinyl] Sulfenamides   | 89 |

|                  |   |     |
|------------------|---|-----|
| 10.4.1.1.5.2.1.3 | Variation 3: From Arylketene Dithioacetal Monoxides .....   | 90  |
| 10.4.1.1.5.2.1.4 | Variation 4: From 1,2,2-Triarylethene-1-thiols .....  | 92  |
| 10.4.1.1.5.2.1.5 | Variation 5: From 2-(2-Bromoaryl)-3-(methylsulfanyl)acrylonitriles .....  | 93  |
| 10.4.1.1.6       | By Formation of One C—C Bond .....  | 94  |
| 10.4.1.1.6.1     | With Formation of the 3—3a Bond .....   | 94  |
| 10.4.1.1.6.1.1   | Method 1: Synthesis from 2-(Phenylsulfanyl)acetaldehyde Dialkyl Acetals and Related Compounds .....             | 94  |
| 10.4.1.1.6.1.2   | Method 2: Intramolecular Heck Cyclization of [(2-Halophenyl)sulfanyl]alkenes .....                              | 97  |
| 10.4.1.1.6.1.3   | Method 3: Intramolecular Carbomagnesiation of [(2-Halophenyl)sulfanyl]alkynes .....                             | 99  |
| 10.4.1.1.6.2     | With Formation of the 2—3 Bond .....  | 100 |
| 10.4.1.1.6.2.1   | Method 1: Dieckmann Reaction of [(2-Carboxyphenyl)sulfanyl]acetic Acid Derivatives .....                        | 100 |
| 10.4.1.2         | By Annulation to the Heterocyclic Ring .....  | 101 |
| 10.4.1.2.1       | By Formation of Two C—C Bonds .....   | 101 |
| 10.4.1.2.1.1     | With Formation of 3a—4 and 7—7a Bonds .....   | 101 |
| 10.4.1.2.1.1.1   | Method 1: Benzannulation of Thiophenes with 2,5-Dimethoxytetrahydrofuran .....                                  | 101 |
| 10.4.1.2.1.1.2   | Method 2: Benzannulation of a 2-Stannylthiophene and a 4-Chlorocyclobut-2-enone under Palladium Catalysis ..... | 101 |
| 10.4.1.2.1.2     | With Formation of 4—5 and 6—7 Bonds .....   | 102 |
| 10.4.1.2.1.2.1   | Method 1: Benzannulation of 3-Alkynylthiophene-2-carbaldehydes .....  | 102 |
| 10.4.1.2.1.2.2   | Method 2: Diels–Alder Reaction .....  | 103 |
| 10.4.1.2.1.2.3   | Method 3: Michael Addition of Thienylmethyl Anions .....  | 104 |
| 10.4.1.2.1.3     | With Formation of 5—6 and 7—7a Bonds .....  | 105 |
| 10.4.1.2.1.3.1   | Method 1: Benzannulation of 4-Alkenyl-2-benzylthiophenes .....  | 105 |
| 10.4.1.2.1.4     | With Formation of 4—5 and 5—6 Bonds .....   | 106 |
| 10.4.1.2.1.4.1   | Method 1: Benzannulation of 2-Alkynylthiophene-3-carbaldehydes .....  | 106 |
| 10.4.1.2.1.5     | With Formation of 6—7 and 7—7a Bonds .....  | 107 |
| 10.4.1.2.1.5.1   | Method 1: Cyclocarbonylation of 3-Thienylallyl Acetates under Palladium Catalysis .....                         | 107 |
| 10.4.1.2.1.6     | With Formation of 5—6 and 6—7 Bonds .....   | 107 |
| 10.4.1.2.1.6.1   | Method 1: Cyclization of an <i>N</i> -Benzyl-(3-alkynylthiophen-2-yl)methanimine .....                          | 107 |
| 10.4.1.2.2       | By Formation of One C—C Bond .....  | 108 |
| 10.4.1.2.2.1     | With Formation of the 3a—4 Bond .....   | 108 |
| 10.4.1.2.2.1.1   | Method 1: Irradiation of (2-Arylviny)thiophenes .....   | 108 |
| 10.4.1.2.2.2     | With Formation of the 5—6 Bond .....  | 109 |
| 10.4.1.2.2.2.1   | Method 1: Alkyne Activation/Cyclization of 2,3-Dialkynylthiophenes under Gold Catalysis .....                   | 109 |

|                  |              |  |     |
|------------------|--------------|--|-----|
| 10.4.1.2.2.2.1.1 | Variation 1: | Via C(sp <sup>3</sup> )—H Activation                               | 109 |
| 10.4.1.2.2.2.1.2 | Variation 2: | Via Diyne Cycloisomerization/Intramolecular Hydroamination Cascade | 110 |
| 10.4.1.2.2.2.1.3 | Variation 3: | Via Diyne Cycloisomerization/Intermolecular Hydroamination Cascade | 111 |
| 10.4.1.2.2.2.2   | Method 2:    | Cycloisomerization of 3-Alkynyl-2-arylthiophenes                   | 111 |
| 10.4.1.2.2.2.3   | Method 3:    | 6 $\pi$ -Electrocyclic Ring Closure                                | 113 |
| 10.4.1.2.2.2.4   | Method 4:    | Cyclization of a 2-Acetyl-3-alkynylthiophene                       | 113 |
| 10.4.1.2.2.3     |              | With Formation of the 4—5 Bond                                     | 114 |
| 10.4.1.2.2.3.1   | Method 1:    | Ring-Closing Enyne Metathesis                                      | 114 |
| 10.4.2           |              | <b>Synthesis by Ring Transformation</b>                            | 115 |
| 10.4.2.1         | Method 1:    | Exchange of Ring Members   | 115 |
| 10.4.3           |              | <b>Synthesis by Substituent Modification</b>                       | 116 |
| 10.4.3.1         |              | Substitution of Existing Substituents                              | 116 |
| 10.4.3.1.1       |              | Of Hydrogen  | 116 |
| 10.4.3.1.1.1     | Method 1:    | Halogenation   | 116 |
| 10.4.3.1.1.2     | Method 2:    | Nitration  | 117 |
| 10.4.3.1.1.3     | Method 3:    | C-Acylation  | 118 |
| 10.4.3.1.1.4     | Method 4:    | C-Alkylation   | 119 |
| 10.4.3.1.1.5     | Method 5:    | Malonyl Radical Substitution                                       | 120 |
| 10.4.3.1.1.6     | Method 6:    | Metalation   | 121 |
| 10.4.3.1.2       |              | Of Metals  | 122 |
| 10.4.3.1.2.1     | Method 1:    | Reactions Involving Organotransition Metal Species                 | 122 |
| 10.4.3.1.2.2     | Method 2:    | Reactions Involving Stoichiometric Organometallic Intermediates    | 128 |
| 10.4.3.1.3       |              | Of Carbon Functionalities  | 131 |
| 10.4.3.1.3.1     | Method 1:    | Curtius Rearrangement of Carboxylic Acids                          | 131 |
| 10.4.3.1.4       |              | Of Heteroatoms   | 131 |
| 10.4.3.1.4.1     | Method 1:    | Metal–Halogen Exchange   | 131 |
| 10.4.3.1.4.2     | Method 2:    | Palladium-Mediated Coupling of Halobenzo[ <i>b</i> ]thiophenes     | 132 |
| 10.4.3.1.4.3     | Method 3:    | Reactions of Diazonium Salts                                       | 134 |
| 10.4.3.1.4.4     | Method 4:    | Reactions of Benzo[ <i>b</i> ]thiophene <i>S</i> -Oxides           | 136 |
| 10.4.3.2         |              | Modification of Substituents                                       | 138 |
| 10.4.3.2.1       | Method 1:    | Reduction of Nitro Derivatives                                     | 138 |



## Volume 16: Six-Membered Heteroarenes with Two Identical Heteroatoms

### 16.12 Product Class 12: Pyrimidines

|                   |   |     |
|-------------------|---|-----|
| 16.12.5           | <b>Pyrimidines</b> <span style="float: right;">2020</span><br>J. M. Campagne <sup>ib</sup> and E. Leclerc <sup>ib</sup> |     |
| 16.12.5           | <b>Pyrimidines</b> .....  | 147 |
| 16.12.5.1         | Synthesis by Ring-Closure Reactions .....   | 147 |
| 16.12.5.1.1       | By Formation of Two N—C Bonds and One C—C Bond .....  | 147 |
| 16.12.5.1.1.1     | Fragments N—C, N—C, and C—C .....   | 147 |
| 16.12.5.1.1.1.1   | Method 1: Reaction of Alkynes with Nitriles .....   | 147 |
| 16.12.5.1.1.1.1.1 | Variation 1: Acid-Promoted Reactions .....  | 147 |
| 16.12.5.1.1.1.1.2 | Variation 2: Transition-Metal-Mediated Reactions .....  | 148 |
| 16.12.5.1.1.1.2   | Method 2: Reaction of Alkynes with Amides .....   | 151 |
| 16.12.5.1.1.1.3   | Method 3: Reaction of CH Acidic Compounds with Formamide and<br>Equivalents .....                                       | 152 |
| 16.12.5.1.1.1.3.1 | Variation 1: Reaction of Ketones .....  | 152 |
| 16.12.5.1.1.2     | Fragments N—C—C, N—C, and C .....   | 153 |
| 16.12.5.1.1.2.1   | Method 1: Reaction of Vinylamines, Amines, and Aldehydes .....  | 153 |
| 16.12.5.1.1.3     | Fragments N—C—N, C—C, and C .....   | 153 |
| 16.12.5.1.1.3.1   | Method 1: Reaction of Malononitrile and Aromatic Aldehydes with<br>Amidines .....                                       | 153 |
| 16.12.5.1.1.3.2   | Method 2: Reaction of Alcohols with Amidines .....  | 154 |
| 16.12.5.1.1.3.3   | Method 3: Reaction of Amidines with Alkenes and a One-Carbon<br>Fragment .....  | 156 |
| 16.12.5.1.1.3.3.1 | Variation 1: Reaction of Amidines with Alkenes and Formamides .....   | 156 |
| 16.12.5.1.1.3.3.2 | Variation 2: Reaction of Amidines with Alkenes and Perfluoroalkyl Halides .....   | 157 |
| 16.12.5.1.1.3.4   | Method 4: Reaction of Amidines with Ketones and Alkynes .....   | 157 |
| 16.12.5.1.2       | By Formation of Two N—C Bonds .....   | 158 |
| 16.12.5.1.2.1     | Fragments C—C—C—N—C and N .....   | 158 |
| 16.12.5.1.2.1.1   | Method 1: Reaction <i>N</i> ,2-Diacylvinylamines with Ammonia and<br>Derivatives .....                                  | 158 |
| 16.12.5.1.2.2     | Fragments C—C—C—N and N—C .....   | 159 |
| 16.12.5.1.2.2.1   | Method 1: Reaction of 2-Cyanoacetates with Amidines .....   | 159 |
| 16.12.5.1.2.2.2   | Method 2: Reaction of Protected 3-Aminoprop-2-enones with Primary<br>Amides .....                                       | 159 |
| 16.12.5.1.2.2.3   | Method 3: Reaction of Malononitriles with Formamides .....  | 160 |

|                   |   |     |
|-------------------|---|-----|
| 16.12.5.1.2.3     | Fragments N—C—N and C—C—C .....   | 161 |
| 16.12.5.1.2.3.1   | Method 1: Reaction of Vinamidinium Salts with Amidines .....  | 161 |
| 16.12.5.1.2.3.2   | Method 2: Reaction of $\beta$ -Oxo Esters with Amidines .....   | 161 |
| 16.12.5.1.2.3.3   | Method 3: Reaction of 3-Heterosubstituted Prop-2-en-1-ones with<br>Amidines .....                       | 162 |
| 16.12.5.1.2.3.3.1 | Variation 1: Reaction of 3-Haloprop-2-en-1-ones .....   | 162 |
| 16.12.5.1.2.3.3.2 | Variation 2: Reaction of $\beta$ -Alkoxy- $\alpha,\beta$ -unsaturated Carbonyl Compounds ..             | 163 |
| 16.12.5.1.2.3.3.3 | Variation 3: Reaction of 3-Sulfanylprop-2-en-1-ones .....   | 164 |
| 16.12.5.1.2.3.3.4 | Variation 4: Reaction of 3-Aminoprop-2-en-1-ones .....  | 164 |
| 16.12.5.1.2.3.4   | Method 4: Reaction of 3-Arylprop-2-en-1-ones with Amidines .....  | 165 |
| 16.12.5.1.2.3.5   | Method 5: Reaction of 3-(Trichloromethyl)prop-2-en-1-ones with<br>Amidines .....                        | 165 |
| 16.12.5.1.2.3.6   | Method 6: Reaction of 3-Alkoxycyclobutanones with Amidines .....  | 166 |
| 16.12.5.1.2.3.7   | Method 7: Reaction of Prop-2-en-1-one or Prop-2-yn-1-one Surrogates<br>with Amidines .....              | 166 |
| 16.12.5.1.2.3.7.1 | Variation 1: Reaction of Propargyl Alcohols with Amidines .....   | 166 |
| 16.12.5.1.2.3.7.2 | Variation 2: Reaction of Propan-1-ones with Amidines .....  | 167 |
| 16.12.5.1.2.3.8   | Method 8: Reaction of Alkenes with Amidines .....   | 169 |
| 16.12.5.1.2.3.9   | Method 9: Reaction of 1,2,3-Triazines with Amidines .....   | 170 |
| 16.12.5.1.2.4     | Two Fragments N—C—C .....   | 171 |
| 16.12.5.1.2.4.1   | Method 1: Dimerization of 2-Amino Esters .....  | 171 |
| 16.12.5.1.3       | By Formation of One N—C Bond and One C—C Bond .....   | 171 |
| 16.12.5.1.3.1     | Fragments N—C—N—C—C and C .....   | 171 |
| 16.12.5.1.3.1.1   | Method 1: Reaction of <i>N</i> -Vinylamidines with Ortho Esters .....                                   | 171 |
| 16.12.5.1.3.1.2   | Method 2: Reaction of <i>N</i> -Vinylamidines with Aldehydes .....                                      | 172 |
| 16.12.5.1.3.2     | Fragments N—C—N—C and C—C .....   | 172 |
| 16.12.5.1.3.2.1   | Method 1: Reaction of 4-(Dimethylamino)-2-(trihalomethyl)-<br>1,3-azabuta-1,3-dienes with Ketenes ..... | 172 |
| 16.12.5.1.3.2.2   | Method 2: Reaction of 1,3,5-Triazine with Ketones .....   | 173 |
| 16.12.5.2         | Aromatization .....   | 174 |
| 16.12.5.2.1       | By Oxidation .....  | 174 |
| 16.12.5.2.1.1     | Method 1: Dehydrogenation of Dihydro-/Tetrahydropyrimidines .....                                       | 174 |
| 16.12.5.3         | Synthesis by Substituent Modification .....   | 174 |
| 16.12.5.3.1       | Substitution of Existing Substituents .....   | 174 |
| 16.12.5.3.1.1     | Of Hydrogen .....   | 174 |
| 16.12.5.3.1.1.1   | Method 1: Metalation .....  | 174 |
| 16.12.5.3.1.1.2   | Method 2: C-Formylation .....   | 175 |
| 16.12.5.3.1.1.3   | Method 3: C-Alkylation .....  | 176 |
| 16.12.5.3.1.1.4   | Method 4: C-Arylation .....   | 176 |

|                   |   |     |
|-------------------|---|-----|
| 16.12.5.3.1.2     | Of Heteroatoms  | 177 |
| 16.12.5.3.1.2.1   | Substitution of Halogens by Carbon Functionalities    | 177 |
| 16.12.5.3.1.2.1.1 | Method 1: Reaction with Grignard Reagents             | 177 |
| 16.12.5.3.1.2.2   | Substitution of Halogens by Nitrogen Functionalities  | 178 |
| 16.12.5.3.1.2.2.1 | Method 1: Substitution of Halogens by Aromatic Amines | 178 |
| 16.12.5.3.1.2.3   | Substitution of Sulfur Functions                      | 181 |
| 16.12.5.3.1.2.3.1 | Method 1: Exchange for Carbofunctional Groups         | 181 |

## 16.13 Product Class 13: Quinazolines

|                   |   |      |
|-------------------|---|------|
| 16.13.6           | <b>Quinazolines</b>   | 2020 |
|                   | J. M. Campagne and E. Leclerc   |      |
| 16.13.6           | <b>Quinazolines</b>   | 185  |
| 16.13.6.1         | Synthesis by Ring-Closure Reactions                                     | 185  |
| 16.13.6.1.1       | By Annulation to an Arene   | 185  |
| 16.13.6.1.1.1     | Fragments N—Arene—C and N—C   | 185  |
| 16.13.6.1.1.1.1   | Method 1: Reaction of 2-Aminophenyl Ketones with Primary Amines         | 185  |
| 16.13.6.1.1.1.2   | Method 2: Reaction of 2-Aminobenzyl Alcohols with Nitriles              | 186  |
| 16.13.6.1.1.2     | Fragments N—C—Arene and N—C   | 186  |
| 16.13.6.1.1.2.1   | Method 1: Reaction of 2-Halobenzamides with Nitriles                    | 186  |
| 16.13.6.1.1.3     | Fragments N—C—Arene—N and C   | 187  |
| 16.13.6.1.1.3.1   | Method 1: Reaction of 2-Aminobenzamides with a One-Carbon Fragment      | 187  |
| 16.13.6.1.1.3.1.1 | Variation 1: Reaction of Amines with 2-Aminobenzamides                  | 187  |
| 16.13.6.1.1.3.1.2 | Variation 2: Reaction of Aldehydes or Alcohols with 2-Aminobenzamides   | 188  |
| 16.13.6.1.1.3.1.3 | Variation 3: Reaction of Alkenes with 2-Aminobenzamides                 | 189  |
| 16.13.6.1.1.3.2   | Method 2: Reaction of 2-(Aminomethyl)aniline with a One-Carbon Fragment | 190  |
| 16.13.6.1.1.3.2.1 | Variation 1: Reaction of Isocyanides with 2-(Aminomethyl)aniline        | 190  |
| 16.13.6.1.1.3.2.2 | Variation 2: Reaction of Alcohols with 2-(Aminomethyl)aniline           | 190  |
| 16.13.6.1.2       | By Annulation to the Heterocyclic Ring                                  | 191  |
| 16.13.6.1.2.1     | Method 1: Intramolecular Arylation of 5-(2-Arylphenyl)pyrimidines       | 191  |

|             |   |      |
|-------------|---|------|
| 16.16       | <b>Product Class 16: Phenazines</b>   |      |
| 16.16.5     | <b>Phenazines</b>   | 2020 |
|             | N. B. Ambhaikar   |      |
| 16.16.5     | <b>Phenazines</b> .....   | 193  |
| 16.16.5.1   | Synthesis by Ring-Closure Reactions: Formation of Two N—C Bonds .....   | 194  |
| 16.16.5.1.1 | Method 1: 1-Chlorophenazines by Selective Cathodic Reduction of<br>3,3,6,6-Tetrachlorocyclohexa-1,2-dione .....   | 194  |
| 16.16.5.1.2 | Method 2: Phenazines by Oxidative Condensation of 4,5-Dihalobenzene-<br>1,2-diamines .....  | 196  |
| 16.16.5.1.3 | Method 3: Phenazines by Oxidative Coupling of 9 <i>H</i> -Carbazol-3-amines<br>and 1 <i>H</i> -Indol-5-amines .....   | 199  |
| 16.16.5.1.4 | Method 4: Unsymmetrical Phenazines by Metal-Catalyzed Sequential<br>Amination, Cyclization, and Aromatization .....   | 201  |
| 16.16.5.1.5 | Method 5: Phenazine <i>N</i> -Oxides by Reaction of Benzoxadiazoles and<br>Diarylodonium Salts .....  | 204  |
| 16.16.5.2   | Synthesis by Ring-Closure Reactions: Formation of Two C—C Bonds .....   | 206  |
| 16.16.5.2.1 | Method 1: Phenazines by Reaction of Carbene Complexes with 2-Acyl-<br>3-alkynylquinoxalines and Maleimides .....  | 206  |
| 16.16.5.3   | Synthesis by Ring-Closure Reactions: Formation of One N—C Bond .....  | 208  |
| 16.16.5.3.1 | Method 1: Phenazinols by Palladium-Catalyzed <i>N</i> -Arylation of<br>Nitroarylanilines with Nitroaryl Bromides, Nitro Group<br>Reduction, and Oxidative Cyclization ..... | 208  |
| 16.16.5.3.2 | Method 2: Phenazines by Cyclization of <i>N</i> -Aryl-2-nitrosoanilines .....   | 210  |
| 16.16.5.4   | Synthesis by Ring-Closure Reactions: Formation of One C—C Bond .....  | 212  |
| 16.16.5.4.1 | Method 1: Iodobenzo[ <i>a</i> ]phenazines by Regioselective 6- <i>endo-dig</i><br>Iodocyclization .....   | 212  |
| 16.16.5.5   | Synthesis by Ring Transformation .....  | 214  |
| 16.16.5.5.1 | Method 1: Phenazines by Ring Contraction of 10,11-Dihydro-5 <i>H</i> -<br>dibenzo[ <i>b,e</i> ][1,4]diazepines .....  | 214  |

## Volume 21: Three Carbon—Heteroatom Bonds: Amides and Derivatives; Peptides; Lactams

### 21.1 Product Class 1: Amides

|          |   |       |
|----------|---|-------|
| 21.1.8   | <b>Synthesis of Amides by Transamidation and Amidation of Activated Amides and Esters</b>     | (New) |
|          | G. Li and M. Szostak  |       |
| 21.1.8   | <b>Synthesis of Amides by Transamidation and Amidation of Activated Amides and Esters</b>     | 219   |
| 21.1.8.1 | Method 1: Metal-Catalyzed Transamidation of Activated Amides (Acyl Buchwald–Hartwig Reaction) | 219   |
| 21.1.8.2 | Method 2: Transition-Metal-Free Transamidation of Amides                                      | 222   |
| 21.1.8.3 | Method 3: Transamidation of Amides under Reductive Conditions                                 | 224   |
| 21.1.8.4 | Method 4: Metal-Catalyzed Amidation of Esters   | 226   |
| 21.1.8.5 | Method 5: Transition-Metal-Free Amidation of Esters   | 230   |
| 21.1.8.6 | Method 6: Amidation of Esters under Reductive Conditions                                      | 231   |


## Volume 32: X—Ene—X (X = F, Cl, Br, I, O, S, Se, Te, N, P), Ene—Hal, and Ene—O Compounds

### 32.3 Product Class 3: 1,2-Bis(heteroatom-substituted) Alkenes

|                  |   |        |
|------------------|---|--------|
| 32.3.4.2         | <b>1-Nitrogen-Functionalized 2-Haloalkenes</b>                                      | (2020) |
|                  | M. L. Tong, K. Kunz, M. Jaschinski, K. Holzschneider, I. E. Celik, and S. F. Kirsch |        |
| 32.3.4.2         | <b>1-Nitrogen-Functionalized 2-Haloalkenes</b>                                      | 235    |
| 32.3.4.2.1       | Synthesis of 1-Nitrogen-Functionalized 2-Haloalkenes                                | 235    |
| 32.3.4.2.1.1     | Synthesis of Unsubstituted 1-Nitrogen-Functionalized 2-Haloalkenes                  | 235    |
| 32.3.4.2.1.1.1   | Method 1: Elimination   | 235    |
| 32.3.4.2.1.1.1.1 | Variation 1: Dehydrosulfonylation   | 235    |
| 32.3.4.2.1.1.1.2 | Variation 2: Synthesis of Vinyl Azides from Halo Azides                             | 236    |
| 32.3.4.2.1.1.2   | Method 2: Michael Addition  | 237    |
| 32.3.4.2.1.1.3   | Method 3: Iododecarboxylation of Ethylenic Acids                                    | 238    |
| 32.3.4.2.1.1.4   | Method 4: Metathesis  | 238    |
| 32.3.4.2.1.1.4.1 | Variation 1: Alkene Cross Metathesis with Vinyl Halides                             | 238    |
| 32.3.4.2.1.1.4.2 | Variation 2: Metathesis Combined with Silyl–Halide Exchange                         | 239    |
| 32.3.4.2.1.1.5   | Method 5: Wittig Alkenation   | 242    |
| 32.3.4.2.1.1.6   | Method 6: Copper-Catalyzed Cross Coupling of Alkenyl Halides and Sulfoximides       | 243    |

|                  |  |     |
|------------------|--|-----|
| 32.3.4.2.1.2     | Synthesis of 1-Nitrogen-Functionalized 2-Haloalkenes with Additional Substituents at Position 1 .....        | 243 |
| 32.3.4.2.1.2.1   | Method 1: Gold-Catalyzed Cyclization of Enynes .....   | 243 |
| 32.3.4.2.1.2.2   | Method 2: Halodesilylation of Enecarbamates .....  | 245 |
| 32.3.4.2.1.2.3   | Method 3: Addition of <i>N</i> -Arylsulfonamides .....   | 247 |
| 32.3.4.2.1.2.4   | Method 4: Aminodebromination .....   | 248 |
| 32.3.4.2.1.2.5   | Method 5: Fragmentation Reactions .....  | 250 |
| 32.3.4.2.1.2.5.1 | Variation 1: Fragmentation of Oximes .....   | 250 |
| 32.3.4.2.1.2.5.2 | Variation 2: Fragmentation of Halopyranoses .....  | 252 |
| 32.3.4.2.1.3     | Synthesis of 1-Nitrogen-Functionalized 2-Haloalkenes with Additional Substituents at Position 2 .....        | 253 |
| 32.3.4.2.1.3.1   | Method 1: Palladium-Catalyzed Cross Coupling of $\beta,\beta$ -Dihaloenamides ..                             | 254 |
| 32.3.4.2.1.3.2   | Method 2: Addition .....   | 255 |
| 32.3.4.2.1.3.2.1 | Variation 1: Direct Bromination of Enamines .....  | 255 |
| 32.3.4.2.1.3.2.2 | Variation 2: Halonitration of Alkynes .....  | 256 |
| 32.3.4.2.1.3.2.3 | Variation 3: Hydrofluorination of Ynamides .....   | 258 |
| 32.3.4.2.1.3.2.4 | Variation 4: Oxidative Haloaminations of Alkenes .....   | 259 |
| 32.3.4.2.1.3.2.5 | Variation 5: Iodofunctionalization of Allenamides .....  | 262 |
| 32.3.4.2.1.3.3   | Method 3: Fragmentation of Triazoles .....   | 263 |
| 32.3.4.2.1.4     | Synthesis of 1-Nitrogen-Functionalized 2-Haloalkenes with Additional Substituents at Positions 1 and 2 ..... | 264 |
| 32.3.4.2.1.4.1   | Method 1: Addition .....   | 264 |
| 32.3.4.2.1.4.1.1 | Variation 1: Copper-Catalyzed Aminobromination–Elimination with $\alpha,\beta$ -Unsaturated Ketones .....    | 264 |
| 32.3.4.2.1.4.1.2 | Variation 2: Addition to Internal Alkynes .....  | 265 |
| 32.3.4.2.1.4.2   | Method 2: Miscellaneous Reactions .....  | 266 |
| 32.3.4.2.2       | Applications of 1-Nitrogen-Functionalized 2-Haloalkenes .....  | 267 |
| 32.3.4.2.2.1     | Method 1: Synthesis of Nitrogen-Containing Heterocycles .....  | 267 |
| 32.3.4.2.2.1.1   | Variation 1: Synthesis of Pyrroles .....   | 268 |
| 32.3.4.2.2.1.2   | Variation 2: Synthesis of Furans .....   | 268 |
| 32.3.4.2.2.1.3   | Variation 3: Synthesis of $\alpha$ -Carbolines .....   | 269 |
| 32.3.4.2.2.1.4   | Variation 4: Synthesis of Pyridazines .....  | 270 |

## Volume 38: Peroxides

|                 |  |       |
|-----------------|--|-------|
| 38.8            | <b>Product Class 8: Monocyclic Peroxides</b>   |       |
| 38.8.3.2        | <b>Stable and Unstable 1,2-Dioxolanes: Origin, Synthesis, and Biological Activities</b>                                  | (New) |
|                 | V. M. Dembitsky and I. A. Yaremenko     |       |
| 38.8.3.2        | <b>Stable and Unstable 1,2-Dioxolanes: Origin, Synthesis, and Biological Activities</b>                                  | 277   |
| 38.8.3.2.1      | 1,2-Dioxolanes Derived from Terrestrial Sources  | 277   |
| 38.8.3.2.2      | 1,2-Dioxolanes Derived from Marine Sources   | 283   |
| 38.8.3.2.3      | Synthesis of Natural 1,2-Dioxolanes, their Analogues, and Non-natural 1,2-Dioxolanes                                     | 284   |
| 38.8.3.2.3.1    | Method 1: Oxidation of Enones  | 284   |
| 38.8.3.2.3.2    | Method 2: Cyclization of Hydroperoxides  | 286   |
| 38.8.3.2.3.3    | Method 3: Oxidation of Cyclopropanes   | 287   |
| 38.8.3.2.3.4    | Method 4: Aerobic Oxidation of Arylacetylenes in the Presence of Carbonyl Compounds                                      | 293   |
| 38.8.3.2.3.5    | Method 5: Oxidation of Alkenes by Molecular Oxygen in the Presence of Triethylsilane Catalyzed by Cobalt(II) Diketonates | 294   |
| 38.8.3.2.3.6    | Method 6: Ozonolysis of Oxetane-Containing Alkenes   | 296   |
| 38.8.3.2.3.7    | Method 7: Use of Peroxycarbenium Ions  | 297   |
| 38.8.3.2.3.7.1  | Variation 1: From Alkoxy Hydroperoxides  | 297   |
| 38.8.3.2.3.7.2  | Variation 2: From Silyl Monoperoxyketals   | 298   |
| 38.8.3.2.3.7.3  | Variation 3: From Silyl Diperoxyketals   | 299   |
| 38.8.3.2.3.8    | Method 8: Intramolecular Cyclization of Peroxides through Attack on an Electrophilic Center                              | 302   |
| 38.8.3.2.3.8.1  | Variation 1: From Silylperoxy Ketones  | 302   |
| 38.8.3.2.3.8.2  | Variation 2: From Silylperoxy Epoxides   | 304   |
| 38.8.3.2.3.8.3  | Variation 3: From Silylperoxy Alcohols/Acetals   | 304   |
| 38.8.3.2.3.9    | Method 9: Metal-Free [3 + 2] Cycloadditions between Allenes, Nitrosoarenes, and Ground-State Molecular Triplet Oxygen    | 305   |
| 38.8.3.2.3.10   | Method 10: Selective Oxidative Dearomatization of an Angular Tetracyclic Phenol by Irradiation under Air                 | 307   |
| 38.8.3.2.3.11   | Method 11: Peroxidation of Carbonyl Compounds  | 307   |
| 38.8.3.2.3.11.1 | Variation 1: Peroxidation of $\beta,\delta'$ -Triketones   | 307   |
| 38.8.3.2.3.11.2 | Variation 2: Peroxidation of $\beta,\gamma$ -Epoxy Ketones   | 309   |
| 38.8.3.2.3.11.3 | Variation 3: Peroxidation of 2-Allyl-1,3-diketones   | 310   |

## Volume 40: Amines, Ammonium Salts, Amine N-Oxides, Haloamines, Hydroxylamines and Sulfur Analogues, and Hydrazines

### 40.1 Product Class 1: Amino Compounds

|                |   |      |
|----------------|---|------|
| 40.1.1.4.3     | <b>Synthesis of Amines by Rearrangement</b> | 2020 |
|                | C. I. Ochoa and U. K. Tambar                |      |
| 40.1.1.4.3     | <b>Synthesis of Amines by Rearrangement</b> | 315  |
| 40.1.1.4.3.1   | Rearrangements from Nitrogen to Carbon      | 315  |
| 40.1.1.4.3.1.1 | Stevens and Sommelet–Hauser Rearrangements  | 315  |
| 40.1.1.4.3.1.2 | Aza-Wittig Rearrangement                    | 329  |
| 40.1.1.4.3.1.3 | Overman Rearrangement                       | 331  |
| 40.1.1.4.3.2   | Rearrangements from Carbon to Nitrogen      | 337  |
| 40.1.1.4.3.2.1 | Beckmann Rearrangement                      | 337  |
| 40.1.1.4.3.2.2 | Hofmann Rearrangement                       | 345  |
| 40.1.1.4.3.2.3 | Lossen Rearrangement                        | 354  |
| 40.1.1.4.3.2.4 | Curtius Rearrangement                       | 363  |

## Volume 43: Polyynes, Arynes, Enynes, and Alkynes

|             |  |     |
|-------------|--|-----|
| 43.10       | <b>Cross-Dehydrogenative Coupling of Terminal Alkynes</b>            | New |
|             | T. Tian and Z. Li  |     |
| 43.10       | <b>Cross-Dehydrogenative Coupling of Terminal Alkynes</b>            | 375 |
| 43.10.1     | <b>Formation of Carbon–Carbon Bonds</b>                              | 376 |
| 43.10.1.1   | Coupling of C(sp <sup>3</sup> )–H Bonds                              | 376 |
| 43.10.1.1.1 | Alkynylation next to Nitrogen Atoms                                  | 376 |
| 43.10.1.1.2 | Alkynylation next to Oxygen Atoms                                    | 403 |
| 43.10.1.1.3 | Alkynylation next to Sulfur Atoms                                    | 406 |
| 43.10.1.1.4 | Cross-Dehydrogenative Coupling Reactions of Non-Activated Substrates | 410 |
| 43.10.1.2   | Coupling of C(sp <sup>2</sup> )–H Bonds                              | 415 |
| 43.10.1.3   | Coupling of C(sp)–H Bonds  | 423 |
| 43.10.2     | <b>Formation of Carbon–Heteroatom Bonds</b>                          | 423 |
| 43.10.2.1   | Formation of C–Si Bonds  | 423 |
| 43.10.2.2   | Formation of C–P Bonds   | 428 |
| 43.10.2.3   | Formation of C–S Bonds   | 433 |



## Volume 48: Alkanes

|              |  |      |
|--------------|--|------|
| 48.5         | <b>Product Class 5: Hydrocarbon Polymers</b>                           |      |
| 48.5.5       | <b>Hydrocarbon Polymers</b>  | 2020 |
|              | X.-Y. Wang and X.-L. Sun   |      |
| 48.5.5       | <b>Hydrocarbon Polymers</b>  | 437  |
| 48.5.5.1     | Polyethenes  | 438  |
| 48.5.5.1.1   | Linear Polyethenes   | 438  |
| 48.5.5.1.1.1 | Method 1: Synthesis Using Homogeneous Early-Transition-Metal Catalysts | 438  |
| 48.5.5.1.1.2 | Method 2: Synthesis Using Homogeneous Late-Transition-Metal Catalysts  | 440  |
| 48.5.5.1.2   | Highly Branched Polyethenes  | 445  |
| 48.5.5.1.2.1 | Method 1: Synthesis Using Homogeneous Palladium Catalysts              | 445  |
| 48.5.5.1.2.2 | Method 2: Synthesis Using Homogeneous Nickel Catalysts                 | 447  |
| 48.5.5.1.3   | Ethene/Polar Alkene Copolymers   | 449  |
| 48.5.5.1.3.1 | Method 1: Synthesis Using Homogeneous Late-Transition-Metal Catalysts  | 449  |
| 48.5.5.1.3.2 | Method 2: Synthesis Using Homogeneous Early-Transition-Metal Catalysts | 453  |
| 48.5.5.2     | Polypropenes   | 455  |
| 48.5.5.2.1   | Polypropene Homopolymers   | 456  |
| 48.5.5.2.1.1 | Method 1: Synthesis Using Homogeneous Early-Transition-Metal Catalysts | 456  |
| 48.5.5.2.1.2 | Method 2: Synthesis Using Homogeneous Late-Transition-Metal Catalysts  | 458  |
| 48.5.5.2.2   | Propene/Polar Alkene Copolymers  | 460  |
| 48.5.5.2.2.1 | Method 1: Synthesis Using Homogeneous Early-Transition-Metal Catalysts | 460  |
| 48.5.5.2.2.2 | Method 2: Synthesis Using Homogeneous Late-Transition-Metal Catalysts  | 461  |
| 48.5.5.3     | Polymers of Higher $\alpha$ -Alkenes (C >3)                            | 463  |
| 48.5.5.3.1   | Method 1: Synthesis Using Homogeneous Early-Transition-Metal Catalysts | 463  |
| 48.5.5.3.2   | Method 2: Synthesis Using Homogeneous Late-Transition-Metal Catalysts  | 465  |

---

|            |                                      |     |
|------------|--------------------------------------|-----|
| 48.5.5.4   | Other Hydrocarbon Polymers .....     | 467 |
| 48.5.5.4.1 | Poly(isobutenes) .....               | 467 |
| 48.5.5.4.2 | Poly(cycloalkenes) .....             | 468 |
| 48.5.5.4.3 | Poly(alka-1, $\omega$ -dienes) ..... | 471 |
| 48.5.5.4.4 | Poly(allenes) .....                  | 472 |
|            | <b>Author Index</b> .....            | 477 |
|            | <b>Abbreviations</b> .....           | 501 |